ISSUE REPORT

Shortchanging America's Health 2008

A STATE-BY-STATE LOOK AT HOW FEDERAL PUBLIC HEALTH DOLLARS ARE SPENT



APRIL 2008

Preventing Epidemics.

Protecting People.



BOARD OF DIRECTORS

Lowell Weicker, Jr.

President

Former 3-term U.S. Senator and Governor of Connecticut

Cynthia M. Harris, PhD, DABT

Vice President

Director and Associate Professor Institute of Public Health, Florida A & M University

Margaret A. Hamburg, MD

Secretary

Senior Scientist

Nuclear Threat Initiative (NTI)

Patricia Baumann, MS, JD

Treasurer

President and CEO

Bauman Foundation

Gail Christopher, DN

Vice President for Health

WK Kellogg Foundation

John W. Everets

David Fleming, MD

Director of Public Health Seattle King County, (WA)

Robert T. Harris, MD

Former Chief Medical Officer and Senior Vice President for Healthcare BlueCross BlueShield of North Carolina

Alonzo Plough, MA, MPH, PhD

Vice President of Program, Planning and Evaluation The California Endowment

Theodore Spencer

Project Manager

National Resources Defense Council

REPORT AUTHORS

Jeffrey Levi, PhD

Executive Director

Trust for America's Health

Serena Vinter, MHS

Senior Research Associate

Trust for America's Health

Laura M. Segal, MA

Director of Public Affairs
Trust for America's Health

CONTRIBUTORS

Chrissie Juliano, MPP

Policy Development Manager Trust for America's Health

Emily Gadola, MPP

Public Affairs Research Associate
Trust for America's Health

ACKNOWLEDGEMENTS:

This report is supported by a grant from the Robert Wood Johnson Foundation. The opinions expressed in this report are those of the authors and do not necessarily reflect the views of the foundation.

PEER REVIEWERS

TFAH thanks the reviewers for their time, expertise, and insights. The opinions expressed in this report do not necessarily represent the views of these individuals or their organizations.

Ruth Finkelstein, ScD

Vice President for Health Policy
The New York Academy of Medicine

Marcia S. Mabee, MPH, PhD

Executive Director

Coalition for Health Funding

Scott Pattison

Executive Director

National Association of State Budget Officers



Shortchanging America's Health 2008 ASTATE-BY-STATE LOOK AT HOW FEDERAL PUBLIC HEALTH

TRUST FOR AMERICA'S

HEALTH IS A NON-PROFIT.

NON-PARTISAN ORGANIZATION

DEDICATED TO SAVING LIVES BY

PROTECTING THE HEALTH OF

EVERY COMMUNITY AND WORKING

TO MAKE DISEASE PREVENTION

A NATIONAL PRIORITY.



DOLLARS ARE SPENT



Introduction

Every American should have the opportunity to be as healthy as he or she can be. Every community should be safe from threats to its health. Protecting the health and safety of Americans should be the top responsibility of our nation's leaders.

Currently, serious gaps exist in the nation's ability to safeguard health, putting our families, communities, states, and nation at risk. The country does not devote the resources needed to adequately help prevent disease and protect the health of Americans.

The nation spends more than \$2 trillion annually on health care, more than any other nation in the world, but still tens of millions of Americans suffer every day from chronic diseases like cancer, diabetes, and Alzheimer's that rob them of health and quality of life. Experts believe many of these diseases could be prevented through better public health measures, such as changes to behavior and the environment.

Health care has focused for too long on caring for people after they become sick or harmed instead of trying to prevent disease. Prevention means improving the quality of people's lives, sparing individuals from needless suffering, and eliminating unnecessary costs from the health system. Helping people to be healthier is one of the best ways to keep health care costs down.

Instead of investing more in keeping people healthier, the federal government is moving the other direction. In Fiscal Year (FY) 2007, the U.S. Centers for Disease Control and Prevention (CDC), the lead health care

agency responsible for disease and injury prevention, only received \$6.0 billion in funding, a 5.0 percent drop from FY 2006. The federal government cut \$8 million from CDC's funds for chronic disease prevention and health promotion and another \$2 million from the agency's funds for birth defects and developmental disabilities. The U.S. Congress and the Bush Administration slashed CDC's program for upgrading state and local emergency preparedness capacity by \$56 million, or 6.8 percent, while chopping off another \$28 million in funding for the Strategic National Stockpile, a decline of 5.3 percent.^{2,3}

The Office of the Assistant Secretary for Preparedness and Response (ASPR) received \$474 million in FY 2007 of which it distributed some \$430 million through the Hospital Preparedness Program (HPP), or about \$100,000 per year per hospital.⁴ According to the Center for Biosecurity, however, the minimum costs of developing and maintaining surge capacity during a severe pandemic for an average size hospital are close to a \$1 million one-time investment coupled with \$200,000 in annual maintenance costs.⁵

Finally, the Health Resources and Services Administration (HRSA), which funds programs to provide access to needed health care services for the medically underserved populations, received only \$6.39 billion in FY 2007, which is \$21 per capita.⁶ Meanwhile, overall health care spending per capita is approximately \$6,102.⁷

Unfortunately, constant underfunding of our public health infrastructure over the past decade has undermined our ability to meet routine health needs and respond to emergencies. National emergencies arise every year, and will continue to do so. Federal funding for public health increased significantly after 9/11, but we have fallen short in providing enough to meet the obvious need.8

- SENATOR EDWARD M. KENNEDY (D-MA)

In this report, Trust for America's Health (TFAH) examines how much the federal government spends to try to keep the country well. A state-by-state review reveals that federal funding (through CDC) for public health varies, often significantly, with a per capita low of \$13.61 in Kansas to a per capita high of \$69.76 in Alaska. The national average is \$17.23 per person, a fraction of what is spent on health care costs.

Additionally, the report examines **state funding** for public health. Each state allocates and reports its budget in a different way. States also vary widely in the level of specific detail they provide. This makes comparisons across states a challenge. This analysis looks at ways to begin comparing budgets across states, and how increased transparency and accountability could help create an understanding of how spending on public health programs can have a positive impact on people's health. The **median state spending** on public health is \$33.26 per person, with a range of \$3.46 per person in Nevada to \$152.66 per person in Hawaii.

To demonstrate the differences in health across states, this report examines a sample

of key health indicators in each state. For instance, an examination of state data finds that adult obesity rates range from a low of 16.9 percent in Colorado to a high of 29.5 percent in Mississippi, and rates of asthma among adults range from a low of 10.5 percent in South Dakota to a high of 15.4 percent in Oregon.

By starting to examine disease rates in combination with public health spending, this report aims to further the discussion about what the right amount of public health funding should be in order to have a real impact in reducing disease rates nationally. While it is a challenge to determine how much should be spent on public health, a recent article in the Journal of Public Health Management and Practice outlines how other sectors have undertaken similar efforts, including hospitals, schools and school districts, and colleges and universities.9 Some of these efforts have included establishing uniform financial analysis and management practices, reporting mandates, standardized data collection and reporting, comparative analyses, and workforce credentialing.

KNOWLEDGE OF THE SOURCES AND USES OF PUBLIC HEALTH FUNDING REMAINS SCARCE. EVIDENCE IS NOT READILY AVAILABLE ON EFFICIENT MODELS FOR RESOURCE ALLOCATIONS, AND METRICS TO MEASURE FUNDING OUTCOMES HAVE NOT YET BEEN IDENTIFIED.¹⁰

HOSPITALS, SCHOOLS AND SCHOOL SYSTEMS, AND COLLEGES AND UNIVERSITIES HAVE ROBUST SYSTEMS OF ACCOUNTABILITY THAT PROMOTE FINANCIAL TRANSPARENCY.

OVER THE DECADES, FINANCIAL AND BUSINESS MANAGEMENT PRACTICES HAVE BEEN APPLIED TO THESE FIELDS WHERE SUCH PRACTICES ARE EMBRACED AS TOOLS TO FACILITATE ACCOUNTABILITY, QUALITY IMPROVEMENT, AND EVIDENCE-BASED DECISION MAKING. MAINSTREAMING THE APPLICATION OF THESE CONCEPTS IN PUBLIC HEALTH IS A CRITICAL STEP TO ADVANCING PUBLIC HEALTH FINANCE. 11

— JOURNAL OF PUBLIC HEALTH MANAGEMENT AND PRACTICE, MARCH-APRIL 2007

Right now, the health of Americans is being shortchanged due to budget cuts and a misplaced priority for spending on treatments, after people are already sick, rather than spending on prevention. Achieving a healthier America will require a national commitment to invest in and modernize the country's public health system.

A Healthier America: Investing in Public Health

Strengthening America's public health system would result in: 1) providing people with the information and resources they need to make healthier choices and live healthier lives, and 2) protecting people from health threats beyond their control, such as bioterrorism, natural disasters, and infectious disease outbreaks. Achieving this vision will require the combined efforts of federal, state, and local governments in partnership with businesses, communities, and citizens.

The term "public health" is used to describe either 1) the health of the public, or 2) the approximately 3,000 federal, state, and local health agencies in the U.S. (and more around the world), that often work closely with private sector voluntary and professional health associations.

What Are the Primary Concerns for Public Health?

Public health focuses largely on disease prevention and preparedness for health emergencies.

Chronic Disease Prevention: Public health professionals search for ways to reduce disease rates by investigating trends and patterns of the public's health to identify causes and possible cures.

Experts estimate that nearly 70 percent of deaths in the U.S. are due to chronic illnesses, many of which could be avoided if stronger action was taken to promote prevention efforts. ¹²

- One in two men and one in three women will develop cancer in their lifetime. 13
- One in four Americans has heart disease.¹⁴
- Two out of three Americans are overweight or obese. 15
- One in twelve Americans has asthma. 16
- One in fourteen Americans has diabetes.¹⁷
- One in seven seniors has Alzheimer's. 18
- Baby boomers may be the first generation to live less healthy lives than their parents according to a recent study.¹⁹
- Childhood obesity has more than tripled since 1980, putting our nation's children at risk for unprecedented levels of major diseases like diabetes and heart disease earlier in life.²⁰

Public health professionals research strategies and "interventions," such as changes in diet and lifestyle, which can help people to lead healthier lives. <u>CDC estimates that a significant portion of chronic diseases could be prevented</u>.

Infectious Disease Prevention: Public health professionals monitor the health of communities to detect infectious disease outbreaks, and identify the best ways to contain or stop the spread of these diseases. Examples of infectious diseases include:

- Tuberculosis,
- HIV/AIDS,
- Illnesses associated with food poisoning, and
- Seasonal and pandemic flu.

Disease, Disaster, and Bioterrorism Preparedness: Public health professionals are also on the front lines of developing the country's defenses to prevent or contain major disease outbreaks, including those caused by an act of bioterrorism, or provide wide-scale treatment to the survivors of major disasters.



Public Health Funding

ublic health programs are funded through a combination of federal, state, and local dollars.

Each level of government has different, but equally important responsibilities for protecting the public's health. While this report focuses primarily on federal funding to states, it also provides information about state funding, including an analysis of transparency in state budgets, to help provide a more comprehensive context for understanding public health funding. Local public health funding is also examined as it represents a significant amount of public health dollars.

TFAH analyzes federal and state funding for public health based on the most complete financial data currently available. There is a significant delay from the time when a President proposes a fiscal year budget, to when appropriations legislation is signed into law, to the time when the funds are disbursed. Therefore, TFAH uses FY 2007 data for this analysis which is the budget year for which this data is most complete and accurate.

Federal Investment in Public Health

On the state profile pages of this report, TFAH highlights the amount of federal funding states receive for a range of public health programs from CDC, HRSA and ASPR.

HRSA distributes approximately 90 percent of its funding in grants to states and territories, public and private health care providers, health professions training programs and other organizations.²¹ ASPR, a newly created office, received \$694 million in funding in FY 2007, of which \$474 million went to state and local health departments to distribute to hospitals for preparedness upgrades.²²

Approximately 75 percent of CDC's budget is distributed to states, localities, and other public and private partners to support services and programs. Some of this funding is based on the number of people in a state or on a need-based formula for priority programs. Other funds are based on competitive grants. States can apply to CDC for funding for specific program area. Often in these cases, not all states that apply for funds receive them as there are often insufficient funds appropriated to allow all states to receive grants.

WHAT ARE THE FEDERAL GOVERNMENT'S PUBLIC HEALTH OBLIGATIONS?23

In partnerships with states and localities, the federal government has an obligation to:

- Assure the capacity for all levels of government to provide essential public health services;
- Act when health threats may span many states, regions, or the whole country;
- Act where the solution may be beyond the jurisdiction of individual states;
- Act to assist the states when they do not have the expertise or resources to mount an effective response in a public health emergency such as a natural disaster, bioterrorism, or an emerging disease; and
- Facilitate the formulation of public health goals in collaboration with state and local governments and other relevant stakeholders.

CDC's mission: "To promote health and quality of life by preventing and controlling disease, injury, and disability."²⁴

HRSA's vision statement: "Envision[ing] optimal health for all, supported by a health care system that assures access to comprehensive, culturally competent, quality care."²⁵

ASPR's mission: To serve as the Department of Health and Human Services (HHS) Secretary's "principal advisory staff on matters related to bioterrorism and other public health emergencies. ASPR also coordinates interagency activities between HHS, other Federal departments, agencies, and offices, and State and local officials responsible for emergency preparedness and the protection of the civilian population from acts of bioterrorism and other public health emergencies."²⁶

		DOLLARS – FY 200) /
State	CDC Total (All Categories)	CDC Per Capita Total	CDC Per Capita Ranking
Alaska	\$47,682,335	\$69.76	
Georgia	\$501,684,197	\$52.56	2
Maryland	\$277,270,371	\$49.35	3
Virginia	\$348,608,534	\$45.20	4
Vermont	\$24,239,383	\$39.02	5
Rhode Island	\$35,543,328	\$33.60	6
North Dakota	\$20,957,249	\$32.76	7
New Mexico	\$64,520,792	\$32.75	8
Wyoming	\$16,544,795	\$31.64	9
South Dakota	\$24,523,465	\$30.80	10
New York	\$520,101,882	\$26.95	11
New Hampshire	\$35,019,561	\$26.61	12
Hawaii		\$26.45	13
	\$33,944,183		
Massachusetts	\$163,922,309	\$25.42	14
West Virginia	\$46,033,678	\$25.40	15
Tennessee	\$155,991,446	\$25.34	16
Delaware	\$21,820,150	\$25.23	17
Montana	\$24,155,309	\$25.22	18
Louisiana	\$105,192,584	\$24.50	19
Maine	\$31,461,972	\$23.89	20
New Jersey	\$205,980,790	\$23.71	21
Kentucky	\$98,316,534	\$23.18	22
Oklahoma	\$83,220,349	\$23.01	23
North Carolina	\$204,168,869	\$22.53	24
Nevada	\$57,533,560	\$22.43	25
Alabama	\$102,720,778	\$22.20	26
Washington	\$137,169,586	\$21.21	27
Idaho	\$31,674,656	\$21.12	28
Colorado	\$99,526,614	\$20.47	29
Connecticut	\$71,516,324	\$20.42	30
lowa	\$60,990,707	\$20.41	31
South Carolina	\$87,439,287	\$19.84	32
Mississippi	\$57,697,681	\$19.77	33
Nebraska	\$34,988,576	\$19.72	34
	\$470,146,799	\$19.67	35
Texas			
Arizona	\$122,851,259	\$19.38	36
Arkansas	\$52,547,839	\$18.54	37
Michigan	\$185,306,899	\$18.40	38
California	\$646,088,699	\$17.68	39
		/ERAGE \$17.23	
Oregon	\$62,864,566	\$16.78	40
Missouri	\$95,214,121	\$16.20	41
Illinois	\$198,736,545	\$15.46	42
Pennsylvania	\$190,255,436	\$15.30	43
Ohio	\$172,898,332	\$15.08	44
Wisconsin	\$83,703,345	\$14.94	45
Utah	\$39,174,021	\$14.81	46
Minnesota	\$75,943,264	\$14.61	47
Florida	\$256,647,620	\$14.06	48
Indiana	\$86,873,860	\$13.69	49
Kansas	\$37,769,383	\$13.61	50
District of Columbia	\$377,628,059	N/A*	N/A*
		1 4// 1	1 4// \

^{*}D.C. was not included in the per capita rankings because it receives different funding levels than the 50 states.

^{**}Total includes monies for Washington, D.C., U.S. Territories, such as Puerto Rico and Guam, and the Freely Associated States of the Pacific, such as the Marshall Islands.

SUMMARY OF HRSA DOLLARS – FY 2007			
State	HRSA Total (All Categories)	HRSA Per Capita Total	HRSA Per Capita Ranking
Alaska	\$39,347,616	(All Programs) \$57.57	nanking I
Maryland	\$211,869,188	\$37.71	2
Hawaii	\$41,751,386	\$32.53	3
Massachusetts	\$189,749,655	\$29.42	4
New Mexico	\$53,679,214	\$27.25	5
New York	\$518,231,073	\$26.85	6
Montana	\$25,194,691	\$26.30	7
Mississippi	\$75,228,458	\$25.77	8
West Virginia	\$43,008,714	\$23.74	9
South Carolina	\$101,988,488	\$23.14	10
Louisiana	\$98,021,431	\$22.83	11
South Dakota	\$17,529,729	\$22.03	12
Rhode Island	\$22,995,789	\$21.74	13
Alabama	\$100,237,201	\$21.74	14
Washington	\$130,398,465	\$20.16	15
Colorado	\$95,908,615	\$19.73	16
Delaware	\$16,465,503	\$19.04	17
Florida	\$335,729,144	\$18.39	17
North Dakota	\$11,688,682	\$18.27	19
Vermont		\$18.27	20
	\$11,061,965 \$66,149,631	\$17.65	21
Oregon	\$22,554,763	\$17.65	
Maine	\$22,554,763	\$17.12	22
	NATIONAL	AVERAGE \$17.09	
Idalaa			22
Idaho	\$25,323,900	\$16.89	23 24
Wyoming	\$8,820,397	\$16.87 \$16.73	25
Connecticut	\$58,601,808 \$46,822,630	\$16.73	
Arkansas Illinois	\$46,822,630		26 27
	\$94,813,079	\$16.18	
Missouri		\$16.13	28
Georgia	\$146,970,294	\$15.40	29
New Jersey	\$133,674,550	\$15.39	30
Tennessee	\$92,932,687	\$15.09	31
North Carolina	\$133,890,703	\$14.78	32
California	\$527,466,991	\$14.43	33
Pennsylvania	\$169,656,302	\$13.65	34
Texas	\$322,281,473	\$13.48	35
Kentucky	\$56,992,741	\$13.44	36
Nebraska	\$23,629,971	\$13.32	37
Virginia	\$98,800,738	\$12.81	38
Utah	\$33,176,776	\$12.54	39
New Hampshire	\$16,371,384	\$12.44	40
Oklahoma	\$44,310,900	\$12.25	41
Arizona	\$77,422,919	\$12.21	42
lowa	\$36,292,761	\$12.15	43
Nevada	\$30,326,924	\$11.82	44
Michigan	\$117,802,614	\$11.70	45
Minnesota	\$55,054,498	\$10.59	46
Ohio	\$116,712,671	\$10.18	47
Wisconsin	\$56,599,402	\$10.10	48
Indiana	\$61,385,145	\$9.67	49
Kansas	\$24,244,299	\$8.73	50
District of Columbia	\$108,962,785	N/A*	N/A*
US Total	\$5,156,063,793	\$17.09	N/A**

^{*}D.C. was not included in the per capita rankings because total funding for D.C. include funds for a number of national organizations.

^{**} The U.S. total reflects HRSA grants to all 50 states and the District of Columbia.

SUMMARY OF ASPR HPP DOLLARS – FY 2007			
State	HPP Total	HPP Per Capita Total	HPP Per Capita Ranking
Wyoming	\$1,152,882	\$2.21	
Vermont	\$1,290,942	\$2.08	2
North Dakota	\$1,306,102	\$2.04	3
Alaska	\$1,349,441	\$1.97	4
South Dakota	\$1,491,255	\$1.87	5
Delaware	\$1,581,970	\$1.83	6
Montana	\$1,697,530	\$1.77	7
Rhode Island	\$1,853,432	\$1.75	8
Hawaii	\$2,129,653	\$1.66	9
Maine	\$2,175,388	\$1.65	10
New Hampshire	\$2,166,921	\$1.65	II
Idaho	\$2,359,069	\$1.57	12
West Virginia	\$2,805,313	\$1.55	13
Nebraska	\$2,803,313	\$1.55	14
New Mexico		\$1.51	15
Kansas	\$2,977,887 \$4,004,077	\$1.51 \$1.44	16
Mississippi	\$4,189,754	\$1.44	17
Arkansas	\$4,063,403	\$1.43	18
lowa	\$4,280,453	\$1.43	19
Nevada	\$3,663,636	\$1.43	20
		VERAGE \$1.43	
Connecticut	\$4,943,121	\$1.41	21
Utah	\$3,732,769	\$1.41	22
Oklahoma	\$5,037,444	\$1.39	23
Oregon	\$5,191,530	\$1.39	24
Louisiana	\$5,935,695	\$1.38	25
Kentucky	\$5,832,130	\$1.38	26
Alabama	\$6,330,289	\$1.37	27
Minnesota	\$7,050,445	\$1.36	28
South Carolina	\$5,978,140	\$1.36	29
Maryland	\$7,619,177	\$1.36	30
Wisconsin	\$7,544,102	\$1.35	31
Missouri	\$7,906,932	\$1.35	32
Massachusetts	\$8,660,567	\$1.34	33
Colorado	\$6,525,958	\$1.34	34
Indiana	\$8,503,785	\$1.34	35
New Jersey	\$11,560,312	\$1.33	36
Washington	\$8,608,090	\$1.33	37
Tennessee	\$8,155,520	\$1.32	38
Virginia	\$10,189,048	\$1.32	39
Michigan	\$13,298,463	\$1.32	40
Ohio	\$15,050,914	\$1.31	41
Arizona	\$8,317,173	\$1.31	42
Pennsylvania	\$16,271,242	\$1.31	43
Georgia	\$12,370,869	\$1.30	44
North Carolina	\$12,370,869	\$1.29	45
Florida	\$23,432,938	\$1.28	46
Texas			47
	\$30,301,320	\$1.27	
Illinois	\$13,163,842	\$1.02	48
California	\$34,106,620	\$0.93	49
New York	\$14,561,258	\$0.75	50
District of Columbia	\$1,737,218	N/A*	N/A*
U.S. TOTAL	\$430,032,000.00	\$1.43	N/A**

^{*}D.C. not included in per capita rankings.

^{**}Total includes \$15 million Healthcare Facilities Partnership Program as well as HPP monies for 4 major U.S. metropolitan areas, Washington, D.C., Chicago, L.A. County, and New York City, U.S. Territories, such as Puerto Rico and Guam, and the Freely Associated States of the Pacific, such as the Marshall Islands.

State Investment in Public Health

In Fiscal Year 2007, per capita public health funding by state governments ranged from \$3.46 in Nevada to \$152.66 in Hawaii. The median funding for public health was \$33.26 per person.

The majority of funding for public health comes from the state and local levels, although estimates of the percentage vary. In 2000, according to one analysis, state and local spending was 2.5 times the federal level, accounting for 70 percent of all public

health spending.²⁷ According to this analysis, in 2000, combined state and local public health spending was \$44.29 per person while federal spending was \$17.77 per capita.

A 2002-2003 analysis by the National Association of State Budget Officers, however, found that just over 50 percent of the funds for state population health and direct public health services came from state revenues, with the rest from federal sources.²⁸

WHAT ARE STATE AND LOCAL GOVERNMENTS' PUBLIC HEALTH OBLIGATIONS?29

States and localities have an obligation to:

- Fulfill core public health functions such as diagnosing and investigating health threats, informing and educating the public, mobilizing community partnerships, protecting against natural and human-made disasters, and enforcing state health laws;
- Provide relevant information on the community's health and the availability of essential public health services. This information should be integrated with reporting from local hospitals and health care providers to show how well public concerns and health threats are being addressed. These reports should also be publicly available and utilized by public health departments to work collaboratively with hospitals, physicians, and others with a role in public health to set health goals;
- Work collaboratively with the multiple stakeholders who influence public health at the community level in designing appropriate programs and interventions that address key health problems and improve the health of the region; and
- Deal with complex, poorly understood problems by acting as "policy laboratories." States and localities are closer to the people and to the problems causing ill health.

State Public Health Budgets FY 2006-2007			
State	FY 2006-2007	FY 06-07 Per Capita	Per Capita Ranking
Hawaii ²	\$195,921,585	\$152.66	
Vermont ³	\$91,161,923	\$146.74	2
Wyoming	\$61,348,540	\$117.34	3
District of Columbia ²	\$66,020,000	\$112.22	4
New Mexico	\$154,991,800	\$78.68	5
Washington ⁴	\$508,047,000	\$78.54	6
California	\$2,859,486,000	\$78.23	7
Idaho	\$114,008,700	\$76.04	8
Virginia ⁴	\$577,431,873	\$74.87	9
West Virginia	\$133,424,089	\$73.63	10
Oklahoma ¹	\$240,056,000	\$66.36	
Massachusetts ⁴	\$389,234,985	\$60.35	12
New York	\$1,111,688,300	\$57.61	13
Alabama	\$239,822,539	\$51.82	14
Delaware ²	\$41,198,600	\$47.64	15
Colorado	\$229,536,071	\$47.21	16
Rhode Island	\$49,446,623	\$46.74	17
Alaska ²	\$30,797,600	\$45.06	18
Tennessee	\$269,582,200	\$43.79	19
Louisiana	\$176,481,464	\$41.11	20
Maryland ²	\$224,837,000	\$40.02	21
New Jersey	\$345,200,000	\$39.74	22
Kentucky	\$168,367,300	\$39.70	23
South Carolina	\$168,538,389	\$38.24	24
Nebraska 4	\$63,008,127	\$35.51	25
I Nebi aska	ψ03,000,127	\$55.51	25
	NATIONAL	. MEDIAN \$33.26	
North Dakota 7	\$21,276,963	\$33.26	26
Utah	\$83,187,400	\$31.45	27
Oregon	\$108,631,532	\$28.99	28
Florida ²	\$501,774,108	\$27.49	29
Arkansas	\$73,686,871	\$25.99	30
Connecticut ²	\$79,786,634	\$22.78	31
South Dakota	\$17,702,809	\$22.23	32
Illinois	\$276,278,000	\$21.50	33
New Hampshire	\$27,148,280	\$20.63	34
Arizona	\$125,871,800	\$19.86	35
			36
Michigan ⁴	\$197,287,300	\$19.59	36 37
Michigan ⁴ Pennsylvania ²	\$197,287,300 \$239,482,000	\$19.59 \$19.26	37
Michigan ⁴ Pennsylvania ² Georgia ⁶	\$197,287,300 \$239,482,000 \$162,416,101	\$19.59 \$19.26 \$17.02	37 38
Michigan ⁴ Pennsylvania ² Georgia ⁶ lowa	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746	\$19.59 \$19.26 \$17.02 \$16.97	37 38 39
Michigan ⁴ Pennsylvania ² Georgia ⁶ Iowa Kansas	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35	37 38 39 40
Michigan ⁴ Pennsylvania ² Georgia ⁶ Iowa Kansas Montana	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453 \$13,968,630	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35 \$14.58	37 38 39 40 41
Michigan ⁴ Pennsylvania ² Georgia ⁶ Iowa Kansas Montana North Carolina ²	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453 \$13,968,630 \$129,554,172	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35 \$14.58	37 38 39 40 41 42
Michigan ⁴ Pennsylvania ² Georgia ⁶ Iowa Kansas Montana North Carolina ² Texas	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453 \$13,968,630 \$129,554,172 \$341,103,992	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35 \$14.58 \$14.27	37 38 39 40 41 42 43
Michigan ⁴ Pennsylvania ² Georgia ⁶ Iowa Kansas Montana North Carolina ² Texas Minnesota ²	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453 \$13,968,630 \$129,554,172 \$341,103,992 \$69,923,000	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35 \$14.58 \$14.27 \$13.45	37 38 39 40 41 42 43
Michigan ⁴ Pennsylvania ² Georgia ⁶ lowa Kansas Montana North Carolina ² Texas Minnesota ² Mississippi ²	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453 \$13,968,630 \$129,554,172 \$341,103,992 \$69,923,000 \$38,869,936	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35 \$14.58 \$14.27 \$13.45 \$13.32	37 38 39 40 41 42 43 44 45
Michigan ⁴ Pennsylvania ² Georgia ⁶ Iowa Kansas Montana North Carolina ² Texas Minnesota ² Mississippi ² Ohio ⁴	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453 \$13,968,630 \$129,554,172 \$341,103,992 \$69,923,000 \$38,869,936 \$149,854,080	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35 \$14.58 \$14.27 \$13.45 \$13.32 \$13.07	37 38 39 40 41 42 43 44 45
Michigan ⁴ Pennsylvania ² Georgia ⁶ Iowa Kansas Montana North Carolina ² Texas Minnesota ² Mississippi ² Ohio ⁴ Missouri	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453 \$13,968,630 \$129,554,172 \$341,103,992 \$69,923,000 \$38,869,936 \$149,854,080 \$59,965,408	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35 \$14.58 \$14.27 \$13.45 \$13.32 \$13.07 \$10.20	37 38 39 40 41 42 43 44 45 46 47
Michigan ⁴ Pennsylvania ² Georgia ⁶ Iowa Kansas Montana North Carolina ² Texas Minnesota ² Mississippi ² Ohio ⁴ Missouri Maine ²	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453 \$13,968,630 \$129,554,172 \$341,103,992 \$69,923,000 \$38,869,936 \$149,854,080 \$59,965,408 \$13,414,240	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35 \$14.58 \$14.27 \$13.45 \$13.32 \$13.07 \$10.20 \$10.18	37 38 39 40 41 42 43 44 45 46 47
Michigan ⁴ Pennsylvania ² Georgia ⁶ Iowa Kansas Montana North Carolina ² Texas Minnesota ² Mississippi ² Ohio ⁴ Missouri Maine ² Indiana	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453 \$13,968,630 \$129,554,172 \$341,103,992 \$69,923,000 \$38,869,936 \$149,854,080 \$59,965,408 \$13,414,240 \$61,549,176	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35 \$14.58 \$14.27 \$13.45 \$13.32 \$13.07 \$10.20 \$10.18 \$9.70	37 38 39 40 41 42 43 44 45 46 47 48
Michigan ⁴ Pennsylvania ² Georgia ⁶ Iowa Kansas Montana North Carolina ² Texas Minnesota ² Mississippi ² Ohio ⁴ Missouri Maine ²	\$197,287,300 \$239,482,000 \$162,416,101 \$50,703,746 \$45,394,453 \$13,968,630 \$129,554,172 \$341,103,992 \$69,923,000 \$38,869,936 \$149,854,080 \$59,965,408 \$13,414,240	\$19.59 \$19.26 \$17.02 \$16.97 \$16.35 \$14.58 \$14.27 \$13.45 \$13.32 \$13.07 \$10.20 \$10.18	37 38 39 40 41 42 43 44 45 46 47

Notes

- ¹ May contain some social service programs, but not Medicaid or CHIP.
- ² General funds only.
- ³ Includes federal funds.
- $^{\mbox{\tiny 4}}$ Budget data taken from appropriations legislation.
- ⁵ Missouri's percent change based on FY 2005-06 and FY 2006-07 actual expenditures.
- $^{\rm 6}$ Georgia's budget data for FY 2006-07 taken from appropriations legislation.
- 7 North Dakota's budget data for the 2007-2009 biennium taken from appropriations legislation.

THE IMPACT OF RECESSION ON STATE PUBLIC HEALTH BUDGETS

State public health services are largely dependent on larger economic forces. According to a study by the Center for Studying Health System Change, there is "an underlying volatility of state budgets, which is associated with many factors, including local economic conditions, sources of tax revenues, changes in spending priorities, magnitude of reserve funds, and policy decisions to limit tax increases and reduce spending." ³⁰

While the federal government can somewhat escape this economic volatility by running a deficit, the majority of states are required by law to balance their budgets. This means that any economic downturn leads to difficult choices about cuts in discretionary programs. Because they are generally not mandatory or need-based entitlements, public health programs often bear the brunt of a decline in state revenues.

The current U.S. economic downturn, brought about in part by the housing bubble and associated mortgage crisis, is likely to affect state public health funding. The Center for Budget and Policy Priorities reports that 20 states face a combined budget shortfall of at least \$35 billion for FY 2009, while another 5 have said that they will have deficits that will need to be eliminated in FY 2009, but have not released information on the size of those deficits.³¹

To counter the rise and fall of state revenues, some states are looking at alternate funding sources for crucial public health programs and health services. In some cases, states have levied new taxes that are specifically used for public health programs, while in other cases states have raised existing taxes -- such as the tax on cigarettes -- to fund public health initiatives. However, these new funding streams face competing priorities as officials and policy makers must choose between multitudes of state public programs, not just those related to public health.

Challenges with State Public Health Budget Analysis: A Need for Increased Transparency, Comparability, and Inclusiveness

While federal investments can be compared across states, it is much more difficult to compare one state's spending to another's.

State and local health departments and functions are structured in a range of different ways throughout the country. For instance, in some states the health functions are highly centralized, in others it is much more of a local authority. State and communities also allocate and report budgets in different ways with varying levels of detail.

The variability in state structures and differences in the level of detail they provide about public health funding make it a challenge to compare spending on a state-by-state basis.

This creates a challenge for determining *how much* is currently being spent on public health and how much should ideally be spent to help improve the health of Americans.

For the past 5 years, TFAH has examined state spending on public health programs in its *Ready or Not? Protecting the Public's Health from Diseases, Disasters, and Bioterrorism* reports. The median state spending on public health was \$33.26 per person during FY 2006-2007. In comparison, median state spending in FY 2006-2007 was \$786.07 per person annually for K-12 education; \$238.05 for higher education; and \$104.00 for corrections.³²

PUBLIC KNOWLEDGE ABOUT GOVERNMENT PROGRAMS, THEIR GOALS,
AND THEIR COSTS STRENGTHENS THE PEOPLE'S ABILITY TO HOLD GOVERNMENT
ACCOUNTABLE FOR APPROPRIATE, EFFECTIVE AND EFFICIENT SERVICE. GOVERNMENT
GAINS LEGITIMACY WHEN THE PUBLIC UNDERSTANDS AND SUPPORTS ITS ACTIVITIES AND
FEELS THAT GOVERNMENT IS ACCOUNTABLE FOR THE RESULTS OF ITS POLICIES.

— MASSACHUSETTS BUDGET TRANSPARENCY PROJECT, OCTOBER 2006³³

Challenges with Transparency

To allow the public to know how taxpayer funds are being used to support public health, budgets should provide detailed information on spending, programs, and outcomes. Without transparency, the public is unable to have a clear understanding of what is being done to protect their health.

Example of Insufficient Spending Data

Below is one example of a state department of health budget for FY 2006. The budget includes general programs (e.g., public health, administration, etc.) and funding sources (e.g., general funds, federal funds, etc.), but it does not break down each general program into spending on specific functions or services. For example, services such as childhood immunizations, Hepatitis C prevention and treatment, and adult influenza vaccinations all fall under the state's general public health program, but actual or budgeted spending on these individual services is not tracked within the Executive Budget. And newborn screening services fall under the state's general Laboratory Services program, but it is not tracked as a line item within the Executive Budget. As a result, members of the public who would like to monitor how much the state is spending on specific public health programs, such as childhood immunizations or newborn screenings, are unable to do so.

Example I From a State Health Budget

Department of Health	FY 2006 Budget
Public Health	\$158,494,500
Administration	\$12,684,800
Epidemiology and Response	\$27,408,400
Laboratory Services	\$11,308,500
Behavioral Health Services	\$67,118,000
Facilities Management	\$103,968,300
Developmental Disabilities Support	\$118,466,400
Health Certification Licensing and Oversight	\$10,167,200
Department of Health Total (All Funds)	\$509,616,100

Public Health Program	FY 2006 Budget
General Fund Transfers	\$70,637,400
Other Transfers	\$4,247,800
Federal Program Revenues	\$66,494,500
Other Program Revenues	\$17,114,800
Public Health Program Total (All Funds)	\$158,494,500

Example 2 From a State Health Budget

Below is an example from another state. This state provides budget information about general divisions within the department of health, but does not provide more detailed information about spending on specific services and programs within those divisions. For example, information is provided about the environmental health division, but details about the four subdivisions of food protection, recreational health, housing hygiene, and tobacco enforcement are not included in the budget.

Department of Health State Operations Appropriations	Available FY 2006
Administration and Executive Direction	\$63,788,000
AIDS Institute	\$16,238,000
Child Health Insurance	\$69,708,000
Community Health	\$124,874,000
Elderly Pharmaceutical Insurance Coverage	\$48,292,000
Environmental Health	\$42,173,000
Health Care Financing	\$13,891,000
Health Care Standards and Surveillance	\$119,529,000
Institution Management	\$150,909,000
Laboratories and Research	\$88,596,000
Maintenance Undistributed	\$0
Managed Care	\$14,901,000
Medicaid Management, Office of	\$3,725,895,000
Medicaid Management Information System	\$169,758,000
Department of Health State Operations Appropriations Total (All Funds)	\$4,648,552,000

Environmental Health State Operations	Available FY 2006
General Fund	\$9,287,000
Special Revenue Funds Federal	\$15,678,000
Special Revenue Funds Other	\$17,208,000
Environmental Health State Operations Total (All Funds)	\$42,173,000

Challenges in Making Comparisons: Insufficient Consistency and Clarity

Each state reports on public health spending in different ways, making comparisons across states difficult. This presents a challenge when trying to determine the optimal levels that should be spent on specific program or service areas.

Example of Difficulties in Making Comparisons Across States

If members of the public wanted to compare how much states spend on breast cancer, this would be a difficult task given that each state reports its budget data differently. For example, State A's FY 2007-2009 Summary Budget Manual contains a spending line item for the state's "breast cancer control program," while State B's FY 2006-2007 Biennium Budget lists spending for the state's "breast and cervical cancer detection" program. 34,35 These two budget items are not comparable since State B's budget groups spending on breast and cervical cancer together. Meanwhile, State C's FY 2005-2007 As-Passed Budget does not contain a specific line item for breast cancer but does list spending for its "cancer education and diagnosis" program. 36 Again, State C's program is not comparable with State A's since it groups multiple cancers together and does not report on breast cancer separately.

Example of Difficulties in Making Comparisons Within a State Year-to-Year

On the next page is an example of how one state changed how it reported on public health categories in its biennial budget in FY 2004-2005 compared to FY 2006-2007. While these budgets do contain information about specific public health programs (e.g., HIV-STD Program, Childhood Lead, Food Protection, etc.) by funding source, the reporting between the 2 budget cycles does not remain consistent. This impedes the ability of the public and policymakers to track specific public health programs from year-to-year.

While some programs obviously change over time, which may account for changes in how they are presented in budgets, a further review of this department's budget found that many of the programs remained the same even though their categorization in the budgets changed from one year to the next. For instance, take the case of the Breast and Cervical Cancer Prevention program, which appeared in the FY 2004-2005 operating budget but not in the FY 2007-2007 budget. It is unclear from the Executive Budget whether spending on the state's Breast and Cervical Cancer Program was possibly switched to be contained within the Comprehensive Cancer line item or the Breast and Cervical Cancer Program was given a new name (Comprehensive Cancer). There were similar areas of confusion with the food protection and childhood lead programs. Without more clear, detailed, and consistent information, it makes tracking spending differences between years a major challenge.

A State Department of Health and Human Services Public Health Budget Categories

FY 2004-05 Biennial State Operating Budget	FY 2006-07 Biennial State Operating Budget
Office of Comm and Public Health	Division of Public Health Services
Administration	Administration
Office of Director	Office of Director
Health Svcs Planning & Review	Health Svcs Planning & Review
Worker's Compensation	Administration & Support OADAP
Unemployment Compensation	Worker's Compensation
	Unemployment Compensation
CHRONIC DISEASE	
Health Promotion	Bureau of Prevention Services
WIC Supplemental Nutrition Program	Health Promotion
Tobacco Prevention Federal	Discretionary Drug Free
Breast Cancer and Cervical Cancer Prevention	Radiological Health
Disease Management	Tobacco Prevention Federal
	Comprehensive Cancer
EPIDEMIOLOGY AND VITAL STATISTICS	Disease Management
Health Statistics	WIC Supplemental Nutrition Program
Disease Control	Steps to a Healthier NH
Emergency Preparedness	State Incentive Grant
FAMILY AND COMMUNITY HEALTH	Bureau of Community and Health Services
Title V Enhancement Grants	Treatment and Prevention State
Bureau of Oral Health	Title V Enhancement Grants
Primary Care	Bureau of Oral Health
Immunization Program	Primary Care
HIV-STD Program	Immunization Program
Maternal and Child Health	HIV-STD Program
Family Planning Program	Maternal and Child Health
	Treatment and Prevention Fed
LAB SCIENCE AND ENVIRONMENTAL HEALTH	Tirrell House
Public Health Laboratories	Workforce Development
Radiological Health	Alcohol Education Program
Emergency Response	Multiple Offender Program
Env and Occupational Health	Drug Forfeiture Fund
Asbestos Control	Drug/Alcohol Svcs Info System
	Childhood Lead
	Family Planning Program
	Community PH Development
	Bureau of Disease Control and Lab Science
	Health Statistics
	Disease Control
	Emergency Preparedness
	Public Health Laboratories
	Food Protection
	Emergency Response
	EPH Tracking

Challenges with Inclusiveness

One reason public health budgets are structured differently in each state is that a wide range of different programs and functions impact people's health.

Departments such as "social and human services, agriculture, environment, transportation, labor and housing all provide programs and enforce regulations that contribute to the public's health."³⁷

Assessing public health spending should involve more of a effort to look across agencies in government in a "cross-cutting" way to be inclusive in understanding how much is really being spent and how programs and efforts in different agencies complement each other.

Example of Limited Scope of Health Budgets

As an example of how looking strictly at "public health" budget items provides a narrow scope of what could be considered public health services and programs, a number of states have separate departments of public health and departments of health services. However, the department of health services in a state may oversee a number of programs that could be considered public health. For instance, in one state, the department of health services includes a division of community health and prevention, bureau of community health nursing, bureau of family nutrition, bureau of maternal and infant health, and school health. Also, other programs such as food and water safety or park development which impact public health are often not included in health budgets.


Environmental Health is a case where public health services and programs may be housed within the public health department, or may be housed under different state agencies. For example, in Virginia, the Office of Public Health houses an Office of Environmental Health Sciences, which oversees 4 divisions related to environmental health: Food & Environmental Services; Onsite Sewage & Water Services; Wastewater Engineering; and Shellfish Sanitation.³⁸ Tracking Virginia's expenditures on environmental health programs should be relatively straightforward.

However, in the neighboring state of Maryland, environmental health services are spread across several state agencies. For instance, Water Supply and Water Quality programs and the Lead Poisoning Prevention Program are housed under the Maryland Department of Environment.³⁹ Meanwhile, food safety is split between the Maryland Department of Health and Mental Hygiene and the Maryland Department of Agriculture.⁴⁰ Tracking what Maryland spends on its environmental health programs is much trickier.

Local Investment in Public Health

According to a 2005 analysis by National Association of County & City Health Officials (NACCHO), local public health spending is an average \$32 per person, excluding Medicaid, Medicare, and other reimbursements for medical care. If medical reimbursements are included, that increases to an average \$44 per person. According to this analysis, revenues raised by the local government through local taxes account for the largest portion of local health department funding (29 percent), followed by state revenue (23 percent) and

"federal funds passed through to local health departments by state agencies," known as federal pass-through funds (13 percent). Direct funding from federal agencies, such as the Centers for Disease Control and Prevention (CDC), accounts for 7 percent of local health department funding. The remainder of local health department funding comes from reimbursement from Medicare and Medicaid (11 percent); regulatory and patient personal fees (6 percent); and other sources, such as funding from private foundations (12 percent).⁴¹



Insufficient Information About Spending from Local Health Departments

State health departments report they often have had difficulty in determining how much is being spent on public health at the local level in their own states via sources other than state direct and federal pass-through funds. From 1970 to 1995, data on local and state public health expenditures were tracked under the Association of State and Territorial Health Officials (ASTHO) Reporting System.⁴² The system, which was funded by the federal government and operated by the Public Health Foundation, collected local health department expenditure data from state health departments.

While state health departments "could readily provide accurate information about the resources they provided to local health departments in their state," (i.e., state direct and federal pass-through funds) many of them "had difficulty providing an accurate picture of the expenditures of local health departments in their state from sources other than" the state health department, such as funding from local government and direct federal funding. As a result, the Public Health Foundation typically would have to "estimate local public health spending for 8 to 14 states each year" under the ASTHO Reporting System.

SOME ONGOING CHALLENGES CONCERNING FEDERAL, STATE, AND LOCAL GOVERNMENT PUBLIC HEALTH ROLES AND RESPONSIBILITIES

- . A lack of clear roles among state, local, and federal health agencies, and fragmented responsibilities.
- In 2005, Hurricane Katrina was a tragic, graphic demonstration of many of the challenges and complications of the lack of clear roles and responsibilities among different governmental jurisdictions.
- The threat of a pandemic flu outbreak, including concerns about preparations at the state and local levels, further highlights the importance of public health professionals to our nation's health and security.
- 2. No minimum standards, guidelines or recommendations for levels of capacity or service are required of state and local health departments. This results in wide differences in services and competencies across state and local agencies. Recognizing this, the Association of State and Territorial Health Officials (ASTHO) and the National Association of County and City Health Officials (NACCHO), with funding from CDC and the Robert Wood Johnson Foundation, created the Exploring Accreditation Project. In the fall of 2006, the project's 25-member steering committee released a new model for a voluntary national public health accreditation program to promote continuous quality improvement and accountability for public health, including performance measures.⁴⁵
- **3.** The lack of mandatory, standardized, and integrated health statistics hampers the development of systems of accountability, measures of effectiveness, and public health research.
- **4.** Lack of clear definition of what should be funded as "public health" and how much it would cost for federal, state, and local governments to effectively carry out public health responsibilities.



Recommendations

merica faces a major health crisis. Quality, affordable health care is essential, but a strong public health system focused on prevention must also be part of the solution. The health crisis calls for urgent action by putting prevention at the center of the nation's health strategy.

Preventing and combating threats to our health is the primary responsibility of our nation's public health system. Keeping America healthier will require a greater upfront and ongoing investment in prevention programs which pays off in better health and keeping treatment costs down.

The nation needs an improved understanding for how public health programs can reduce disease rates. Increased understanding for how well programs work and associated costs would allow policymakers and the public to better determine how to allocate taxpayer funds to improve the nation's health.

One central aspect to gaining a better understanding of how public health programs can reduce disease rates will be an increased commitment to tracking where and how public health funding is spent and the outcomes of this spending. Another is enhancing efforts to track disease rates and trends in communities, states, and the nation.

As this report demonstrates, health indicators and funding for public health programs can vary significantly by state.

The inconsistency of funding is the result of differences in federal funding and in decisions states make about their budgets.

Currently, many states are required to maintain balanced budgets overall, which limits their ability to significantly alter funding levels for public health unless other adjustments are made. The federal government

could step in and provide increased funding for public health programs nationally and for states. The federal government, as a potential incentive for change, could examine ways to require states to increase their funding of public health programs in order to be eligible for additional federal funds.

Developing an ongoing stream for funding public health will require that the federal government:

- Collaborate with all elements of the health system to determine the funding requirements to implement a prevention-based health strategy and develop a financing plan to meet those requirements, including the consistent delivery of services nationwide in accordance with minimum national standards.
- Develop a model that shows the return on investment dollars from communitybased public health interventions.
- Assure that the financing plan include a new statutory funding mechanism to provide substantial and stable federal resources to support state and local prevention programs, as well as the provision of necessary technical assistance to states and localities to implement a health prevention strategy and meet their local responsibilities.
- Include matching and maintenance-ofeffort formulas in the financing plan that defines and assures adequate state and local funding of wellness and prevention efforts.

Increasing Accountability

CDC lists "accountability" as one of three core values: "As diligent stewards of public trust and public funds, we act decisively and compassionately in service to the people's health. We ensure that our research and our services are based on sound science and meet real public needs to achieve our public health goals."

However, in practice, the information CDC makes available about its use of "public funds" is both limited and inconsistent from year-to-year. As a result, accountability for public health programs is virtually impossible and will remain so until there is greater transparency and comparability of budget and health data.

Transparent budget information at the local, state, and federal levels would:

Enhance the public's ability to hold government and elected officials accountable for government programs (and their outcomes) and government spending.

True budget transparency would allow members of the public to monitor how much is being spent at the state and local levels on public health and to measure the effectiveness of these programs.

However, budget transparency is not only about empowering the public; it should empower the government as well. Along with budget transparency at the local, state, and federal levels, government agencies should regularly publish data on public health program evaluations and outcomes. Elected officials and other government leaders would be better equipped to determine what is and what is not working in terms of public health programs if they could see more clearly the impact of U.S. taxpayer dollars at both the population and program levels. For example, Congress currently has no way of determining whether federal public health dollars are being spent effectively at the state and local levels. Without transparent budget information available to them, members of Congress may be less likely to increase federal funding for state and local public health efforts, which might help explain the decreases in CDC's budget. Transparent budget information would provide members of Congress the evidence they need to determine which federally-funded public health programs are working, allowing them to better target limited federal funds to improve overall population health.

Allow the public and government to compare spending levels and program outcomes by state and localities to determine best practices for protecting and improving overall population health.

Once states and localities provide an accurate picture of what is being spent on public health in their areas and how well the money is being spent, government and the public can compare programs and spending across states and localities to determine the most efficient programs, as well as best practices, for improving the public's health. For example, the government and the public could compare diabetes control programs across locations to determine which programs generate the best health outcomes for diabetes patients at the best price.

Comparable budget information at the local, state, and federal levels would:

Allow for greater development of best practices for public health.

In order to develop best practices for public health, budget information (both spending data and performance measures) must not only be transparent but comparable across states and localities.

Allow the public and government to establish a baseline number for public health spending overall and spending on specific public health programs.

Once local, state and federal budget information is transparent and comparable and best practices for public health can be identified, government officials and the public will be able to determine how much *should* be spent on public health programs to achieve optimal health outcomes for the US population. Currently, no one knows for sure how much funding the public health system needs.47 Generating a baseline number for public health spending would allow the government and public to identify areas of the country where spending shortages exist. Targeting needed funds to these areas would help to create a level playing field for public health protection in this country.



THE STATE OF YOUR HEALTH: ALABAMA

•		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	4,627,851	N/A
% Uninsured, All Ages	15.2%	22
% Uninsured, 18 and under	7.4%	38
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ag$	ges and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	29.5% (+/- 1.1)	5
AIDS: Cumulative Cases Aged 13 & Over (2005)	8,176	24
Alzheimer's Disease: Estimated Cases (2000)	84,000	19
Asthma: 2004-2006 3 Yr Average (95% CI)	12.7% (+/- 0.9)	23
Cancer: Estimated New Cases (2008)	22,340	24
Chlamydia: Rates per 100,000 Population (2006)	502.8	6
Diabetes: 2004-2006 3 Yr Average (95% CI)	9.3% (+/- 0.6)	5
Human West Nile Virus: New Cases (2007)	24	23
Hypertension: 2001-2005 3 Yr Average (95% CI)	32.0% (+/- 1.1)	3
Obesity: 2004-2006 3 Yr Average (95 % CI)	29.4% (+/- 1.2)	3
Syphilis: Rates per 100,000 Population (2006)	7.0	3
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	24.3% (+/- 1.1)	8
Tuberculosis: Number of Cases (2006)	196	21
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Level of Adult Ph$	nysical Inactivity; Most AIDS	Cases; Most

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	76	19
Asthma: High School Students (2005)	24.0% (+/- 2.5)	3
Immunization Gap: Children Aged 19-35 Months		
without All Immunizations (2006)	20.9%	39
Infant Mortality: Per 1,000 Live Births (2005)	9.4	4
Low Birthweight: % of Total Births (2006)	10.5%	4
Overweight: High School Students (2005)	14.8% (+/- 1.7)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	16.7%	П
Pre-Term Labor: % of Live Births (2005)	16.7%	2
Tobacco: Current Smokers High School Students (2005)	24.4% (+/- 3.8)	9

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	85	30
Health Professions Shortage Areas - Mental Health (FY 2007)	38	29
Health Professions Shortage Areas - Dental Care (FY 2007)	62	21
Nursing Shortage Estimates (2010)	-200	46

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	37,000	22
Potential # of Episodes of Illness During a Severe Pandemic	1,350,000	23
Potential Financial Loss During a Severe Pandemic, % of GDP	5.45%	33
Potential Financial Loss During a Severe Pandemic, \$ amount	\$8.3 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: ALABAMA

Public Health Funding Facts		
Federal Funding for Alabama's Public Health Per Capita Fund	ng State Rank*	
U.S. Centers for Disease Control (CDC) FY 2007 \$22	.20 26	
Health Resources and Services Administration (HRSA) FY 2007 \$21	.66 14	
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	.37 27	
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level Capita; Highest ASPR Funding Per Capita.	el of HRSA Funding Per	
FY 2007 CDC Funds for State/Local Health Departments, Universities Public/Private Agencies (Selected Categories)	& Other	
Agency for Toxic Substances and Disease Registry (ATSDR)	\$152,284	
Birth Defects and Developmental Disabilities	\$448,983	
Cancer	\$5,918,850	
Chronic Disease Prevention and Health Promotion	\$3,386,190	
Diabetes	\$581,712	
Environmental Health	\$149,692	
Heart Disease	\$382,770	
HIV/AIDS	\$2,556,980	
Immunization (Sect. 317 and Vaccines for Children Program)	\$50,747,309	
Infectious Diseases	\$215,271	
Injury and Violence Prevention	\$1,668,780	
Nutrition and Physical Activity	\$2,634	
Occupational Safety and Health	\$862,951	
Pandemic Flu	\$2,802,030	
Preventive Health and Health Services Block Grant	\$397,048	
School Health	\$404,551	
Sexually Transmitted Diseases (STD)	\$4,378,040	
Tobacco	\$1,458,150	
Terrorism Preparedness and Emergency Response	\$11,210,600	
Tuberculosis	\$1,053,390	
Total FY 2007 CDC Dollars (All Categories)**	\$102,720,778	
FY 2007 HRSA Grants to States by Key Program Area (Selected Cat	egories)	
Health Professions	\$11,782,003	
HIV/AIDS	\$26,598,995	
Maternal & Child Health	\$16,618,644	
Primary Health Care	\$40,088,673	
Total FY 2007 HRSA Dollars (All Categories)	\$100,237,201	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		

State Spending

\$6,330,289

\$6,330,289

State Per Capita Funding Ranking: 14

Hospital Preparedness Program (HPP)

State Per Capita Funding for Alabama's Health: \$51.82

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

Total FY 2007 ASPR HPP Dollars

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: **ALASKA**

		State Rank*
U.S. Census Bureau 2007 Data	a	
Total Population	683,478	N/A
% Uninsured, All Ages	16.5%	17
% Uninsured, 18 and under	10.3%	20
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All A$	Ages and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	21.1% (+/- 1.3)	39
AIDS: Cumulative Cases Aged 13 & Over (2005)	614	45
Alzheimer's Disease: Estimated Cases (2000)	3,400	51
Asthma: 2004-2006 3 Yr Average (95% CI)	12.9% (+/- 1.1)	22
Cancer: Estimated New Cases (2008)	2,650	49
Chlamydia: Rates per 100,000 Population (2006)	681.1	I
Diabetes: 2004-2006 3 Yr Average (95% CI)	4.8% (+/- 0.6)	50
Human West Nile Virus: New Cases (2007)	0	44
Hypertension: 2001-2005 3 Yr Average (95% CI)	21.4% (+/- 1.2)	48
Obesity: 2004-2006 3 Yr Average (95 % CI)	25.8% (+/- 1.4)	16
Syphilis: Rates per 100,000 Population (2006)	1.7	27
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	24.6% (+/- 1.4)	6
Tuberculosis: Number of Cases (2006)	70	35
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe	st Rates of Chlamydia; Highe	est Rate of

Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicato	ors	
AIDS: Cumulative Cases Under Age 13 (2005)	7	45
Asthma: High School Students (2005)	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	32.7%	4
Infant Mortality: Per 1,000 Live Births (2005)	5.9	38
Low Birthweight: % of Total Births (2006)	6.0%	51
Overweight: High School Students (2005)	N/A	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	11.1%	44
Pre-Term Labor: % of Live Births (2005)	10.6%	46
Tobacco: Current Smokers High School Students (2005)	N/A	N/A

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	71	37
Health Professions Shortage Areas - Mental Health (FY 2007)	52	14
Health Professions Shortage Areas - Dental Care (FY 2007)	48	32
Nursing Shortage Estimates (2010)	-2,300	35

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	4,000	51
Potential # of Episodes of Illness During a Severe Pandemic	192,000	47
Potential Financial Loss During a Severe Pandemic, % of GDP	6.59%	3
Potential Financial Loss During a Severe Pandemic, \$ amount	\$2.6 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: ALASKA

Public Health Funding Facts		
Federal Funding for Alaska's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$69.76	I
Health Resources and Services Administration (HRSA) FY 2007	\$57.57	I
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.98	4
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

Capita; Highest ASPR Funding Per Capita. FY 2007 CDC Funds for State/Local Health Departments, Universities & Other Public/Private Agencies (Selected Categories) Agency for Toxic Substances and Disease Registry (ATSDR) \$162,347 Birth Defects and Developmental Disabilities \$142,500 \$7,700,833 Cancer Chronic Disease Prevention and Health Promotion \$1,168,330 **Diabetes** \$477,405 Environmental Health \$121,827 Heart Disease \$370,000 HIV/AIDS \$1,696,739 Immunization (Sect. 317 and Vaccines for Children Program) \$13,706,236 Infectious Diseases \$518,020 Injury and Violence Prevention \$676,061 Nutrition and Physical Activity N/A Occupational Safety and Health \$90,813 Pandemic Flu \$938,947 Preventive Health and Health Services Block Grant \$557,182 School Health \$230,750 Sexually Transmitted Diseases (STD) \$435,671 Tobacco \$1,543,312 Terrorism Preparedness and Emergency Response \$5,000,000 Tuberculosis \$460,801 Total FY 2007 CDC Dollars (All Categories)** \$47,682,335 FY 2007 HRSA Grants to States by Key Program Area (Selected Categories) Health Professions \$2,794,751 HIV/AIDS \$1,995,967 Maternal & Child Health \$1,980,480 Primary Health Care \$29,567,943 **Total FY 2007 HRSA Dollars (All Categories)** \$39,347,616 FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States Hospital Preparedness Program (HPP) \$1,349,441 **Total FY 2007 ASPR HPP Dollars** \$1,349,441 **State Spending** State Per Capita Funding for Alaska's Health: \$45.06 State Per Capita Funding Ranking: 18 *Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: ARIZONA

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	6,338,755	N/A
% Uninsured, All Ages	20.9%	5
% Uninsured, 18 and under	17.0%	6
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Agr$	es and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	23.0% (+/- 1.4)	25
AIDS: Cumulative Cases Aged 13 & Over (2005)	9,907	22
Alzheimer's Disease: Estimated Cases (2000)	78,000	21
Asthma: 2004-2006 3 Yr Average (95% CI)	12.7% (+/- 1.0)	23
Cancer: Estimated New Cases (2008)	25,540	20
Chlamydia: Rates per 100,000 Population (2006)	405.6	12
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.6% (+/- 0.7)	21
Human West Nile Virus: New Cases (2007)	94	14
Hypertension: 2001-2005 3 Yr Average (95% CI)	22.9% (+/- 1.1)	44
Obesity: 2004-2006 3 Yr Average (95 % CI)	21.7% (+/- 1.4)	43
Syphilis: Rates per 100,000 Population (2006)	3.4	14
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	19.0% (+/- 1.3)	41
Tuberculosis: Number of Cases (2006)	311	- 11
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Phy Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest	, ,	

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicat	ors	
AIDS: Cumulative Cases Under Age 13 (2005)	45	24
Asthma: High School Students (2005)	21.8% (+/- 1.5)	10
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	29.4%	9
Infant Mortality: Per 1,000 Live Births (2005)	6.9	25
Low Birthweight: % of Total Births (2006)	7.1%	36
Overweight: High School Students (2005)	11.9% (+/- 2.0)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	12.2%	38
Pre-Term Labor: % of Live Births (2005)	13.2%	19
Tobacco: Current Smokers High School Students (2005)	21.4% (+/- 1.8)	19

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	137	11
Health Professions Shortage Areas - Mental Health (FY 2007)	46	18
Health Professions Shortage Areas - Dental Care (FY 2007)	75	18
Nursing Shortage Estimates (2010)	-12,500	- 11

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	38,000	21
Potential # of Episodes of Illness During a Severe Pandemic	1,766,000	17
Potential Financial Loss During a Severe Pandemic, % of GDP	5.52%	27
Potential Financial Loss During a Severe Pandemic, \$ amount	\$12.0 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.

THE STATE OF YOUR HEALTH: ARIZONA

Public Health Funding Facts		
Federal Funding for Arizona's Public Health Per Capita Funding State Rank		
U.S. Centers for Disease Control (CDC) FY 2007	\$19.38	36
Health Resources and Services Administration (HRSA) FY 2007	\$12.21	42
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.3	42
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Dep Other Public/Private Agencies (Select		&
Agency for Toxic Substances and Disease Registry (ATSDR)	cu cutegories)	\$403,844
Birth Defects and Developmental Disabilities		\$1,180,000
Cancer		\$4,234,090
Chronic Disease Prevention and Health Promotion		\$1,141,483
Diabetes		N/A
Environmental Health		\$128,236
Heart Disease		\$325,000
HIV/AIDS		\$5,223,661
Immunization (Sect. 317 and Vaccines for Children Program)		\$57,872,415
Infectious Diseases		\$214,155
Injury and Violence Prevention		\$888,808
Nutrition and Physical Activity		\$398,831
Occupational Safety and Health		N/A
Pandemic Flu		\$3,515,670
Preventive Health and Health Services Block Grant		\$309,166
School Health		\$29,036
Sexually Transmitted Diseases (STD)		\$1,445,941
Tobacco		\$488,160
Terrorism Preparedness and Emergency Response		\$14,648,717
Tuberculosis		\$1,022,374
Total FY 2007 CDC Dollars (All Categories)**		\$122,851,259
FY 2007 HRSA Grants to States by Key Program	Area (Selected Catego	
Health Professions		\$3,354,981
HIV/AIDS		\$23,192,985
Maternal & Child Health		\$10,527,822
Primary Health Care		\$36,304,635
Total FY 2007 HRSA Dollars (All Categories)		\$77,422,919
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants		
Hospital Preparedness Program (HPP)		\$8,317,173
		\$8,317,173
State Spending		
State Per Capita Funding for Arizona's Health: \$19.86	State Per Capita Fundi	ng Ranking: 35
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: ARKANSAS

ARKANSAS		
	T	State Rank*
U.S. Census Bureau 2007 Data		
Total Population	2,834,797	N/A
% Uninsured, All Ages	18.9%	8
% Uninsured, 18 and under	9.3%	27
*Note: For rankings, $I = $ Worst Outcome. $I = $ Highest Rate of Uninsured All Ages of	and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	28.6% (+/- 0.9)	7
AIDS: Cumulative Cases Aged 13 & Over (2005)	3,667	33
Alzheimer's Disease: Estimated Cases (2000)	56,000	30
Asthma: 2004-2006 3 Yr Average (95% CI)	11.4% (+/- 0.6)	43
Cancer: Estimated New Cases (2008)	14,840	31
Chlamydia: Rates per 100,000 Population (2006)	297.2	32
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.8% (+/- 0.5)	16
Human West Nile Virus: New Cases (2007)	20	27
Hypertension: 2001-2005 3 Yr Average (95% CI)	29.8% (+/- 0.9)	5
Obesity: 2004-2006 3 Yr Average (95 % CI)	27.0% (+/- 0.9)	8
Syphilis: Rates per 100,000 Population (2006)	2.8	19
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	24.3% (+/- 0.9)	8
Tuberculosis: Number of Cases (2006)	102	28
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physic Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Ra Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Ra Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	ites of Chlamydia; Highe	est Rate of
Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	36	25
Asthma: High School Students (2005)	21.5% (+/- 2.2)	П
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	27.1%	12
Infant Mortality: Per 1,000 Live Births (2005)	7.9	14

AIDS: Cumulative Cases Under Age 13 (2005)

Asthma: High School Students (2005)

Immunization Gap: Children Aged 19-35 Months without
All Immunizations (2006)

Infant Mortality: Per 1,000 Live Births (2005)

Low Birthweight: % of Total Births (2006)

Overweight: High School Students (2005)

Overweight: 10 to 17 Year Olds (2003-2004)

Pre-Term Labor: % of Live Births (2005)

Tobacco: Current Smokers High School Students (2005)

Asthma: High School Students (2005)

It 10 to 17 Year Olds (2003-2004)

It 2005

It 3.4%

It 3

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	81	31
Health Professions Shortage Areas - Mental Health (FY 2007)	37	32
Health Professions Shortage Areas - Dental Care (FY 2007)	36	37
Nursing Shortage Estimates (2010)	-2,700	32

*Note: For rankings, I =Worst Health Outcome. I =Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	22,000	30
Potential # of Episodes of Illness During a Severe Pandemic	823,000	32
Potential Financial Loss During a Severe Pandemic, % of GDP	5.81%	13
Potential Financial Loss During a Severe Pandemic, \$ amount	\$5.0 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



Total FY 2007 ASPR HPP Dollars

State Per Capita Funding for Arkansas's Health: \$25.99

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

THE STATE OF YOUR HEALTH: ARKANSAS

Public Health Funding Facts		
Federal Funding for Arkansas's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$18.54	37
Health Resources and Services Administration (HRSA) FY 2007	\$16.52	26
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.43	18
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Department of Communication (Selected Public/Private Agencies (Selected Public/Private Agencies)		&
Agency for Toxic Substances and Disease Registry (ATSDR)		\$174,338
Birth Defects and Developmental Disabilities		\$1,016,750
Cancer		\$3,956,460
Chronic Disease Prevention and Health Promotion		\$604,037
Diabetes		\$500,316
Environmental Health		N/A
Heart Disease		\$1,233,030
HIV/AIDS		\$1,947,470
Immunization (Sect. 317 and Vaccines for Children Program)		\$28,408,626
Infectious Diseases		\$116,378
Injury and Violence Prevention		\$604,460
Nutrition and Physical Activity		\$193,651
Occupational Safety and Health		N/A
Pandemic Flu		\$1,958,950
Preventive Health and Health Services Block Grant		\$473,450
School Health		\$446,638
Sexually Transmitted Diseases (STD)		\$1,167,050
Tobacco		\$1,025,606
Terrorism Preparedness and Emergency Response		\$7,533,980
Tuberculosis		\$688,682
Total FY 2007 CDC Dollars (All Categories)**		\$52,547,839
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	ries)
Health Professions		\$2,058,852
HIV/AIDS		\$9,578,919
Maternal & Child Health		\$8,278,234
Primary Health Care		\$24,731,619
Total FY 2007 HRSA Dollars (All Categories)		\$46,822,630
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$4,063,403

State Spending

\$4,063,403

State Per Capita Funding Ranking: 30

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: CALIFORNIA

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	36,553,215	N/A
% Uninsured, All Ages	18.8%	10
% Uninsured, 18 and under	12.8%	15
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Age	s and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	23.2% (+-/ 0.8)	24
AIDS: Cumulative Cases Aged 13 & Over (2005)	138,361	2
Alzheimer's Disease: Estimated Cases (2000)	440,000	Ī
Asthma: 2004-2006 3 Yr Average (95% CI)	13.2% (+/- 0.7)	16
Cancer: Estimated New Cases (2008)	156,530	Ī
Chlamydia: Rates per 100,000 Population (2006)	375.9	17
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.4% (+/- 0.5)	23
Human West Nile Virus: New Cases (2007)	379	2
Hypertension: 2001-2005 3 Yr Average (95% CI)	24.1% (+/- 0.8)	33
Obesity: 2004-2006 3 Yr Average (95 % CI)	22.7% (+/- 0.9)	36
Syphilis: Rates per 100,000 Population (2006)	5.1	7
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	14.9% (+/- 0.8)	50
Tuberculosis: Number of Cases (2006)	2,781	1
, ,		
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Phy. Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest		
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest		
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	, , ,	
Child/Adolescent Health Indicator	s	
AIDS: Cumulative Cases Under Age 13 (2005)	658	4
Asthma: High School Students (2005)	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	21.4%	34
Infant Mortality: Per 1,000 Live Births (2005)	5.3	44
	/ 00/	45
Low Birthweight: % of Total Births (2006)	6.8%	כד
Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)	6.8% N/A	
· ,		N/A
Overweight: High School Students (2005)	N/A	N/A 32 43
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005)	N/A 13.2%	N/A 32 43
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005)	N/A 13.2% 10.7% N/A	N/A 32 43 N/A
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Weight Babies; Highest R	N/A 32 43 N/A Rates of Notates of
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates Overweight 10-17 Year Olds; Highest Rates Overweight 10-17 Year Olds; Highest Rates Ov	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Weight Babies; Highest R	N/A 32 43 N/A Rates of Notates of
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Weight Babies; Highest R	N/A 32 43 N/A Rates of Notates of
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L	N/A 32 43 N/A Rates of Notates of
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	N/A 13.2% 10.7% N/A N/A Rates of Asthma; Highest R Weight Babies; Highest R dighest Rates of Pre-Term L	N/A 32 43 N/A Rates of Notates of
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L 500 227	N/A 32 43 N/A Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	N/A 13.2% 10.7% N/A N/A Rates of Asthma; Highest R Weight Babies; Highest R dighest Rates of Pre-Term L	N/A 32 43 N/A Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L 500 227	N/A 32 43 N/A Rates of Notates of Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Relighest Rates of Pre-Term L 500 227 261 -47,600 Care HPSAs; Highest Nur	N/A 32 43 N/A Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Betallowed to the primary of the primary o	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Relighest Rates of Pre-Term L 500 227 261 -47,600 Care HPSAs; Highest Nurestimate	N/A 32 43 N/A Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Bandemic Preparedness Key Facts	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Relighest Rates of Pre-Term L 500 227 261 -47,600 Care HPSAs; Highest Nurestimate	N/A 32 43 N/A Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Bandemic Preparedness Key Facts Pandemic Preparedness Key Facts	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Relighest Rates of Pre-Term L 500 227 261 -47,600 Care HPSAs; Highest Nurestimate	N/A 32 43 N/A Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Bandemic Preparedness Key Facts	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Relighest Rates of Pre-Term L 500 227 261 -47,600 Care HPSAs; Highest Nurestimate	N/A 32 43 N/A Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Bandemic Preparedness Key Facts Pandemic Preparedness Key Facts	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Relighest Rates of Pre-Term L 500 227 261 -47,600 Care HPSAs; Highest Nurestimate 253,000	N/A 32 43 N/A Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Beat Pandemic Preparedness Key Facts Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic	N/A 13.2% 10.7% N/A Rates of Asthma; Highest Relighest Rates of Pre-Term L 500 227 261 -47,600 Care HPSAs; Highest Nurestimate 253,000 10,713,000	N/A 32 43 N/A Rates of Notates of abor Babies;

THE STATE OF YOUR HEALTH: CALIFORNIA

Public Health Funding Facts		
Federal Funding for California's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$17.68	39
Health Resources and Services Administration (HRSA) FY 2007	\$14.43	33
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$0.93	49
*Note: For rankings, $I = Most Funding$. $I = Highest Level of CDC Funding$	Per Capita; Highest Level of	HRSA Funding Per
Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Dep		&
Other Public/Private Agencies (Selection	ed Categories)	\$40F 102
Agency for Toxic Substances and Disease Registry (ATSDR)		\$695,103
Birth Defects and Developmental Disabilities		\$3,681,182
Cancer		\$12,993,319
Chronic Disease Prevention and Health Promotion		\$8,138,631
Diabetes		\$999,045
Environmental Health		\$5,135,216
Heart Disease		\$527,948
HIV/AIDS		\$54,721,262
Immunization (Sect. 317 and Vaccines for Children Program)		\$323,434,242
Infectious Diseases		\$4,246,999
Injury and Violence Prevention		\$10,799,878
Nutrition and Physical Activity		\$400,232
Occupational Safety and Health		\$3,439,480
Pandemic Flu		\$20,070,058
Preventive Health and Health Services Block Grant		\$1,732,231
School Health		\$2,716,982
Sexually Transmitted Diseases (STD)		\$12,645,650
Tobacco		\$2,069,909
Terrorism Preparedness and Emergency Response		\$79,458,396
Tuberculosis		\$16,170,374
Total FY 2007 CDC Dollars (All Categories)**		\$646,088,699
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	· ·
Health Professions		\$19,966,656
HIV/AIDS		\$247,294,697
Maternal & Child Health		\$58,395,874
Primary Health Care		\$195,100,485
Total FY 2007 HRSA Dollars (All Categories)		\$527,466,99
FY 2007 Office of the Assistant Secretary for Preparedne	ss and Response Gran	ts to States
Hospital Preparedness Program (HPP)		\$34,106,620
Total FY 2007 ASPR HPP Dollars		\$34,106,620
State Spending		
State Per Capita Funding for California's Health: \$78.23	State Per Capita Fundi	ng Ranking: 7

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

THE STATE OF YOUR HEALTH: COLORADO

		State Rank*	
U.S. Census Bureau 2007 Data			
Total Population	4,861,515	N/A	
% Uninsured, All Ages	17.2%	15	
% Uninsured, 18 and under	14.6%	9	
*Note: For rankings, $I = \text{Worst Outcome}$. $I = \text{Highest Rate of Uninsured All Ages at }$	nd 18 and under.		
Adult Health Indicators			
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	17.8% (+/- 0.7)	48	
AIDS: Cumulative Cases Aged 13 & Over (2005)	8,449	23	
Alzheimer's Disease: Estimated Cases (2000)	49,000	33	
Asthma: 2004-2006 3 Yr Average (95% CI)	12.6% (+/- 0.6)	26	
Cancer: Estimated New Cases (2008)	18,900	28	
Chlamydia: Rates per 100,000 Population (2006)	349.7	23	
Diabetes: 2004-2006 3 Yr Average (95% CI)	4.8% (+/- 0.3)	50	
Human West Nile Virus: New Cases (2007)	555	I	
Hypertension: 2001-2005 3 Yr Average (95% CI)	20.5% (+/- 0.9)	50	
Obesity: 2004-2006 3 Yr Average (95 % CI)	17.6% (+/- 0.7)	51	
Syphilis: Rates per 100,000 Population (2006)	1.5	32	
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	19.2% (+/- 0.8)	38	
Tuberculosis: Number of Cases (2006)	124	23	
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Level of Adult Physical$	l Inactivity; Most AIDS	Cases; Most	
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rat			
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rate	es of Obesity; Highest	Rates of	
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.			
Child/Adolescent Health Indicators	31	20	
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005)		28 27	
Immunization Gap: Children Aged 19-35 Months without	18.6% (+/- 2.6)	2/	
All Immunizations (2006)	24.1%	22	
Infant Mortality: Per 1,000 Live Births (2005)	6.4	34	
Low Birthweight: % of Total Births (2006)	8.9%	14	
Overweight: High School Students (2005)	9.8% (+/- 2.8)	N/A	
Overweight: 10 to 17 Year Olds (2003-2004)	9.9%	49	
Pre-Term Labor: % of Live Births (2005)	12.3%	27	
Tobacco: Current Smokers High School Students (2005)	18.7% (+/- 5.5)	27	
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Ra		· · · · · · · · · · · · · · · · · · ·	
Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth W			
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; High	est Rates of Pre-Term L	abor Babies;	
Highest Rates of Current High School Smokers.			
Other Public Health Indicators	I		
Health Professions Shortage Areas - Primary Care (FY 2007)	108	22	
Health Professions Shortage Areas - Mental Health (FY 2007)	33	35	
Health Professions Shortage Areas - Dental Care (FY 2007)	55	28	
Nursing Shortage Estimates (2010)	-10,900	15	
*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Co	_	nber of Mental	
	Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate		
Pandemic Preparedness Key Facts	30.000	24	
Potential # of Deaths During a Severe Pandemic	30,000	26	
Potential # of Episodes of Illness During a Severe Pandemic	1,381,000	22	
Potential Financial Loss During a Severe Pandemic, % of GDP	5.40%	38	
Potential Financial Loss During a Severe Pandemic, \$ amount	\$11.7 Billion	N/A	
*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths	; Highest Number of Po	tential Sick	
Workers; Highest Financial Losses.			

THE STATE OF YOUR HEALTH: COLORADO

Public Health Funding Facts			
Federal Funding for Colorado's Public Health			
U.S. Centers for Disease Control (CDC) FY 2007	\$20.47	29	
Health Resources and Services Administration (HRSA) FY 2007	\$19.73	16	
Office of the Assistant Secretary for Preparedness and Response	717112		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.34	34	
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding	Per Capita; Highest Level of I	HRSA Funding Per	
Capita; Highest ASPR Funding Per Capita.			
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&	
Agency for Toxic Substances and Disease Registry (ATSDR)	eu Categories)	\$224,889	
Birth Defects and Developmental Disabilities		\$3,248,179	
Cancer		\$5,994,486	
Chronic Disease Prevention and Health Promotion		\$4,813,186	
Diabetes		\$1,128,966	
Environmental Health		\$490,672	
Heart Disease		\$738,774	
HIV/AIDS		\$6,589,470	
Immunization (Sect. 317 and Vaccines for Children Program)		\$30,462,671	
Infectious Diseases		\$1,308,718	
Injury and Violence Prevention		\$2,653,532	
Nutrition and Physical Activity	· ·		
Occupational Safety and Health		\$1,230,797 \$1,161,224	
Pandemic Flu		\$4,098,757	
Preventive Health and Health Services Block Grant		\$331,000	
School Health		\$802,803	
Sexually Transmitted Diseases (STD)		\$2,208,946	
Tobacco		\$1,607,486	
Terrorism Preparedness and Emergency Response		\$11,323,680	
Tuberculosis		\$474,937	
Total FY 2007 CDC Dollars (All Categories)**		\$99,526,614	
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	ries)	
Health Professions		\$4,117,125	
HIV/AIDS		\$25,257,637	
Maternal & Child Health		\$10,905,305	
Primary Health Care		\$52,239,513	
Total FY 2007 HRSA Dollars (All Categories)		\$95,908,615	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States			
Hospital Preparedness Program (HPP)		\$6,525,958	
Total FY 2007 ASPR HPP Dollars		\$6,525,958	
State Spending			
State Per Capita Funding for Colorado's Health: \$47.22 State Per Capita Funding Ranking: 16			
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.			

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: CONNECTICUT

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	3,502,309	N/A
% Uninsured, All Ages	9.4%	46
% Uninsured, 18 and under	6.0%	47
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ages$	and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	20.0% (+/- 0.7)	42
AIDS: Cumulative Cases Aged 13 & Over (2005)	14,304	15
Alzheimer's Disease: Estimated Cases (2000)	68,000	25
Asthma: 2004-2006 3 Yr Average (95% CI)	13.4% (+/- 0.6)	12
Cancer: Estimated New Cases (2008)	19,190	27
Chlamydia: Rates per 100,000 Population (2006)	311.8	30
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.3% (+/- 0.4)	42
Human West Nile Virus: New Cases (2007)	4	38
Hypertension: 2001-2005 3 Yr Average (95% CI)	24.0% (+/- 0.7)	35
Obesity: 2004-2006 3 Yr Average (95 % CI)	20.1% (+/- 0.7)	47
Syphilis: Rates per 100,000 Population (2006)	1.8	26
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	17.2% (+/- 0.7)	49
Tuberculosis: Number of Cases (2006)	89	30
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most$		

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	183	12
Asthma: High School Students (2005)	27.3% (+/- 2.4)	2
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	18.0%	50
Infant Mortality: Per 1,000 Live Births (2005)	5.8	40
Low Birthweight: % of Total Births (2006)	8.1%	29
Overweight: High School Students (2005)	11.2% (+/- 2.4)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	12.3%	37
Pre-Term Labor: % of Live Births (2005)	10.4%	49
Tobacco: Current Smokers High School Students (2005)	18.1% (+/- 2.5)	29

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	41	43
Health Professions Shortage Areas - Mental Health (FY 2007)	19	42
Health Professions Shortage Areas - Dental Care (FY 2007)	39	36
Nursing Shortage Estimates (2010)	-11,100	13

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	29,000	27
Potential # of Episodes of Illness During a Severe Pandemic	1,039,000	29
Potential Financial Loss During a Severe Pandemic, % of GDP	5.23%	46
Potential Financial Loss During a Severe Pandemic, \$ amount	\$10.1 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: **CONNECTICUT**

Public Health Funding Facts		
Federal Funding for Connecticut's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$20.42	30
Health Resources and Services Administration (HRSA) FY 2007	\$16.73	25
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.41	21
*Note: For rankings 1 - Most Funding 1 - Highest Level of CDC Funding Per Capita: Highest Level of HRSA Funding Per		

Capita; Highest ASPR Funding Per Capita. FY 2007 CDC Funds for State/Local Health Departments, Universitie			
Other Public/Private Agencies (Selected Categories)	es &		
Agency for Toxic Substances and Disease Registry (ATSDR)	\$428,990		
Birth Defects and Developmental Disabilities	N/A		
Cancer	\$2,719,719		
Chronic Disease Prevention and Health Promotion	\$2,205,793		
Diabetes	\$630,190		
Environmental Health	\$2,027,889		
Heart Disease	N/A		
HIV/AIDS	\$7,670,234		
Immunization (Sect. 317 and Vaccines for Children Program)	\$30,761,429		
Infectious Diseases	\$2,049,692		
Injury and Violence Prevention	\$1,009,162		
Nutrition and Physical Activity	N/A		
Occupational Safety and Health	\$477,103		
Pandemic Flu	\$2,856,380		
Preventive Health and Health Services Block Grant	\$577,466		
School Health	\$252,500		
Sexually Transmitted Diseases (STD)	\$911,285		
Tobacco	\$1,080,790		
Terrorism Preparedness and Emergency Response	\$9,820,660		
Tuberculosis	\$621,075		
Total FY 2007 CDC Dollars (All Categories)**	\$71,516,324		
FY 2007 HRSA Grants to States by Key Program Area (Selected Categ	ories)		
Health Professions	\$1,303,347		
HIV/AIDS	\$29,426,947		
Maternal & Child Health	\$6,935,485		
Primary Health Care	\$20,653,217		
Total FY 2007 HRSA Dollars (All Categories)	\$58,601,808		
FY 2007 Office of the Assistant Secretary for Preparedness and Response Gra	nts to States		
Hospital Preparedness Program (HPP)	\$4,943,121		
	\$4,943,121		
Total FY 2007 ASPR HPP Dollars	State Spending		
State Spending			
	ling Ranking: 31		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: DELAWARE

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	864,764	N/A
% Uninsured, All Ages	12.1%	34
% Uninsured, 18 and under	11.7%	18
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ag$	ges and 18 and under.	
Adult Health Indicators	,	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	22.2% (+/- 1.0)	31
AIDS: Cumulative Cases Aged 13 & Over (2005)	3,433	34
Alzheimer's Disease: Estimated Cases (2000)	12,000	47
Asthma: 2004-2006 3 Yr Average (95% CI)	13.7% (+/- 0.9)	
Cancer: Estimated New Cases (2008)	4,590	45
Chlamydia: Rates per 100,000 Population (2006)	428.6	
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.9% (+/- 0.6)	
5 \ ,	7.770 (+7-0.0)	41
Human West Nile Virus: New Cases (2007)	27 79/ (/ 0)	12
Hypertension: 2001-2005 3 Yr Average (95% CI)	27.7% (+/- 1.0)	
Obesity: 2004-2006 3 Yr Average (95 % CI)	23.6% (+/- 1.1)	29
Syphilis: Rates per 100,000 Population (2006)	2.4	2
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	22.2% (+/- 1.1)	18
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Ph	29	40
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	t Rates of Obesity; Highest R	
Child/Adalassant Haalth Indicate		
Child/Adolescent Health Indicato	rs	
AIDS: Cumulative Cases Under Age 13 (2005)	25	3:
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005)		
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without	25 N/A	N/A
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	25 N/A 19.7%	N/ <i>A</i>
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005)	25 N/A 19.7% 9.0	N/ <i>A</i>
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006)	25 N/A 19.7% 9.0 9.3%	N/A
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4)	N// 4 10 N//
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004)	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8%	N// 4 1// N//
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005)	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0%	N// 4 11 N//
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005)	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1)	N// 4 11 N// 11 2
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Highest Rates of Pre-Term Lates	N// 4. 10 N// 11 N// 11 2 Rates of Notates of
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Weight Rates of Pre-Term Lath	N// 4 II N// II 2 Rates of Notates of
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Weight Rates of Pre-Term Lates	N// 4
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Weight Rates of Pre-Term Lates Highest Rates of Pre-Term Lates 12 6	N// 4 II N// I' Rates of Nontes of abor Babies;
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007)	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Weight Rates of Pre-Term Late 10 12 6 8	N// 4. 10 N// 11 Rates of Notates of abor Babies;
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Weight Rates of Pre-Term Late 12 6 8 -1,300	N// 4. 10 N// 11 Rates of Notates of abor Babies; 5 5 3
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primales	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies;	N// 4 II N// II 2 Rates of Notates of abor Babies; 5 5 3
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prima Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Rates of Pre-Term Lath Weight Babies; Highest Rates of Pre-Term	N// 4. 10 N// 11 Rates of Notates of abor Babies; 5 5 3
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality: Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prima Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Factors	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Number Estimate	N// 4. 10 N// 11 N// 2 Rates of Notates of abor Babies; 5 5 5 5 sheer of Mention
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primal Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rates of Pre-Term Lath Babies; Highest Rates of Pre-Term	N/A 4: 10 N/A 19 2 Rates of Notates of abor Babies; 5 5 50 31 aber of Mentates
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primal Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Factors Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rates of Pre-Term Lath Weight Babies; Highest Number Lath Weight Babies; Highest Rates of Pre-Term Lath Weight B	stes of abor Babies; 5 5 5 6 33 aber of Ment
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primal Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact	25 N/A 19.7% 9.0 9.3% 14.1% (+/- 1.4) 14.8% 14.0% 21.2% (+/- 2.1) st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rates of Pre-Term Lath Babies; Highest Rates of Pre-Term	N/A 4: 10 N/A 19 2 Rates of Notates of abor Babies; 5 5 50 31 aber of Mentates

THE STATE OF YOUR HEALTH: DELAWARE

Public Health Funding Facts		
Federal Funding for Delaware's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$25.23	17
Health Resources and Services Administration (HRSA) FY 2007	\$19.04	17
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.83	6
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of I	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Department of Communication (Selected Private Agencies (Selected Private Agencies)		&
Agency for Toxic Substances and Disease Registry (ATSDR)	<u> </u>	N/A
Birth Defects and Developmental Disabilities		\$147,238
Cancer		\$169,686
Chronic Disease Prevention and Health Promotion		\$235,485
Diabetes		\$424,204
Environmental Health		\$144,375
Heart Disease		N/A
HIV/AIDS		\$2,108,022
Immunization (Sect. 317 and Vaccines for Children Program)		\$7,834,089
Infectious Diseases		\$243,279
Injury and Violence Prevention		\$281,785
Nutrition and Physical Activity		N/A
Occupational Safety and Health		N/A
Pandemic Flu		\$1,034,499
Preventive Health and Health Services Block Grant		\$185,012
School Health		\$228,367
Sexually Transmitted Diseases (STD)		\$376,338
Tobacco		\$735,794
Terrorism Preparedness and Emergency Response		\$4,966,126
Tuberculosis		\$305,386
Total FY 2007 CDC Dollars (All Categories)**		\$21,820,150
FY 2007 HRSA Grants to States by Key Program Area (Selected Categories)		
Health Professions		\$520,456
HIV/AIDS		\$6,251,525
Maternal & Child Health		\$2,883,108
Primary Health Care		\$5,906,679
		\$16,465,503

FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States

State Spending

\$1,581,970

\$1,581,970

State Per Capita Funding Ranking: 15

Hospital Preparedness Program (HPP)

State Per Capita Funding for Delaware's Health: \$47.64

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

Total FY 2007 ASPR HPP Dollars

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: DISTRICT OF COLUMBIA

		State Rank*
U.S. Census Bureau 2007 Data	T 500 202	N 1/A
Total Population	588,292	N/A
% Uninsured, All Ages	11.6%	38
% Uninsured, 18 and under	8.7%	30
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages a Adult Health Indicators	nd 18 and under.	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	22.3% (+/- 1.1)	30
	16,777	12
AIDS: Cumulative Cases Aged 13 & Over (2005) Alzheimer's Disease: Estimated Cases (2000)	10,000	48
Asthma: 2004-2006 3 Yr Average (95% CI)	15.0% (+/- 1.0)	3
Cancer: Estimated New Cases (2008)	2,560	51
Chlamydia: Rates per 100,000 Population (2006)	611.8	3
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.8% (+/- 0.6)	16
	7.878 (+7-0.8)	44
Human West Nile Virus: New Cases (2007)		
Hypertension: 2001-2005 3 Yr Average (95% CI)	27.1% (+/- 1.3)	15
Obesity: 2004-2006 3 Yr Average (95 % CI)	22.2% (+/- 1.1)	40
Syphilis: Rates per 100,000 Population (2006)	21.1	1
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	19.6% (+/- 1.1)	34
Tuberculosis: Number of Cases (2006)	73	34
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physics		
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rat Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates		
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	les of obesity, ingliese	naces of
Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	185	- 11
Asthma: High School Students (2005)	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without		,
All Immunizations (2006)	21.6%	33
Infant Mortality: Per 1,000 Live Births (2005)	14.0	I
Low Birthweight: % of Total Births (2006)	11.5%	2
Overweight: High School Students (2005)	10.6% (+/- 1.5)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	22.8%	I
Pre-Term Labor: % of Live Births (2005)	15.9%	4
Tobacco: Current Smokers High School Students (2005)	N/A	N/A
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Most AIDS Cases}$; Highest Ra	tes of Asthma; Highest	Rates of Not-
Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth W		
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; High	est Rates of Pre-Term L	abor Babies;
Highest Rates of Current High School Smokers.		
Other Public Health Indicators	1 14	
Health Professions Shortage Areas - Primary Care (FY 2007)	14	50
Health Professions Shortage Areas - Mental Health (FY 2007)	8	50
Health Professions Shortage Areas - Dental Care (FY 2007)	8	50
Nursing Shortage Estimates (2010)	-3,000	30
*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Co	_	nber of Mental
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Esti	mate	
Pandemic Preparedness Key Facts	I 5000	47
Potential # of Deaths During a Severe Pandemic	5,000	47
Potential # of Episodes of Illness During a Severe Pandemic	162,000	50
Potential Financial Loss During a Severe Pandemic, % of GDP	4.62%	51
Potential Financial Loss During a Severe Pandemic, \$ amount	\$3.8 Billion	N/A
*Note: For rankings, $I = \text{Worst Outcome}$. $I = \text{Highest Number of Potential Deaths}$ Workers; Highest Financial Losses.	; mignest inumber of Po	ntentiai SICK



THE STATE OF YOUR HEALTH: DISTRICT OF COLUMBIA

Public Health Funding Facts		
Federal Funding for District of Columbia's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	N/A	N/A
Health Resources and Services Administration (HRSA) FY 2007	N/A	N/A
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	N/A	N/A
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding F Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&
Agency for Toxic Substances and Disease Registry (ATSDR)	d Categories)	\$1,285,000
Birth Defects and Developmental Disabilities		\$8,487,309
Cancer		\$2,258,473
Chronic Disease Prevention and Health Promotion		\$96,017,709
Diabetes		\$1,836,261
Environmental Health		\$5,616,704
Heart Disease		\$1,548,236
HIV/AIDS		\$1,546,236
Immunization (Sect. 317 and Vaccines for Children Program)		\$8,907,851
·		
Infectious Diseases		\$1,886,722
Injury and Violence Prevention		\$892,053
Nutrition and Physical Activity		\$705,169
Occupational Safety and Health		\$2,234,101
Pandemic Flu		\$2,840,176
Preventive Health and Health Services Block Grant		\$237,854
School Health		\$2,492,494
Sexually Transmitted Diseases (STD)		\$2,588,340
Tobacco		\$879,275
Terrorism Preparedness and Emergency Response		\$17,901,153
Tuberculosis		\$1,069,006
Total FY 2007 CDC Dollars (All Categories)**		\$377,628,059
FY 2007 HRSA Grants to States by Key Program A	rea (Selected Catego	· .
Health Professions		\$4,811,642
HIV/AIDS		\$69,091,657
Maternal & Child Health		\$21,935,606
Primary Health Care		\$10,868,810
Total FY 2007 HRSA Dollars (All Categories)		\$108,962,785
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$1,737,218
Total FY 2007 ASPR HPP Dollars		\$1,737,218
State Spending		
State Per Capita Funding for District of Columbia's Health: \$112.22 State Per Capita Funding Ranking: 4		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.



THE STATE OF YOUR HEALTH: FLORIDA

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	18,251,243	N/A
% Uninsured, All Ages	21.2%	4
% Uninsured, 18 and under	18.9%	2
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Age$	s and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	25.2% (+/- 0.8)	15
AIDS: Cumulative Cases Aged 13 & Over (2005)	99,290	3
Alzheimer's Disease: Estimated Cases (2000)	360,000	2
Asthma: 2004-2006 3 Yr Average (95% CI)	11.5% (+/- 0.6)	40
Cancer: Estimated New Cases (2008)	101,920	2
Chlamydia: Rates per 100,000 Population (2006)	275.2	40
Diabetes: 2004-2006 3 Yr Average (95% CI)	8.4% (+/- 0.5)	10
Human West Nile Virus: New Cases (2007)	3	40
Hypertension: 2001-2005 3 Yr Average (95% CI)	28.0% (+/- 0.9)	- 11
Obesity: 2004-2006 3 Yr Average (95 % CI)	22.9% (+/- 0.8)	34
Syphilis: Rates per 100,000 Population (2006)	4.0	- 11
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	21.0% (+/- 0.8)	21
Tuberculosis: Number of Cases (2006)	1,038	4
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most}$		

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

1519	2
17.5% (+/- 1.3)	32
19.8%	42
7.2	22
8.7%	18
10.9% (+/- 1.0)	N/A
14.4%	21
13.8%	11
17.2% (+/- 1.6)	31
	17.5% (+/- 1.3) 19.8% 7.2 8.7% 10.9% (+/- 1.0) 14.4% 13.8%

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	238	4
Health Professions Shortage Areas - Mental Health (FY 2007)	127	3
Health Professions Shortage Areas - Dental Care (FY 2007)	195	3
Nursing Shortage Estimates (2010)	-32,700	3

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	149,000	3
Potential # of Episodes of Illness During a Severe Pandemic	5,254,000	4
Potential Financial Loss During a Severe Pandemic, % of GDP	5.74%	14
Potential Financial Loss During a Severe Pandemic, \$ amount	\$38.7 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: FLORIDA

Public Health Funding Facts		
Federal Funding for Florida's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$14.06	48
Health Resources and Services Administration (HRSA) FY 2007	\$18.39	18
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.28	46
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Depa		&
Other Public/Private Agencies (Selecte	ed Categories)	
Agency for Toxic Substances and Disease Registry (ATSDR)		\$591,904
Birth Defects and Developmental Disabilities		\$1,327,457
Cancer		\$6,655,550
Chronic Disease Prevention and Health Promotion		\$4,566,740
Diabetes		\$786,432
Environmental Health		\$1,888,734
Heart Disease		\$1,055,704
HIV/AIDS		\$30,378,122
Immunization (Sect. 317 and Vaccines for Children Program)		\$135,899,742
Infectious Diseases		\$3,839,685
Injury and Violence Prevention		\$2,781,663
Nutrition and Physical Activity		\$424,254
Occupational Safety and Health		\$449,340
Pandemic Flu		\$9,349,737
Preventive Health and Health Services Block Grant		\$906,476
School Health		\$2,210,866
Sexually Transmitted Diseases (STD)		\$3,839,685
Tobacco		\$941,153
Terrorism Preparedness and Emergency Response		\$33,301,244
Tuberculosis		\$6,889,070
Total FY 2007 CDC Dollars (All Categories)**		\$256,647,620
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	ries)
Health Professions		\$8,558,804
HIV/AIDS		\$207,670,841
Maternal & Child Health		\$26,679,724
Primary Health Care		\$87,601,931
Total FY 2007 HRSA Dollars (All Categories)		\$335,729,144
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$23,432,938
Total FY 2007 ASPR HPP Dollars		\$23,432,938

State Spending

State Per Capita Funding for Florida's Health: \$27.49

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

State Per Capita Funding Ranking: 29

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: **GEORGIA**

<u> </u>		State Rank*
U.S. Census Bureau 2007 Data	l .	
Total Population	9,544,750	N/A
% Uninsured, All Ages	17.7%	13
% Uninsured, 18 and under	12.8%	15
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ag$	ges and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	25.9% (+/- 0.9)	13
AIDS: Cumulative Cases Aged 13 & Over (2005)	30,179	8
Alzheimer's Disease: Estimated Cases (2000)	110,000	12
Asthma: 2004-2006 3 Yr Average (95% CI)	12.1% (+/- 0.7)	33
Cancer: Estimated New Cases (2008)	36,980	- 11
Chlamydia: Rates per 100,000 Population (2006)	429.6	8
Diabetes: 2004-2006 3 Yr Average (95% CI)	8.3% (+/- 0.5)	11
Human West Nile Virus: New Cases (2007)	49	18
Hypertension: 2001-2005 3 Yr Average (95% CI)	27.1% (+/- 0.9)	15
Obesity: 2004-2006 3 Yr Average (95 % CI)	26.1% (+/- 1.0)	14
Syphilis: Rates per 100,000 Population (2006)	6.4	4
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	20.7% (+/- 0.9)	25
Tuberculosis: Number of Cases (2006)	504	7
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Pl Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest	st Rates of Chlamydia; Highe	est Rate of

Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indica	ators	
AIDS: Cumulative Cases Under Age 13 (2005)	226	9
Asthma: High School Students (2005)	20.3% (+/- 2.1)	14
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	18.6%	48
Infant Mortality: Per 1,000 Live Births (2005)	8.2	10
Low Birthweight: % of Total Births (2006)	9.6%	7
Overweight: High School Students (2005)	12.4% (+/- 2.1)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	16.4%	12
Pre-Term Labor: % of Live Births (2005)	13.6%	13
Tobacco: Current Smokers High School Students (2005)	17.2% (+/- 3.1)	31

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	183	6
Health Professions Shortage Areas - Mental Health (FY 2007)	56	13
Health Professions Shortage Areas - Dental Care (FY 2007)	126	6
Nursing Shortage Estimates (2010)	-16,400	8

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	57,000	11
Potential # of Episodes of Illness During a Severe Pandemic	2,688,000	9
Potential Financial Loss During a Severe Pandemic, % of GDP	5.46%	31
Potential Financial Loss During a Severe Pandemic \$ amount	\$19.8 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: GEORGIA

Public Health Funding Facts		
Federal Funding for Georgia's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$52.56	2
Health Resources and Services Administration (HRSA) FY 2007	\$15.40	29
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.30	44
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.		_
FY 2007 CDC Funds for State/Local Health Depa		&
Other Public/Private Agencies (Selecte	ed Categories)	¢1.025.407
Agency for Toxic Substances and Disease Registry (ATSDR)		\$1,825,697
Birth Defects and Developmental Disabilities		\$852,149
Cancer		\$8,551,014
Chronic Disease Prevention and Health Promotion		\$9,203,657
Diabetes		\$736,456
Environmental Health		\$1,431,203
Heart Disease		\$4,220,144
HIV/AIDS		\$14,039,376
Immunization (Sect. 317 and Vaccines for Children Program)		\$100,697,736
Infectious Diseases		\$2,262,244
Injury and Violence Prevention		\$3,564,808
Nutrition and Physical Activity		\$793,903
Occupational Safety and Health		\$408,600
Pandemic Flu		\$8,011,198
Preventive Health and Health Services Block Grant		\$2,988,429
School Health		\$324,950
Sexually Transmitted Diseases (STD)		\$3,861,960
Tobacco		\$1,458,931
Terrorism Preparedness and Emergency Response		\$19,120,694
Tuberculosis		\$1,754,039
Total FY 2007 CDC Dollars (All Categories)**		\$501,684,197
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	ries)
Health Professions		\$7,662,073
HIV/AIDS		\$70,010,349
Maternal & Child Health		\$22,823,436
Primary Health Care		\$41,863,437
Total FY 2007 HRSA Dollars (All Categories)		\$146,970,294
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$12,370,869
Total FY 2007 ASPR HPP Dollars		\$12,370,869
State Spending		
State Per Capita Funding for Georgia's Health: \$17.02	State Per Capita Fundin	g Ranking: 38

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.



THE STATE OF YOUR HEALTH: HAWAII

▼		
		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	1,283,388	N/A
% Uninsured, All Ages	8.8%	49
% Uninsured, 18 and under	6.3%	45
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Age$	s and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	19.4% (+/- 1.0)	44
AIDS: Cumulative Cases Aged 13 & Over (2005)	2,840	35
Alzheimer's Disease: Estimated Cases (2000)	23,000	39
Asthma: 2004-2006 3 Yr Average (95% CI)	14.6% (+/- 0.9)	4
Cancer: Estimated New Cases (2008)	6,310	42
Chlamydia: Rates per 100,000 Population (2006)	435.1	7
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.8% (+/- 0.6)	16
Human West Nile Virus: New Cases (2007)	0	44
Hypertension: 2001-2005 3 Yr Average (95% CI)	23.8% (+/- 0.9)	37
Obesity: 2004-2006 3 Yr Average (95 % CI)	20.1% (+/- 1.0)	47
Syphilis: Rates per 100,000 Population (2006)	1.4	34
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	17.3% (+/- 0.9)	48
Tuberculosis: Number of Cases (2006)	115	26
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Level of Adult Phy$	sical Inactivity; Most AIDS	Cases; Most

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	17	37
Asthma: High School Students (2005)	30.4% (+/- 2.8)	I
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	21.2%	36
Infant Mortality: Per 1,000 Live Births (2005)	6.5	32
Low Birthweight: % of Total Births (2006)	8.1%	29
Overweight: High School Students (2005)	13.5% (+/- 1.9)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	13.3%	29
Pre-Term Labor: % of Live Births (2005)	12.2%	29
Tobacco: Current Smokers High School Students (2005)	16.4% (+/- 2.3)	35

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	31	46
Health Professions Shortage Areas - Mental Health (FY 2007)	24	41
Health Professions Shortage Areas - Dental Care (FY 2007)	23	44
Nursing Shortage Estimates (2010)	-4,500	23

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	10,000	39
Potential # of Episodes of Illness During a Severe Pandemic	365,000	42
Potential Financial Loss During a Severe Pandemic, % of GDP	6.60%	2
Potential Financial Loss During a Severe Pandemic, \$ amount	\$3.6 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: **HAWAII**

Public Health Funding Facts		
Federal Funding for Hawaii's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$26.45	13
Health Resources and Services Administration (HRSA) FY 2007	\$32.53	3
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.66	9
*Note: For rankings I - Most Funding I - Highest Level of CDC Funding Per Capita: Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Departments, Universities &		
Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)	N/A	
Birth Defects and Developmental Disabilities	N/A	
Cancer	\$2,022,390	
Chronic Disease Prevention and Health Promotion	\$2,019,763	
Diabetes	\$1,037,300	
Environmental Health	\$447,703	
Heart Disease	\$77,537	
HIV/AIDS	\$2,455,037	
Immunization (Sect. 317 and Vaccines for Children Program)	\$13,889,326	
Infectious Diseases	\$72,126	
Injury and Violence Prevention	\$1,292,691	
Nutrition and Physical Activity	N/A	
Occupational Safety and Health	N/A	
Pandemic Flu	\$1,581,461	
Preventive Health and Health Services Block Grant	\$765,904	
School Health	\$345,443	
Sexually Transmitted Diseases (STD)	\$354,341	
Tobacco	\$1,018,083	
Terrorism Preparedness and Emergency Response	\$5,307,076	
Tuberculosis	\$861,286	
Total FY 2007 CDC Dollars (All Categories)**	\$33,944,183	
FY 2007 HRSA Grants to States by Key Program Area (Selected Catego	ries)	
Health Professions	\$3,905,353	
HIV/AIDS	\$3,481,098	
Maternal & Child Health	\$5,788,979	
Primary Health Care	\$26,162,577	
Total FY 2007 HRSA Dollars (All Categories)	\$41,751,386	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grant	ts to States	
Hospital Preparedness Program (HPP)	\$2,129,653	
Total FY 2007 ASPR HPP Dollars	\$2,129,653	
State Spending		
State Per Capita Funding for Hawaii's Health: \$152.66 State Per Capita Fund	ing Ranking: 1	
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: IDAHO

		State Rank
U.S. Census Bureau 2007 Data	a	
Total Population	1,499,402	N/A
% Uninsured, All Ages	15.4%	2
% Uninsured, 18 and under	13.0%	Į.
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All A$	Ages and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	20.5% (+/- 0.8)	4
AIDS: Cumulative Cases Aged 13 & Over (2005)	576	4
Alzheimer's Disease: Estimated Cases (2000)	19,000	4:
Asthma: 2004-2006 3 Yr Average (95% CI)	12.3% (+/- 0.7)	3
Cancer: Estimated New Cases (2008)	6,430	4
Chlamydia: Rates per 100,000 Population (2006)	234.1	4
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.6% (+/- 0.4)	38
Human West Nile Virus: New Cases (2007)	131	•
Hypertension: 2001-2005 3 Yr Average (95% CI)	23.8% (+/- 0.8)	3
Obesity: 2004-2006 3 Yr Average (95 % CI)	23.2% (+/- 0.8)	3
Syphilis: Rates per 100,000 Population (2006)	0.2	4
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	17.4% (+/- 0.8)	4
Tuberculosis: Number of Cases (2006)	20	4
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult P Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	st Rates of Chlamydia; Highes st Rates of Obesity; Highest H	st Rate of
Child/Adolescent Health Indicate		4
AIDS: Cumulative Cases Under Age 13 (2005)	2	4
Asthma: High School Students (2005)	18.2% (+/- 2.5)	3
Immunization Gap: Children Aged 19-35 Months without	31.2%	
All Immunizations (2006)	6.1	3.
Infant Mortality: Per 1,000 Live Births (2005)	6.9%	3
Low Birthweight: % of Total Births (2006)		N//
Overweight: High School Students (2005)	7.2% (+/- 1.6)	
Overweight: 10 to 17 Year Olds (2003-2004)		4
Pre-Term Labor: % of Live Births (2005)	11.4%	3
Tobacco: Current Smokers High School Students (2005)	15.8% (+/- 2.5)	
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bio Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds Highest Rates of Current High School Smokers.	rth Weight Babies; Highest Ro ; Highest Rates of Pre-Term Lo	ates of
Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	65	3'
Health Professions Shortage Areas - Mental Health (FY 2007)	18	4
Health Professions Shortage Areas - Dental Care (FY 2007)	54	3
Nursing Shortage Estimates (2010)	-800	4
*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prim Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortag	e Estimate	nber of Men
Pandemic Preparedness Key Fac		
Potential # of Deaths During a Severe Pandemic	9,000	4
Potential # of Enicodes of Illness During a Sovera Pandamis	425,000	2

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.

425,000

5.42%

\$2.6 Billion

39

35

N/A

Potential # of Episodes of Illness During a Severe Pandemic

Potential Financial Loss During a Severe Pandemic, % of GDP

Potential Financial Loss During a Severe Pandemic, \$ amount

THE STATE OF YOUR HEALTH: IDAHO

Public Health Funding Facts

Federal Funding for Idaho's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$21.12	28
Health Resources and Services Administration (HRSA) FY 2007	\$16.89	23
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.57	12
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Depa		&
Other Public/Private Agencies (Selecte	ed Categories)	
Agency for Toxic Substances and Disease Registry (ATSDR)		\$226,688
Birth Defects and Developmental Disabilities		N/A
Cancer		\$2,260,814
Chronic Disease Prevention and Health Promotion		\$412,699
Diabetes		\$362,682
Environmental Health		\$307,563
Heart Disease		N/A
HIV/AIDS		\$900,769
Immunization (Sect. 317 and Vaccines for Children Program)		\$18,060,637
Infectious Diseases		\$26,334
Injury and Violence Prevention		\$181,166
Nutrition and Physical Activity		N/A
Occupational Safety and Health		N/A
Pandemic Flu		\$1,297,375
Preventive Health and Health Services Block Grant		\$92,890
School Health		\$225,067

Total FY 2007 CDC Dollars (All Categories)**	\$31,674,656	
FY 2007 HRSA Grants to States by Key Program Area (Selected Categories)		
Health Professions	\$662,656	
HIV/AIDS	\$1,847,215	
Maternal & Child Health	\$3,983,080	
Primary Health Care	\$17,397,062	
Total FY 2007 HRSA Dollars (All Categories)	\$25,323,900	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)	\$2,359,069	
Total FY 2007 ASPR HPP Dollars	\$2,359,069	
State Spending		

\$406,587

\$1,254,328

\$5,306,541

State Per Capita Funding Ranking: 8

\$169,452

Sexually Transmitted Diseases (STD)

Terrorism Preparedness and Emergency Response

State Per Capita Funding for Idaho's Health: \$76.04

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

Tobacco

Tuberculosis

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: IILLINOIS

IILLINOIS		
		State Rank*
U.S. Census Bureau 2007 Data	a	
Total Population	12,852,548	N/A
% Uninsured, All Ages	14.0%	24
% Uninsured, 18 and under	9.5%	26
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All A$	Ages and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	24.3% (+/- 0.9)	22
AIDS: Cumulative Cases Aged 13 & Over (2005)	32,314	6
Alzheimer's Disease: Estimated Cases (2000)	210,000	6
Asthma: 2004-2006 3 Yr Average (95% CI)	11.9% (+/- 0.7)	36
Cancer: Estimated New Cases (2008)	59,130	6
Chlamydia: Rates per 100,000 Population (2006)	419.8	11
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.4% (+/- 0.5)	23
Human West Nile Virus: New Cases (2007)	98	13
Hypertension: 2001-2005 3 Yr Average (95% CI)	24.8% (+/- 0.9)	27
Obesity: 2004-2006 3 Yr Average (95 % CI)	24.4% (+/- 0.9)	25
Syphilis: Rates per 100,000 Population (2006)	3.4	14
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	20.9% (+/- 0.9)	22
Tuberculosis: Number of Cases (2006)	569	5
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
Child/Adolescent Health Indicate	ors	
AIDS: Cumulative Cases Under Age 13 (2005)	281	8
Asthma: High School Students (2005)	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	25.9%	15
Infant Mortality: Per 1,000 Live Births (2005)	7.4	18
Low Birthweight: % of Total Births (2006)	8.6%	19
Overweight: High School Students (2005)	N/A	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	15.8%	14
Pre-Term Labor: % of Live Births (2005)	13.1%	20
Tobacco: Current Smokers High School Students (2005)	N/A	N/A
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bit Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds Highest Rates of Current High School Smokers.	rth Weight Babies; Highest Rat	tes of
Other Public Health Indicator	s	
Health Professions Shortage Areas - Primary Care (FY 2007)	267	3
Health Professions Shortage Areas Montal Health (EV 2007)	111	

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	267	3
Health Professions Shortage Areas - Mental Health (FY 2007)	111	5
Health Professions Shortage Areas - Dental Care (FY 2007)	163	4
Nursing Shortage Estimates (2010)	-9,300	16

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	99,000	6
Potential # of Episodes of Illness During a Severe Pandemic	3,787,000	5
Potential Financial Loss During a Severe Pandemic, % of GDP	5.60%	21
Potential Financial Loss During a Severe Pandemic, \$ amount	\$31.3 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: IILLINOIS

Public Health Funding Facts		
Federal Funding for Illinois's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$15.46	42
Health Resources and Services Administration (HRSA) FY 2007	\$16.18	27
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.02	48
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding I Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of I	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&
Agency for Toxic Substances and Disease Registry (ATSDR)	<u> </u>	\$700,456
Birth Defects and Developmental Disabilities		\$2,287,500
Cancer		\$9,895,560
Chronic Disease Prevention and Health Promotion		\$6,428,608
Diabetes		\$1,038,850
Environmental Health		\$3,601,280
Heart Disease		\$665,692
HIV/AIDS		\$17,020,500
Immunization (Sect. 317 and Vaccines for Children Program)		\$72,046,272
Infectious Diseases		\$1,065,103
Injury and Violence Prevention		\$3,868,633
Nutrition and Physical Activity		\$428,630
Occupational Safety and Health		\$961,822
Pandemic Flu		\$7,476,305
Preventive Health and Health Services Block Grant		\$846,765
School Health		\$548,724
Sexually Transmitted Diseases (STD)		\$4,392,463
Tobacco		\$1,297,303
Terrorism Preparedness and Emergency Response		\$33,191,656
Tuberculosis		\$2,851,005
Total FY 2007 CDC Dollars (All Categories)**		\$198,736,545
FY 2007 HRSA Grants to States by Key Program A	rea (Selected Catego	ries)
Health Professions		\$8,205,987
HIV/AIDS		\$74,379,336
Maternal & Child Health		\$37,348,992
Primary Health Care		\$79,471,983
Total FY 2007 HRSA Dollars (All Categories)		\$207,933,050
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$13,163,842
Total FY 2007 ASPR HPP Dollars		\$13,163,842
State Spending		
State Per Capita Funding for Illinois's Health: \$21.50	State Per Capita Fundir	ng Ranking: 33
*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: INDIANA

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	6,345,289	N/A
% Uninsured, All Ages	11.8%	35
% Uninsured, 18 and under	7.8%	36
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages	and 18 and under.	
Adult Health Indicators	and to and and	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	25.9% (+/- 0.8)	13
AIDS: Cumulative Cases Aged 13 & Over (2005)	7,908	25
Alzheimer's Disease: Estimated Cases (2000)	100.000	14
Asthma: 2004-2006 3 Yr Average (95% CI)	12.6% (+/- 0.6)	26
<u> </u>	'	15
Cancer: Estimated New Cases (2008)	29,550	
Chlamydia: Rates per 100,000 Population (2006)	316.6	29
Diabetes: 2004-2006 3 Yr Average (95% CI)	8.0% (+/- 0.4)	14
Human West Nile Virus: New Cases (2007)	24	23
Hypertension: 2001-2005 3 Yr Average (95% CI)	26.3% (+/-0.8)	20
Obesity: 2004-2006 3 Yr Average (95 % CI)	26.8% (+/- 0.8)	9
Syphilis: Rates per 100,000 Population (2006)	1.5	32
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	25.4% (+/- 0.8)	3
Tuberculosis: Number of Cases (2006)	124	23
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Level of Adult Phys$	ical Inactivity; Most AIDS	Cases; Most
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest R		
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest F	Rates of Obesity; Highest I	Rates of
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	55	23
Asthma: High School Students (2005)	22.2% (+/- 2.2)	7
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	24.1%	22
Infant Mortality: Per 1,000 Live Births (2005)	8.0	l 13
Low Birthweight: % of Total Births (2006)	8.2%	28
Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)		
· ,	8.2%	28
Overweight: High School Students (2005)	8.2% 15.0% (+/- 2.5)	28 N/A
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004)	8.2% 15.0% (+/- 2.5) 15.6%	28 N/A 15
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005)	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0)	28 N/A 15 15
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Weight Babies; Highest R	28 N/A 15 15 17 Rates of Notates of
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates Olds; Highe	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Weight Babies; Highest R	28 N/A 15 15 17 Rates of Notates of
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Weight Babies; Highest R	28 N/A 15 15 17 Rates of Notates of
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Weight Babies; Highest R ighest Rates of Pre-Term L	28 N/A 15 15 17 Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest R Weight Babies; Highest R ighest Rates of Pre-Term L	28 N/A 15 15 17 Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007)	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Weight Babies; Highest R ighest Rates of Pre-Term L	28 N/A 15 15 17 Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest R Weight Babies; Highest R ighest Rates of Pre-Term L	28 N/A 15 15 17 Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007)	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Weight Babies; Highest R ighest Rates of Pre-Term L 93 39	28 N/A 15 15 17 Rates of Notates of abor Babies; 25 27
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007)	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Weight Babies; Highest R Rates of Pre-Term L 93 39 36 -8,200	28 N/A 15 15 17 Rates of Notates of abor Babies; 25 27 37
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Reighest Rates of Pre-Term Leghest Rates Rates Rates of Pre-Term Leghest Rates Rat	28 N/A 15 15 17 Rates of Notates of abor Babies; 25 27 37
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Reighest Rates of Pre-Term Leghest Rates Rates Rates of Pre-Term Leghest Rates Rat	28 N/A 15 15 17 Rates of Notates of abor Babies; 25 27 37
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimates (2016)	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Reighest Rates of Pre-Term Leghest Rates Rates Rates of Pre-Term Leghest Rates Rat	28 N/A 15 15 17 Rates of Notates of abor Babies; 25 27 37
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimates (Pandemic Preparedness Key Facts	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest R Weight Babies; Highest R gighest Rates of Pre-Term L 93 39 36 -8,200 Care HPSAs; Highest Nurstimate	28 N/A 15 15 17 Rates of Notates of abor Babies; 25 27 37 18 mber of Menta
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimates (2010) Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest R Weight Babies; Highest R ighest Rates of Pre-Term L 93 39 36 -8,200 Care HPSAs; Highest Nur stimate 49,000	28 N/A 15 15 17 Rates of Notates of abor Babies; 25 27 37 18 mber of Menta
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimated Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic	8.2% 15.0% (+/- 2.5) 15.6% 13.5% 21.9% (+/- 4.0) Rates of Asthma; Highest Weight Babies; Highest R ighest Rates of Pre-Term L 93 39 36 -8,200 Care HPSAs; Highest Nurstimate 49,000 1,863,000	28 N/A 15 15 17 Rates of Notates of abor Babies; 25 27 37 18 mber of Menta

THE STATE OF YOUR HEALTH: **INDIANA**

torre		
Public Health Funding Facts		
Federal Funding for Indiana's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$13.69	49
Health Resources and Services Administration (HRSA) FY 2007	\$9.67	49
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.34	35
*Note: For rankings: I = Most Funding: I = Highest Level of CDC Funding Per Cabita: Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Departments, Universities &		
Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)	N/A	
Birth Defects and Developmental Disabilities	\$170,591	
Cancer	\$2,890,479	
Chronic Disease Prevention and Health Promotion	\$918,779	
Diabetes	\$907,250	
Environmental Health	\$1,364,264	
Heart Disease	N/A	
HIV/AIDS	\$3,028,913	
Immunization (Sect. 317 and Vaccines for Children Program)	\$48,114,779	
Infectious Diseases	\$139,627	
Injury and Violence Prevention	\$842,236	
Nutrition and Physical Activity	\$50,000	
Occupational Safety and Health	\$265,180	
Pandemic Flu	\$3,676,108	
Preventive Health and Health Services Block Grant	\$421,653	
School Health	\$944,261	
Sexually Transmitted Diseases (STD)	\$1,866,928	
Tobacco	\$1,140,165	
Terrorism Preparedness and Emergency Response	\$13,190,408	
Tuberculosis	\$693,046	
Total FY 2007 CDC Dollars (All Categories)**	\$86,873,860	
FY 2007 HRSA Grants to States by Key Program Area (Selected Category	ories)	
Health Professions	\$3,406,106	
HIV/AIDS	\$17,360,194	
Maternal & Child Health	\$15,807,591	
Primary Health Care	\$20,774,511	
Total FY 2007 HRSA Dollars (All Categories)	\$61,385,145	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)	\$8,503,785	
Total FY 2007 ASPR HPP Dollars	\$8,503,785	
State Spending		
State Per Capita Funding for Indiana's Health: \$ 9.70 State Per Capita Fund	ing Ranking: 49	
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: IOWA

## Outs Quality Quali			State Rank
Total Population	U.S. Census Bureau 2007 Data		
% Uninsured, All Ages 10.5% % Uninsured, 18 and under 6.3% % Uninsured, 18 and under 6.3% % Vote: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages and I8 and under. Adult Health Indicators Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) 22.8% (+/- 0.8) AlDS: Cumulative Cases Aged 13 & Over (2005) 1,642 Alzheimer's Disease: Estimated Cases (2000) 65,000 Asthma: 2004-2006 3 Yr Average (95% CI) 10.5% (+/- 0.6) Cancer: Estimated New Cases (2008) 16,150 Chlamydia: Rates per 100,000 Population (2006) 282.8 Diabetes: 2004-2006 3 Yr Average (95% CI) 6.8% (+/- 0.4) Human West Nile Virus: New Cases (2007) 30 Hypertension: 2001-2005 3 Yr Average (95% CI) 25.0% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 24.9% (+/- 0.8) Syphilis: Rates per 100,000 Population (2006) 0.6 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 20.9% (+/- 0.8) Tuberculosis: Number of Cases (2006) 40 **Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AlDS Cases; Makheimer's Cases: Highest Rates of Asthma: Most New Cases of Cancer: Highest Rates of Obesity: Highest Rates of Diabetes; Most Cases of West Nile Virus: Highest Rates of Thuberculosis: Number of Cases (2005) 40 **Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AlDS Cases; Makheimer's Cases: Highest Rates of Asthma: Most New Cases of Cancer: Highest Rates of Obesity: Highest Rates of Diabetes; Most Cases of West Nile Virus: Highest Rates of Thuberculosis: Number of Cases (2005) 40 **Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AlDS Cases; Makheimer's Cases: Highest Rates of Asthma: Mathem Cases Highest Rates of Obesity: Highest Rates of O			N/A
% Uninsured, 18 and under Note: For rankings, 1 = Worst Outcome. 1 = Highest Rate of Uninsured All Ages and 18 and under. Adult Health Indicators Adult Physical Inactivity: 2004-2006 3 Yr Average (95% C1) AlDS: Cumulative Cases Aged 13 & Over (2005) AlZheimer's Disease: Estimated Cases (2000) AlZheimer's Disease: Estimated Cases (2000) Asthma: 2004-2006 3 Yr Average (95% C1) Cancer: Estimated New Cases (2008) Chlamydia: Rates per 100,000 Population (2006) Diabetes: 2004-2006 3 Yr Average (95% C1) Human West Nile Virus: New Cases (2007) Hypertension: 2001-2005 3 Yr Average (95% C1) Cabsity: 2004-2006 3 Yr Average (95% C1) Diabetes: 2004-2006 3 Yr Average (95% C1) Edwin Synhilis: Rates per 100,000 Population (2006) Diabetes: 2004-2006 3 Yr Average (95% C1) Syphilis: Rates per 100,000 Population (2006) Doesity: 2004-2006 3 Yr Average (95% C1) Diabetes: 2004-2006 3 Yr Average (95% C1) Diabetes: 2004-2006 3 Yr Average (95% C1) Doesity: 2004-2006 3 Yr Average (95% C1) Doesity: 2004-2006 3 Yr Average (95% C1) Diabetes: 2006 0.6 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% C1) Diabetes: Number of Cases (2006) AlZheimer's Cases, Highest Rates of Asthma; Most New Cases of Cancer: Highest Rates of Chlamydia; Highest Rates of Diabetes: Most Cases in Health Outcome. 1 = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Malzheimer's Cases, Highest Rates of Asthma; Most New Cases of Cancer: Highest Rates of Chlamydia; Highest Rates of Diabetes; Most Cases of West Nile Virus; Highest Rates of Thereutosis. Child/Adolescent Health Indicators AlDS: Cumulative Cases Under Sphilis; Highest Rates of Chaese (2005) Inmunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Inflant Mortality: Per I, 1000 Live Births (2005) Inflant Mortality: Per I, 1000 Live Births (2005) Inabertic High School Students (2005) I			40
Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages and 18 and under. **Adult Health Indicators Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) AlDS: Cumulative Cases Aged 13 & Over (2005) AlDS: Cumulative Cases Aged 13 & Over (2005) AlDs: Disease: Estimated Cases (2000) Asthma: 2004-2006 3 Yr Average (95% CI) Cancer: Estimated New Cases (2008) Chlamydia: Rates per 100,000 Population (2006) Cases: 2004-2006 3 Yr Average (95% CI) Linching Rates per 100,000 Population (2006) Callemydia: Rates of Careet Highest Rates of Asthma: Most New Cases of Cancer: Highest Rates of Chamydia: Highest Rates of Cases (2006) **Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity, Most AIDS Cases; Machiner's Cases: Highest Rates of Asthma: Most New Cases of Cancer: Highest Rates of Obesity: Highest Rates of Suphilis: Highest Rates of Asthma: Most New Cases of Cancer: Highest Rates of Obesity: Highest Rates of Suphilis: Highest Rates of Obesity: Highest Rates of Suphilis: Highest Rates of Obesity: Highest Rates of Suphilis: Highest Rates of Obesity: Highest Rates of			4!
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) 22.8% (+/- 0.8) AlDS: Cumulative Cases Aged 13 & Over (2005) 1,642 Alzheimer's Disease: Estimated Cases (2000) 65,000 Asthma: 2004-2006 3 Yr Average (95% CI) 10.5% (+/- 0.6) Cancer: Estimated New Cases (2008) 16,150 Cancer: Estimated New Cases (2008) 16,150 Chlamydia: Rates per 100,000 Population (2006) 282.8 Diabetes: 2004-2006 3 Yr Average (95% CI) 6.8% (+/- 0.4) Human West Nile Virus: New Cases (2007) 30 Hypertension: 2001-2005 3 Yr Average (95% CI) 25,0% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 25,0% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 25,0% (+/- 0.8) Syphilis: Rates per 100,000 Population (2006) 26,0% (-/- 0.8) Syphilis: Rates per 100,000 Population (2006) 0,6 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 20,9% (+/- 0.8) Tuberculosis: Number of Cases (2006) 40 **Note: For rankings, 1 = Worst Health Outcome. 1 = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Malzheimer's Cases: Highest Rates of Asthma: Most New Cases of Cancer: Highest Rates of Chlamydia: Highest Rates of Jubetes: Most Cases of West Nile Virus: Highest Rates of Jubetes: Most Cases of West Nile Virus: Highest Rates of Jubetes: Most Cases of West Nile Virus: Highest Rates of Hybrides Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Dubetes: Most Cases of West Nile Virus: Highest Rates of Hybridesia Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Obesity: Highest Rates of Syphilis; Highest Rates of Obesity: Highest Rates of Obesity: Highest Rates of Syphilis; Highest Rates of Obesity: Highest Rates of Obesity: Highest Rates of Syphilis; Highest Rates of Current Smokers: Most Cases of Infont New National Rates of Na			
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) AIDS: Cumulative Cases Aged 13 & Over (2005) ALTheimer's Disease: Estimated Cases (2000) Asthma: 2004-2006 3 Yr Average (95% CI) Chlamydia: Rates per 100,000 Population (2006) Diabetes: 2004-2006 3 Yr Average (95% CI) Human West Nile Virus: New Cases (2007) Hypertension: 2001-2005 3 Yr Average (95% CI) Obesity: 2004-2006 3 Yr Average (95% CI) Syphilis: Rates per 100,000 Population (2006) Diabetes: 2004-2006 3 Yr Average (95% CI) Human West Nile Virus: New Cases (2007) 30 Hypertension: 2001-2005 3 Yr Average (95% CI) Syphilis: Rates per 100,000 Population (2006) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Syphilis: Rates per 100,000 Population (2006) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Suphilis: Rates per 100,000 Population (2006) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Suphilis: Hypertension: Number of Cases (2006) *Note: For rankings. I = Warst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Maken States of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia: Highest Rates of Diabetes: Most Cases of West Nile Virus: Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis: Highest Rates of Current Smokers: Most Cases of Tuberculosis. **Child/Adolescent Health Indicators** AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Infant Mortality: Per 1,000 Live Births (2005) Infant Mortality: Per 1,000 Live Births (2005) Asthma: High School Students (2005) Noverweight: High School Students (2005) Noverweight: High School Students (2005) Pre-Term Labor: % of Live Births (2005) Noverweight: High School Students (2005) Noverweight: High School Students (2005) Noverweight High School S		,	
AIDS: Cumulative Cases Aged 13 & Over (2005) Alzheimer's Disease: Estimated Cases (2000) 65,000 Asthma: 2004-2006 3 Yr Average (95% CI) Cancer: Estimated New Cases (2008) Iol.5% (+/- 0.6) Cancer: Estimated New Cases (2008) Iol.5% (+/- 0.6) Chlamydia: Rates per 100,000 Population (2006) 282.8 Diabetes: 2004-2006 3 Yr Average (95% CI) Almman West Nille Virus: New Cases (2007) Hypertension: 2001-2005 3 Yr Average (95% CI) Cyphilis: Rates per 100,000 Population (2006) Desity: 2004-2006 3 Yr Average (95% CI) Syphilis: Rates per 100,000 Population (2006) Dobesty: 2004-2006 3 Yr Average (95 % CI) Syphilis: Rates per 100,000 Population (2006) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tuberculosis: Number of Cases (2006) *Note: For rankings. I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AIDS Cases; Marbeimer's Cases: Highest Rates of Asthma: Most New Cases of Cancer: Highest Rates of Obesity; Highest Rates of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. **Child/Adolescent Health Indicators** AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Inmunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Overweight: High School Students (2005) Asthma: High School Students (2005) Iol.6% (+/- 2.3) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Total Births (2006) Overweight: High School Students (2005) 11.8% Tobacc: Current Smokers High School Students (2005) Potential Financial Students (2005) 12.2% (+/- 2.8) Nover Forankings, I = Worst Health Outcome. I =		22.8% (+/- 0.8)	26
Alzheimer's Disease: Estimated Cases (2000) 65,000 Asthma: 2004-2006 3 Yr Average (95% CI) 10.5% (+/- 0.6) Cancer: Estimated New Cases (2008) 16,150 Chlamydia: Rates per 100,000 Population (2006) 282.8 Diabetes: 2004-2006 3 Yr Average (95% CI) 6.8% (+/- 0.4) Human West Nile Virus: New Cases (2007) 30 Hypertension: 2001-2005 3 Yr Average (95% CI) 25.0% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 24.9% (+/- 0.8) Syphilis: Rates per 100,000 Population (2006) 26.0% (-/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 24.9% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 24.9% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 20.9% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 20.9% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 20.9% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 20.9% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 20.9% (+/- 0.8) Obesity: 2004-2006 3 Yr Average (95% CI) 20.9% (+/- 0.8) Obesity: 3004-2005 Obesity: 3004-2006 Obesity:	, , , , , , , , , , , , , , , , , , , ,	<u> </u>	40
Asthma: 2004-2006 3 Yr Average (95% CI)			2
Cancer: Estimated New Cases (2008) 16,150			5(
Chilamydia: Rates per 100,000 Population (2006) Diabetes: 2004-2006 3 Yr Average (95% CI) Hypertension: 2001-2005 3 Yr Average (95% CI) Hypertension: 2001-2005 3 Yr Average (95% CI) Syphilis: Rates per 100,000 Population (2006) Obesity: 2004-2006 3 Yr Average (95 % CI) Syphilis: Rates per 100,000 Population (2006) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AIDS Cases; Malzheimer's Cases; Highest Rates of Asthma: Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rates of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicators AIDS: Cumulative Cases Under Age 13 (2005) IAsthma: High School Students (2005) Inmunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Loverweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Total Births (2005) Tobacco: Current Smokers High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) Tobacco: Current Smokers High School Students (2005) Pro-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) Pro-Term Labor: % of Live Births (2005) Tobacco: Gurrent Smokers High School Students (2005) Pro-Term Labor: % of Live Births (2005) Tobacco: Gurrent Smokers High School Students (2005) Tobacco: Gurrent Smokers High School Students; Highest Rates of New Fights Babies; Highest Rates of New Fights Rates of New Fi	3 \ , ,	`	3
Diabetes: 2004-2006 3 Yr Average (95% CI) Human West Nile Virus: New Cases (2007) 30 Hypertension: 2001-2005 3 Yr Average (95% CI) Obesity: 2004-2006 3 Yr Average (95% CI) Syphilis: Rates per 100,000 Population (2006) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AIDS Cases; Machaeters: Gases; Highest Rates of Asthma: Most New Cases of Cancer; Highest Rates of Chlamydia: Highest Rate of Diabetes: Most Cases of Wher Virus: Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis: Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicators AIDS: Cumulative Cases Under Age 13 (2005) Inmunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: 96 of Total Births (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: 96 of Live Births (2005) Tobacco: Current Smokers High School Students (2005) Pre-Term Labor: 96 of Live Births (2005) Tobacco: Current Smokers High School Students (2005) Tobacco: Gurrent Smokers High School Students (2005) Tobacco: Gurrent High School Students (2005	, ,		3
Human West Nile Virus: New Cases (2007) Hypertension: 2001-2005 3 Yr Average (95% CI) Obesity: 2004-2006 3 Yr Average (95% CI) Obesity: 2004-2006 3 Yr Average (95% CI) Obesity: 2004-2006 3 Yr Average (95% CI) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AIDS Cases; Malabemer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rates of Sphillis; Highest Rates of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Sphillis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicators AIDS: Cumulative Cases Under Age 13 (2005) Inmunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2005) Low Birthweight: % of Total Births (2005) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) **Pre-Term Labor: % of Live Births (2005) **Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of New Fully-Immunized Babies; Most Cases of Infant Mortality: Highest Rate of Low Birth Weight Babies: Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Shool Students; Highest Rates of Overweight Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) 81 Health Professions Shortage Areas - Pental Care (FY 2007) 82 Health Professions Shortage Areas - Mental Health (FY 2007) 83 Health Professions Shortage Areas - Dental Care (FY 2007) 84 Health Professions Shortage Areas - Dental Care (FY 2007) 85 Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mithedith HPS	, , , , ,		3
Hypertension: 2001-2005 3 Yr Average (95% CI) Obesity: 2004-2006 3 Yr Average (95 % CI) Obesity: 2004-2006 3 Yr Average (95 % CI) Syphilis: Rates per 100,000 Population (2006) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) **Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AIDS Cases; Making Highest Rates of Asthma: Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Fluberculosis. **Child/Adolescent Health Indicators** AIDS: Cumulative Cases Under Age I 3 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) I 2.2% (+/- 2.8) Overweight: 10 to 17 Year Olds (2003-2004) **Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) **Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma: Highest Rates of Pully-Immunized Babies; Most Cases of Infant Mortality; Highest Rates of Overweight High School Students (2005) **Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma: Highest Rates of Overweight High School Students; Highest Rates of Overweight Infant Professions Shortage Areas - Primary Care (FY 2007) **Health Professions Shortage Areas - Pental Care (FY 2007) **Ball Health Professions Shortage Areas - Dental Care (FY 2007) **Ball Health Professions Shortage Areas - Dental Care (FY 2007) **Professions Shortage Areas - Dental Ca			2
Obesity: 2004-2006 3 Yr Average (95 % CI) Syphilis: Rates per 100,000 Population (2006) O.6 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AIDS Cases; Ma AIzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicators AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Inmunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: 96 of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: 96 of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Voreweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweigh	, ,		2
Syphills: Rates per 100,000 Population (2006) 0.6 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 20.9% (+/- 0.8) Tuberculosis: Number of Cases (2006) 40 *Note: For rankings, 1 = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Morting of Cases; Malzheimer's Cases; Highest Rates of New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers: Most Cases of Tuberculosis. **Child/Adolescent Health Indicators** AIDS: Cumulative Cases Under Age 13 (2005) 14 Asthma: High School Students (2005) 16.6% (+/- 2.3) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) 21.0% Infant Mortality: Per 1,000 Live Births (2005) 5.3 Low Birthweight: 96 of Total Births (2005) 5.3 Low Birthweight: 96 of Total Births (2005) 12.2% (+/- 2.8) Noverweight: 10 to 17 Year Olds (2003-2004) 12.5% Pre-Term Labor: 96 of Live Births (2005) 11.8% Tobacco: Current Smokers High School Students (2005) 22.2% (+/- 3.1) **Note: For rankings, 1 = Worst Health Outcome. 1 = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Noverweight High School Students; Highest Rates of Noverweight High School Smokers. **Other Public Health Indicators** Health Professions Shortage Areas - Pental Health (FY 2007) 81 Health Professions Shortage Areas - Dental Care (FY 2007) 82 Nursing Shortage Estimates (2010) -3,400 **Note: For r	,,	` '	2
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tuberculosis: Number of Cases (2006) Tuberculosis: Number of Cases (2006) *Note: For rankings. I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Mazheimer's Cases; Highest Rates of Asthma: Most New Cases of Cancer: Highest Rates of Chlamydia: Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension: Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of West Nile Virus; Highest Rates of Hypertension: Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Under Name Syphilis; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Under Age I3 (2005) **Child/Adolescent Health Indicators** **Child/Adolescent Health Indicators** **AlDS: Cumulative Cases Under Age I3 (2005) Inmunization Gap: Children Aged I9-35 Months without All Immunization Gap: Children Aged I9-35 Months without All Immunization (2006) **Indant Mortality: Per I,000 Live Births (2005) Infant Mortality: Per I,000 Live Births (2005) **Overweight: High School Students (2005) **Overweight: High School Students (2005) **Overweight: High School Students (2005) **Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Nerweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight I0-17 Year Olds; Highest Rates of Pre-Term Labor Babie Highest Rates of Current High School Smokers. **Other Public Health Indicators** Health Professions Shortage Areas - Pental Care (FY 2007) **All Health Professions Shortage Areas - Dental Care (FY 2007) **Ball Health Professions Shortage Areas - Dental Care (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melath HPSAs;	, , ,		4
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Mac AIzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension: Highest Rates of Obesity: Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicators AIDS: Cumulative Cases Under Age 13 (2005) ASthma: High School Students (2005) Inmunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) Tobacco: Current Smokers High School Students (2005) Tobacco: Current Smokers High School Students (2005) There of rankings, I = Worst Health Outcome. I = Most AIDS Cases: Highest Rates of Asthma; Highest Rates of Overweight High School Students: Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babie; Highest Rates of Overweight High School Students: Highest Rates of Overweight High School Studen			2
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Mac Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rates of Diobetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. **Child/Adolescent Health Indicators** AIDS: Cumulative Cases Under Age 13 (2005)			3
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) **Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) B1 Health Professions Shortage Areas - Mental Health (FY 2007) B2 Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melalth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP *Note: For God Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP	Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	t Rates of Obesity; Highest	
Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) I 2.2% (+/- 2.8) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Nerully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babie Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) B1 Health Professions Shortage Areas - Dental Care (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melalth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic 878,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%	·		3
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) I12.2% (+/- 2.8) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) I1.8% Tobacco: Current Smokers High School Students (2005) I1.8% Tobacco: Current Smokers High School Students (2005) **Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Verweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babie Highest Rates of Current High School Smokers. **Other Public Health Indicators** Health Professions Shortage Areas - Primary Care (FY 2007) B1 Health Professions Shortage Areas - Dental Care (FY 2007) B2 Health Professions Shortage Areas - Dental Care (FY 2007) B2 Nursing Shortage Estimates (2010) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melalth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic B7 Source Applications Applications B7 Source B7 Sour			3
All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: 96 of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: 96 of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) B1 Health Professions Shortage Areas - Dental Care (FY 2007) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melalth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic 878,000 Potential Financial Loss During a Severe Pandemic 878,000 Potential Financial Loss During a Severe Pandemic 878,000		10.070 (17- 2.3)	1
Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: 96 of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: 96 of Live Births (2005) Tobacco: Current Smokers High School Students (2005) **Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Neully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melath HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP Total Public Health Indicators Potential Financial Loss During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP Total Financial Loss During a Severe Pandemic, % of GDP		21.0%	3
Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) Overweight: I0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of N Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) B1 Health Professions Shortage Areas - Dental Care (FY 2007) R2 Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melalth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 878,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%		5.3	4
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Verweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight I0-17 Year Olds; Highest Rates of Pre-Term Labor Babies Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melath HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic Potential Financial Loss During a Severe Pandemic **Rote: Pandemic Preparedness Severe Pandemic **Potential Financial Loss During a Severe Pandemic, % of GDP **Potential Financial Loss During a Severe Pandemic, % of GDP **Potential Financial Loss During a Severe Pandemic, % of GDP		6.9%	3
Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Neully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) **Neursing Shortage Estimates (2010) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melath HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%	· ,	12.2% (+/- 2.8)	N/
Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Neully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) *Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melalth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate *Pandemic Preparedness Key Facts* Potential # of Deaths During a Severe Pandemic *Potential Financial Loss During a Severe Pandemic *Rote: For Pandemic Preparednesic *Rote: Pandemic Prep	· · · · · · · · · · · · · · · · · · ·	<u> </u>	3
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of New Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies Highest Rates of Current High School Smokers. **Other Public Health Indicators** **Dealth Professions Shortage Areas - Primary Care (FY 2007) **Health Professions Shortage Areas - Mental Health (FY 2007) **Health Professions Shortage Areas - Dental Care (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melath HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic **Potential # of Episodes of Illness During a Severe Pandemic **Potential Financial Loss During a Severe Pandemic, % of GDP **Specification of States Areas of Asthma; Highest Rates of Asthma; Highest Rates of Asthma; Highest Rates of Pre-Term Labor Babies; Highest Rates of Labor Babies; H	, ,	11.8%	3
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babie Highest Rates of Current High School Smokers. **Other Public Health Indicators** Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) **Health Professions Shortage Areas - Dental Care (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melath HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic **Potential # of Episodes of Illness During a Severe Pandemic **Potential Financial Loss During a Severe Pandemic, % of GDP **S. 400 Birth Albert Rates of Asthma; Highest Rates of Noverweight Palest Rates of Low Birth Weight Rates of Laboratory Highest Rates of Current Laboratory Highest Rat	` ,	22.2% (+/- 3.1)	I
Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) 82 Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Method Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic **R78,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%	Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	th Weight Babies; Highest R Highest Rates of Pre-Term L	Rates of
Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Melalth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%		1	
Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Medith HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%			3
Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Medith HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic 26,000 Potential # of Episodes of Illness During a Severe Pandemic 878,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%			3
*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Me Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 26,000 Potential # of Episodes of Illness During a Severe Pandemic 878,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%			1
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 26,000 Potential # of Episodes of Illness During a Severe Pandemic 878,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%			2
Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 26,000 Potential # of Episodes of Illness During a Severe Pandemic 878,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%		-	møer of Men
Potential # of Deaths During a Severe Pandemic 26,000 Potential # of Episodes of Illness During a Severe Pandemic 878,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%			
Potential # of Episodes of Illness During a Severe Pandemic 878,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%			3
Potential Financial Loss During a Severe Pandemic, % of GDP 5.90%			3
COMPONENT CONTROL OF THE CONTROL OF THE PROPERTY OF THE PROPER	Potential Financial Loss During a Severe Pandemic, \$ amount	\$6.7 Billion	N/A

Workers; Highest Financial Losses.



School Health

Tobacco

Tuberculosis

Sexually Transmitted Diseases (STD)

Terrorism Preparedness and Emergency Response

State Per Capita Funding for Iowa's Health: \$16.97

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

THE STATE OF YOUR HEALTH: IOWA

Public Health Funding Fac	ts	
Federal Funding for Iowa's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$20.41	31
Health Resources and Services Administration (HRSA) FY 2007	\$12.15	43
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.43	19
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of I	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&
Agency for Toxic Substances and Disease Registry (ATSDR)		\$258,531
Birth Defects and Developmental Disabilities		\$3,003,400
Cancer		\$3,681,257
Chronic Disease Prevention and Health Promotion		\$873,793
Diabetes		\$193,617
Environmental Health		\$1,198,814
Heart Disease		\$229,401
HIV/AIDS		\$1,717,284
Immunization (Sect. 317 and Vaccines for Children Program)		\$19,805,894
Infectious Diseases		\$361,033
Injury and Violence Prevention		\$1,835,479
Nutrition and Physical Activity	·	\$444,965
Occupational Safety and Health	<u> </u>	\$1,183,761
Pandemic Flu		\$2,502,282
Preventive Health and Health Services Block Grant		\$274,562

Total FY 2007 CDC Dollars (All Categories)**	\$60,990,707	
FY 2007 HRSA Grants to States by Key Program Area (Selected Categories)		
Health Professions	\$2,878,549	
HIV/AIDS	\$4,419,150	
Maternal & Child Health	\$9,279,246	
Primary Health Care	\$17,368,695	
Total FY 2007 HRSA Dollars (All Categories)	\$36,292,761	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Gran	ts to States	
Hospital Preparedness Program (HPP)	\$4,280,453	
Total FY 2007 ASPR HPP Dollars	\$4,280,453	
State Spending		

\$243,337

\$718,099

\$465,283

State Per Capita Funding Ranking: 39

\$1,111,681 \$8,929,207

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: KANSAS

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	2,775,997	N/A
% Uninsured, All Ages	12.3%	31
% Uninsured, 18 and under	7.3%	39
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages		
Adult Health Indicators	did to did didei.	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	23.4% (+/- 0.6)	23
AlDS: Cumulative Cases Aged 13 & Over (2005)	2,666	36
Alzheimer's Disease: Estimated Cases (2000)	50,000	32
,	-	40
Asthma: 2004-2006 3 Yr Average (95% CI)	11.5% (+/- 0.5)	
Cancer: Estimated New Cases (2008)	12,520	33
Chlamydia: Rates per 100,000 Population (2006)	285.2	35
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.9% (+/- 0.3)	34
Human West Nile Virus: New Cases (2007)	39	20
Hypertension: 2001-2005 3 Yr Average (95% CI)	23.8% (+/- 0.7)	37
Obesity: 2004-2006 3 Yr Average (95 % CI)	24.3% (+/- 0.6)	27
Syphilis: Rates per 100,000 Population (2006)	1.0	38
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	19.2% (+/- 0.6)	38
Tuberculosis: Number of Cases (2006)	81	36
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Highest Level of Adult Phys}$	ical Inactivity; Most AIDS	Cases; Most
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest F		
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest I	Rates of Obesity; Highest	Rates of
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
Child/Adolescent Health Indicators	1	
AIDS: Cumulative Cases Under Age 13 (2005)	14	38
Asthma: High School Students (2005)	20.7% (+/- 2.1)	12
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	29.9%	8
Infant Mortality: Per 1,000 Live Births (2005)	7.4	18
Low Birthweight: % of Total Births (2006)	7.2%	35
Overweight: High School Students (2005)	11.9% (+/- 2.0)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	14.0%	24
Pre-Term Labor: % of Live Births (2005)	12.2%	29
Tobacco: Current Smokers High School Students (2005)	21.0% (+/- 4.0)	22
,	, ,	
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth	Rates of Asthma; Highest Weight Babies; Highest R	Rates of Not- ates of
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H	Rates of Asthma; Highest Weight Babies; Highest R	Rates of Not- ates of
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H Highest Rates of Current High School Smokers.	Rates of Asthma; Highest Weight Babies; Highest R	Rates of Not- ates of
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H Highest Rates of Current High School Smokers. Other Public Health Indicators	Rates of Asthma; Highest Weight Babies; Highest R ighest Rates of Pre-Term L	Rates of Not- ates of abor Babies;
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	Rates of Asthma; Highest Weight Babies; Highest R ighest Rates of Pre-Term L	Rates of Not- ates of abor Babies;
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007)	Rates of Asthma; Highest Weight Babies; Highest R ighest Rates of Pre-Term L	Rates of Not- ates of abor Babies;
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	Rates of Asthma; Highest Weight Babies; Highest R ighest Rates of Pre-Term L	Rates of Not- ates of abor Babies;
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007)	Rates of Asthma; Highest Weight Babies; Highest R ighest Rates of Pre-Term L 124 38	Rates of Not- ates of abor Babies;
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007)	Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L 124 38 108 -1,000	Rates of Notates of abor Babies; 13 29 10 39
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L 124 38 108 -1,000 Care HPSAs; Highest Nur	Rates of Notates of abor Babies; 13 29 10 39
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H Highest Rates of Current High School Smokers. **Other Public Health Indicators** Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary	Rates of Asthma; Highest R Weight Babies; Highest R ighest Rates of Pre-Term L 124 38 108 -1,000 Care HPSAs; Highest Nurstimate	Rates of Notates of abor Babies; 13 29 10 39
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimates (2010)	Rates of Asthma; Highest R Weight Babies; Highest R ighest Rates of Pre-Term L 124 38 108 -1,000 Care HPSAs; Highest Nurstimate	Rates of Notates of abor Babies; 13 29 10 39
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage E	Rates of Asthma; Highest R Weight Babies; Highest R ighest Rates of Pre-Term L 124 38 108 -1,000 Care HPSAs; Highest Nursitimate	Rates of Notates of abor Babies; 13 29 10 39 mber of Menta
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Endemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic	Rates of Asthma; Highest R Weight Babies; Highest R ighest Rates of Pre-Term L 124 38 108 -1,000 Care HPSAs; Highest Nurstimate 22,000	Rates of Notates of abor Babies; 13 29 10 39 mber of Mental
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Expandemic Proparedness Key Facts Potential # of Deaths During a Severe Pandemic	Rates of Asthma; Highest Weight Babies; Highest R ighest Rates of Pre-Term L 124 38 108 -1,000 Care HPSAs; Highest Nurstimate 22,000 810,000	Rates of Notates of abor Babies; 13 29 10 39 mber of Mentates 33 33

THE STATE OF YOUR HEALTH: KANSAS

Public Health Funding Fac	ts	
Federal Funding for Kansas's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$13.61	50
Health Resources and Services Administration (HRSA) FY 2007	\$8.73	50
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.44	16
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Department of Company of		&
Agency for Toxic Substances and Disease Registry (ATSDR)		N/A
Birth Defects and Developmental Disabilities		\$230,625
Cancer		\$3,636,760
Chronic Disease Prevention and Health Promotion		\$239,943
Diabetes		\$748,667
Environmental Health		\$357,479
Heart Disease		\$537,088
HIV/AIDS		\$1,690,500
Immunization (Sect. 317 and Vaccines for Children Program)		\$15,391,876
Infectious Diseases		\$294,664
Injury and Violence Prevention		\$875,405
Nutrition and Physical Activity		N/A
Occupational Safety and Health		N/A
Pandemic Flu		\$1,849,518
Preventive Health and Health Services Block Grant		\$235,050
School Health		\$637,463
Sexually Transmitted Diseases (STD)		\$784,223
Tobacco		\$1,368,571
Terrorism Preparedness and Emergency Response		\$7,779,812
Tuberculosis		\$365,657
Total FY 2007 CDC Dollars (All Categories)**		\$37,769,383
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	ries)
Health Professions		\$1,763,296
HIV/AIDS		\$4,248,658
Maternal & Child Health		\$6,684,365
Primary Health Care		\$9,230,607
Total FY 2007 HRSA Dollars (All Categories)		\$24,244,299
FY 2007 Office of the Assistant Secretary for Preparedne	ss and Response Gran	ts to States
Hospital Preparedness Program (HPP)		\$4,004,077
Total FY 2007 ASPR HPP Dollars		\$4,004,077
State Spending		
State Per Capita Funding for Kansas's Health: \$16.35	State Per Capita Fundi	ng Ranking: 40

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.



THE STATE OF YOUR HEALTH: KENTUCKY

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	4,241,474	N/A
% Uninsured, All Ages	15.6%	19
% Uninsured, 18 and under	9.7%	25
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Agr$	es and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	30.6% (+/- 1.0)	3
AIDS: Cumulative Cases Aged 13 & Over (2005)	4,424	31
Alzheimer's Disease: Estimated Cases (2000)	74,000	23
Asthma: 2004-2006 3 Yr Average (95% CI)	12.7% (+/- 0.7)	23
Cancer: Estimated New Cases (2008)	23,270	22
Chlamydia: Rates per 100,000 Population (2006)	214.2	46
Diabetes: 2004-2006 3 Yr Average (95% CI)	8.8% (+/- 0.5)	8
Human West Nile Virus: New Cases (2007)	4	38
Hypertension: 2001-2005 3 Yr Average (95% CI)	29.4% (+/- 0.9)	7
Obesity: 2004-2006 3 Yr Average (95 % CI)	27.5% (+/- 1.0)	7
Syphilis: Rates per 100,000 Population (2006)	1.7	27
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	28.2% (+/- 1.0)	I
Tuberculosis: Number of Cases (2006)	84	31
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Phy Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest	,	

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	29	29
Asthma: High School Students (2005)	22.1% (+/- 2.6)	8
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	21.0%	37
Infant Mortality: Per 1,000 Live Births (2005)	6.6	29
Low Birthweight: % of Total Births (2006)	9.1%	12
Overweight: High School Students (2005)	15.6% (+/- 1.5)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	20.6%	3
Pre-Term Labor: % of Live Births (2005)	15.2%	6
Tobacco: Current Smokers High School Students (2005)	26.2% (+/- 2.8)	4

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	133	12
Health Professions Shortage Areas - Mental Health (FY 2007)	67	10
Health Professions Shortage Areas - Dental Care (FY 2007)	40	34
Nursing Shortage Estimates (2010)	1,200	51

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	33,000	24
Potential # of Episodes of Illness During a Severe Pandemic	1,232,000	26
Potential Financial Loss During a Severe Pandemic, % of GDP	5.87%	10
Potential Financial Loss During a Severe Pandemic, \$ amount	\$8.2 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: **KENTUCKY**

Public Health Funding Facts		
Federal Funding for Kentucky's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$23.18	22
Health Resources and Services Administration (HRSA) FY 2007	\$13.44	36
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.38	26

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of I Capita; Highest ASPR Funding Per Capita.	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Departments, Universities	&
Other Public/Private Agencies (Selected Categories)	
Agency for Toxic Substances and Disease Registry (ATSDR)	N/A
Birth Defects and Developmental Disabilities	N/A
Cancer	\$3,812,695
Chronic Disease Prevention and Health Promotion	\$899,312
Diabetes	\$733,452
Environmental Health	\$592,575
Heart Disease	\$340,000
HIV/AIDS	\$2,439,298
Immunization (Sect. 317 and Vaccines for Children Program)	\$25,609,923
Infectious Diseases	\$61,160
Injury and Violence Prevention	\$1,332,881
Nutrition and Physical Activity	\$332,011
Occupational Safety and Health	\$1,297,713
Pandemic Flu	\$2,616,698
Preventive Health and Health Services Block Grant	\$335,556
School Health	\$738,133
Sexually Transmitted Diseases (STD)	\$1,007,342
Tobacco	\$1,133,322
Terrorism Preparedness and Emergency Response	\$11,560,409
Tuberculosis	\$945,386
Total FY 2007 CDC Dollars (All Categories)**	\$98,316,534
FY 2007 HRSA Grants to States by Key Program Area (Selected Catego	ries)
Health Professions	\$3,663,304
HIV/AIDS	\$10,511,391
Maternal & Child Health	\$14,412,624
Primary Health Care	\$25,408,359
Total FY 2007 HRSA Dollars (All Categories)	\$56,992,741
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grant	ts to States
Hospital Preparedness Program (HPP)	\$5,832,130
Total FY 2007 ASPR HPP Dollars	\$5,832,130
State Spending	
State Per Capita Funding for Kentucky's Health: \$39.70 State Per Capita Funding	ig Ranking: 23
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.	

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: LOUISIANA

U.S. Census Bureau 2007 Data Total Population % Uninsured, All Ages	4,293,204	State Rank
Total Population	4.293.204	
•	l 4.293.204 l	
% Uninsured All Ages		N/A
<u> </u>	21.9%	
% Uninsured, 18 and under	15.9%	
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ages$	s and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	31.3% (+/- 0.9)	
AIDS: Cumulative Cases Aged 13 & Over (2005)	16,821	I
Alzheimer's Disease: Estimated Cases (2000)	73,000	2
Asthma: 2004-2006 3 Yr Average (95% CI)	11.0% (+/- 0.6)	4
Cancer: Estimated New Cases (2008)	23,360	2
Chlamydia: Rates per 100,000 Population (2006)	395.4	
Diabetes: 2004-2006 3 Yr Average (95% CI)	8.9% (+/- 0.5)	
Human West Nile Virus: New Cases (2007)	40	I
Hypertension: 2001-2005 3 Yr Average (95% CI)	28.6% (+/- 0.9)	
Obesity: 2004-2006 3 Yr Average (95 % CI)	28.2% (+/- 0.9)	
Syphilis: Rates per 100,000 Population (2006)	7.6	
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	23.2% (+/- 0.8)	1
Tuberculosis: Number of Cases (2006)	199	2
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest F Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest F Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	Rates of Obesity; Highest F	
Child/Adolescent Health Indicators	5	
AIDS: Cumulative Cases Under Age 13 (2005)	131	I
Asthma: High School Students (2005)	N/A	N/
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	30.4%	
Infant Mortality: Per 1,000 Live Births (2005)	10.1	
Low Birthweight: % of Total Births (2006)	11.3%	
Overweight: High School Students (2005)	N/A	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	17.2%	
Pre-Term Labor: % of Live Births (2005)	16.5%	
Tobacco: Current Smokers High School Students (2005)	N/A	N/
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H. Highest Rates of Current High School Smokers.	Weight Babies; Highest Ro	ates of
Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	122	1
Health Professions Shortage Areas - Mental Health (FY 2007)	60	I
Health Professions Shortage Areas - Dental Care (FY 2007)	77	I
Nursing Shortage Estimates (2010)	100	4
*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage E	stimate	nber of Men
Pandemic Preparedness Key Facts		_
Potential # of Deaths During a Severe Pandemic	35,000	2
	1,339,000	2
Potential # of Episodes of Illness During a Severe Pandemic		
Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP Potential Financial Loss During a Severe Pandemic, \$ amount	6.03% \$10.1 Billion	N/A



Tuberculosis

Total FY 2007 CDC Dollars (All Categories)**

THE STATE OF YOUR HEALTH: LOUISIANA

The second secon		
Public Health Funding Facts		
Federal Funding for Louisiana's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$24.50	19
Health Resources and Services Administration (HRSA) FY 2007	\$22.83	11
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.38	25
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Departments, Universities & Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)		\$389,826
Birth Defects and Developmental Disabilities		\$535,328
Cancer		\$2,899,198
Chronic Disease Prevention and Health Promotion		\$2,672,903
Diabetes		\$167,940
E : A III M		# 441 443

Chronic Disease Prevention and Health Promotion	\$2,672,903
Diabetes	\$167,940
Environmental Health	\$661,443
Heart Disease	\$293,628
HIV/AIDS	\$8,660,408
Immunization (Sect. 317 and Vaccines for Children Program)	\$54,438,677
Infectious Diseases	\$456,063
Injury and Violence Prevention	\$671,354
Nutrition and Physical Activity	N/A
Occupational Safety and Health	\$165,213
Pandemic Flu	\$2,793,250
Preventive Health and Health Services Block Grant	\$722,083
School Health	\$247,412
Sexually Transmitted Diseases (STD)	\$1,893,596
Tobacco	\$1,210,563
Terrorism Preparedness and Emergency Response	\$11,560,409

FY 2007 HRSA Grants to States by Key Program Area (Selected Categories)		
Health Professions		\$5,546,784
HIV/AIDS		\$38,622,464
Maternal & Child Health		\$18,403,616
Primary Health Care		\$30,800,724
Total FY 2007 HRSA Dollars (All Categories)		\$98,021,431
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$5,935,695
Total FY 2007 ASPR HPP Dollars		\$5,935,695
State Spending		
State Per Capita Funding for Louisiana's Health: \$41.11 State Per Capita Funding Ranking:		ing Ranking: 20

\$1,053,386

\$105,192,584

**Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development
services, and supplies and equipment.

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.



THE STATE OF YOUR HEALTH: MAINE

		State Rank*
U.S. Census Bureau 2007 Dat	a	
Total Population	1,317,207	N/A
% Uninsured, All Ages	9.3%	47
% Uninsured, 18 and under	6.4%	43
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All A$	Ages and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	21.6% (+/- 0.9)	36
AIDS: Cumulative Cases Aged 13 & Over (2005)	1,045	43
Alzheimer's Disease: Estimated Cases (2000)	25,000	37
Asthma: 2004-2006 3 Yr Average (95% CI)	14.2% (+/- 0.8)	7
Cancer: Estimated New Cases (2008)	8,140	38
Chlamydia: Rates per 100,000 Population (2006)	174.5	49
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.3% (+/- 0.5)	27
Human West Nile Virus: New Cases (2007)	0	44
Hypertension: 2001-2005 3 Yr Average (95% CI)	25.6% (+/- 1.0)	24
Obesity: 2004-2006 3 Yr Average (95 % CI)	23.0% (+/- 0.9)	33
Syphilis: Rates per 100,000 Population (2006)	0.7	43
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	20.9% (+/- 0.9)	22
Tuberculosis: Number of Cases (2006)	16	46

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicate	ors	
AIDS: Cumulative Cases Under Age 13 (2005)	8	43
Asthma: High School Students (2005)	23.1% (+/- 2.4)	5
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	24.3%	21
Infant Mortality: Per 1,000 Live Births (2005)	6.9	25
Low Birthweight: % of Total Births (2006)	6.8%	45
Overweight: High School Students (2005)	10.9% (+/- 1.7)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	12.7%	34
Pre-Term Labor: % of Live Births (2005)	10.7%	43
Tobacco: Current Smokers High School Students (2005)	16.2% (+/- 3.7)	36

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	74	35
Health Professions Shortage Areas - Mental Health (FY 2007)	30	36
Health Professions Shortage Areas - Dental Care (FY 2007)	59	25
Nursing Shortage Estimates (2010)	-2,500	33

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	11,000	39
Potential # of Episodes of Illness During a Severe Pandemic	391,000	40
Potential Financial Loss During a Severe Pandemic, % of GDP	5.38%	40
Potential Financial Loss During a Severe Pandemic, \$ amount	\$2.4 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: MAINE

Public Health Funding Facts			
Federal Funding for Maine's Public Health Per Capita Funding State Rank			
U.S. Centers for Disease Control (CDC) FY 2007	\$23.89	20	
Health Resources and Services Administration (HRSA) FY 2007	\$17.12	22	
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.65\	10	
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per			

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Departments, Universities &		
Other Public/Private Agencies (Selected Categories)	N 1/A	
Agency for Toxic Substances and Disease Registry (ATSDR)	N/A	
Birth Defects and Developmental Disabilities	\$172,040	
Cancer	\$2,753,410	
Chronic Disease Prevention and Health Promotion	\$193,952	
Diabetes	\$363,438	
Environmental Health	\$1,555,790	
Heart Disease	N/A	
HIV/AIDS	\$1,801,553	
Immunization (Sect. 317 and Vaccines for Children Program)	\$14,417,019	
Infectious Diseases	\$226,300	
Injury and Violence Prevention	\$265,747	
Nutrition and Physical Activity	\$450,000	
Occupational Safety and Health	N/A	
Pandemic Flu	\$1,276,160	
Preventive Health and Health Services Block Grant	\$453,514	
School Health	\$631,070	
Sexually Transmitted Diseases (STD)	\$310,433	
Tobacco	\$1,059,957	
Terrorism Preparedness and Emergency Response	\$5,070,458	
Tuberculosis	\$172,943	
Total FY 2007 CDC Dollars (All Categories)**	\$31,461,972	
FY 2007 HRSA Grants to States by Key Program Area (Selected Catego	ries)	
Health Professions	\$675,387	
HIV/AIDS	\$2,138,222	
Maternal & Child Health	\$5,874,640	
Primary Health Care	\$11,554,753	
Total FY 2007 HRSA Dollars (All Categories)	\$22,554,763	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Gran	ts to States	
Hospital Preparedness Program (HPP)	\$2,175,388	
Total FY 2007 ASPR HPP Dollars	\$2,175,388	
State Spending		
State Per Capita Funding for Maine's Health: \$10.18 State Per Capita Fundi	ng Ranking: 48	
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



 $Workers; \ Highest \ Financial \ Losses.$

THE STATE OF YOUR HEALTH: MARYLAND

	_	
		State Rank
U.S. Census Bureau 2007 Data		1
Total Population	5,618,344	N/A
% Uninsured, All Ages	13.8%	20
% Uninsured, 18 and under	9.9%	24
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages	and 18 and under.	
Adult Health Indicators		<u> </u>
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	22.6% (+/- 0.8)	2:
AIDS: Cumulative Cases Aged 13 & Over (2005)	28,804	9
Alzheimer's Disease: Estimated Cases (2000)	78,000	2
Asthma: 2004-2006 3 Yr Average (95% CI)	13.0% (+/- 0.7)	2
Cancer: Estimated New Cases (2008)	27,380	19
Chlamydia: Rates per 100,000 Population (2006)	390.3	1.
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.4% (+/- 0.5)	2:
Human West Nile Virus: New Cases (2007)	10	3
Hypertension: 2001-2005 3 Yr Average (95% CI)	25.8% (+/- 0.8)	2
Obesity: 2004-2006 3 Yr Average (95 % CI)	24.4% (+/- 0.8)	2
Syphilis: Rates per 100,000 Population (2006)	5.4	
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	18.7% (+/- 0.8)	4
Tuberculosis: Number of Cases (2006)	253	ı
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest R Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicators		Rates of
AIDS: Cumulative Cases Under Age 13 (2005)	312	<u> </u>
Asthma: High School Students (2005)	22.3% (+/- 3.2)	
Immunization Gap: Children Aged 19-35 Months without	122.378 (17 3.2)	
All Immunizations (2006)	21.7%	3
Infant Mortality: Per 1,000 Live Births (2005)	7.2)
,	7.3	
Low Birthweight: % of Total Births (2006)	9.4%	2
Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)	9.4%	2
Overweight: High School Students (2005)	9.4% 12.6% (+/- 2.1)	2 N/A
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004)	9.4% 12.6% (+/- 2.1) 13.3%	N/.
, ,	9.4% 12.6% (+/- 2.1)	2 N/. 2
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates Olds;	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest Weight Babies; Highest R	N// 2' 1 3. Rates of Notates of
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest Weight Babies; Highest R	N/A 2 1 3 Rates of Norates of
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest I Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest Weight Babies; Highest R	N// 2 1 3 Rates of Notates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest I Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest Weight Babies; Highest R ghest Rates of Pre-Term L	N/A 2 II 3 Rates of No lates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007)	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest R Weight Babies; Highest R ghest Rates of Pre-Term L	N/A 2 1 3 Rates of No lates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest I Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007)	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest Regions Rates of Pre-Term Legistry 47 28 32	N/A 2 1 3 Rates of No ates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007)	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest Regist Rates of Pre-Term L 47 28 32 -7,000	N/J 2 I I 3 Rates of Notates of Abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest I Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest Regist Rates of Pre-Term L 47 28 32 -7,000 Care HPSAs; Highest Nur	N/A 2 I I 3 Rates of No lates of abor Babies;
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest Regist Rates of Pre-Term L 47 28 32 -7,000 Care HPSAs; Highest Nur	N/J 2 1 3 Rates of No lates of abor Babies; 4 3 4 2
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest In Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimates (2016)	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest Regist Rates of Pre-Term L 47 28 32 -7,000 Care HPSAs; Highest Nur	N// 2 1 3 Rates of Nor lates of labor Babies; 4 3 4 2 mber of Men
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimates (2016)	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest R Weight Babies; Highest R ghest Rates of Pre-Term L 47 28 32 -7,000 Care HPSAs; Highest Nur stimate	N// 2' I a 3. Rates of Notates of abor Babies; 4 3.
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest If Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimates Pandemic Preparedness Key Facts	9.4% 12.6% (+/- 2.1) 13.3% 13.3% 16.5% (+/- 3.4) Rates of Asthma; Highest Weight Babies; Highest R ghest Rates of Pre-Term L 47 28 32 -7,000 Care HPSAs; Highest Nurstimate	N// 2' 1 3. Rates of Notates of abor Babies; 4 3. 4 2. mber of Mention



THE STATE OF YOUR HEALTH: **MARYLAND**

Public Health Funding Facts		
Federal Funding for Maryland's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$49.35	3
Health Resources and Services Administration (HRSA) FY 2007	\$37.71	2
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.36	30
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Departments, Universities &		
Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)	N/A	
Birth Defects and Developmental Disabilities	\$5,232,934	
Cancer	\$6,379,566	
Chronic Disease Prevention and Health Promotion	\$5,081,073	
Diabetes	\$786,112	
Environmental Health	\$2,761,508	
Heart Disease	N/A	
HIV/AIDS	\$17,598,571	
Immunization (Sect. 317 and Vaccines for Children Program)	\$47,063,327	
Infectious Diseases	\$2,173,251	
Injury and Violence Prevention	\$5,744,544	
Nutrition and Physical Activity	\$447,077	
Occupational Safety and Health	\$6,279,418	
Pandemic Flu	\$4,586,620	
Preventive Health and Health Services Block Grant	\$550,764	
School Health	\$600,250	
Sexually Transmitted Diseases (STD)	\$3,638,221	
Tobacco	\$1,324,522	
Terrorism Preparedness and Emergency Response	\$17,777,926	
Tuberculosis	\$1,744,544	
Total FY 2007 CDC Dollars (All Categories)**	\$277,270,371	
FY 2007 HRSA Grants to States by Key Program Area (Selected Catego	ries)	
Health Professions	\$5,590,317	
HIV/AIDS	\$151,548,760	
Maternal & Child Health	\$20,606,982	
Primary Health Care	\$31,175,778	
Total FY 2007 HRSA Dollars (All Categories)	\$211,869,188	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)	\$7,619,177	
Total FY 2007 ASPR HPP Dollars	\$7,619,177	
State Spending		
State Per Capita Funding for Maryland's Health: \$40.02 State Per Capita Fund	ing Ranking: 21	
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: MASSACHUSETTS

		State Rank [®]
U.S. Census Bureau 2007 Data		
Total Population	6,449,755	N/A
% Uninsured, All Ages	10.4%	42
% Uninsured, 18 and under	7.0%	41
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Age		
Adult Health Indicators	es and 10 and ander.	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	21.5% (+/- 0.7)	37
AIDS: Cumulative Cases Aged 13 & Over (2005)	18,683	10
Alzheimer's Disease: Estimated Cases (2000)	120,000	<u></u>
Asthma: 2004-2006 3 Yr Average (95% CI)	14.2% (+/- 0.6)	
Cancer: Estimated New Cases (2008)	34,470	13
Chlamydia: Rates per 100,000 Population (2006)	240.6	4:
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.1% (+/- 0.3)	4.
Human West Nile Virus: New Cases (2007)	6.1 /6 (+/- 0.3)	34
Hypertension: 2001-2005 3 Yr Average (95% CI)	23.8% (+/- 0.7)	3
,,	`	5
Obesity: 2004-2006 3 Yr Average (95 % CI)	19.8% (+/- 0.7)	2.
Syphilis: Rates per 100,000 Population (2006)	1.9	
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	18.1% (+/- 0.7)	4
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Phy	259	
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		Rates of
Child/Adolescent Health Indicator		1.
AIDS: Cumulative Cases Under Age 13 (2005)	213	
Asthma: High School Students (2005)	N/A	N/A
L C CULL A LIGHT ALL SILVE		
Immunization Gap: Children Aged 19-35 Months without	16.4%	5
All Immunizations (2006)	16.4%	
All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005)	5.2	4
All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006)	5.2 7.9%	4
All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)	5.2 7.9% 11.2% (+/- 2.0)	4 3 N//
All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004)	5.2 7.9% 11.2% (+/- 2.0) 13.6%	4 3 N// 2
All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005)	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3%	4 3 N/s 2 4
All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005)	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8)	4 3 N/A 2 4 2
All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest	4 3 N/J 2 4 2 Rates of No
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest In Weight Babies; Highest Ro	4 3 N/ 2 4 2 Rates of Nontes of
All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest In Weight Babies; Highest Ro	4 3 N/A 2 4 2 Rates of Nortes of
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; I	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest In Weight Babies; Highest Ro	4 3 N/ 2 4 2 Rates of Nontes of
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; I Highest Rates of Current High School Smokers.	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest In Weight Babies; Highest Ro	4 3 N// 2 4 2 Rates of Noorates of abor Babies;
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest Robins; Highes	4 3 N// 2 4 2 Rates of Norates of abor Babies;
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest Rates of Pre-Term Lates Of Pre-Term Late	4 3 N// 2 4 2 Rates of Notates of abor Babies;
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I 0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest Rates of Pre-Term Lates of Pre-Term Late	4 3. N// 2 4 2 Rates of Notates of abor Babies; 33 2 2
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007)	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest Rhighest Rates of Pre-Term Local Additional Pre-Term Local Additiona	4 3 N// 2 4 2 Rates of Notates of abor Babies; 3 2 2
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest Robbies; Highest Robbies; Highest Robbies Rates of Pre-Term Lobbies 66 43 61 -16,100 ry Care HPSAs; Highest Num	4 3 N// 2 4 2 Rates of Notates of abor Babies; 3 2 2
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest Robies; Highest Robies; Highest Robiest Rates of Pre-Term Lobiest Rates Rates of Pre-Term Lobiest Rates Ra	4 3 N// 2 4 2 Rates of Norates of abor Babies; 3 2 2
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest Robies; Highest Robies; Highest Robiest Rates of Pre-Term Lobiest Rates Rates of Pre-Term Lobiest Rates Ra	4 3 N// 2 4 2 Rates of Norates of abor Babies; 3 2 2 nber of Men
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest Robies; Highest Robies; Highest Robiest Rates of Pre-Term Lobiest Rates Rates of Pre-Term Lobiest Rates Ra	4 3 N// 2 4 2 Rates of Notates of abor Babies; 33 2 2 mber of Meni
All Immunizations (2006) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I 0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest Robies; Highest Robies; Highest Robies Rates of Pre-Term Lobies Rates Rate	ates of abor Babies; 33 22
All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I to to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic	5.2 7.9% 11.2% (+/- 2.0) 13.6% 11.3% 20.5% (+/- 1.8) t Rates of Asthma; Highest Rather the Weight Babies; Highest Rather the Highest Rates of Pre-Term Lather t	A 3 N/I 2 4 2 Rates of No ates of abor Babies; 3 2 2 mber of Men



THE STATE OF YOUR HEALTH: **MASSACHUSETTS**

Public Health Funding Facts		
Federal Funding for Massachusetts's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$25.42	14
Health Resources and Services Administration (HRSA) FY 2007	\$29.42	4
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.34	33
*Note: For rankings: I = Most Funding - I = Highest Level of CDC Funding Per Cabita: Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of F	IRSA Funding Per
FY 2007 CDC Funds for State/Local Health Departments, Universities & Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)		\$428,181
Birth Defects and Developmental Disabilities		\$1,848,348
Cancer		\$6,565,751
Chronic Disease Prevention and Health Promotion		\$7,773,103
Diabetes		\$1,166,466
Environmental Health		\$2,715,713
Heart Disease		\$1,764,341
HIV/AIDS		\$14,866,034
Immunization (Sect. 317 and Vaccines for Children Program)		\$56,423,947
Infectious Diseases		\$1,472,238
Injury and Violence Prevention		\$3,546,824
Nutrition and Physical Activity		\$849,988
Occupational Safety and Health		\$3,587,139
Pandemic Flu		\$5,591,219
Preventive Health and Health Services Block Grant		\$677,218
School Health		\$401,708
Sexually Transmitted Diseases (STD)		\$1,797,120
Tobacco		\$2,012,656
Terrorism Preparedness and Emergency Response		\$18,146,534
Tuberculosis		\$1,199,576
Total FY 2007 CDC Dollars (All Categories)**		\$163,922,309
FY 2007 HRSA Grants to States by Key Program	Area (Selected Categor	ries)
Health Professions		\$10,263,720
HIV/AIDS		\$106,104,393
Maternal & Child Health		\$21,730,586
Primary Health Care		\$50,166,454
Total FY 2007 HRSA Dollars (All Categories)		\$189,749,655
FY 2007 Office of the Assistant Secretary for Preparedne	ess and Response Grant	s to States
Hospital Preparedness Program (HPP)		\$8,660,567
Total FY 2007 ASPR HPP Dollars		\$8,660,567
State Spending		
State Per Capita Funding for Massachusetts's Health: \$60.35	State Per Capita Funding	g Ranking: 12
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: MICHIGAN

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	10,071,822	N/A
% Uninsured, All Ages	10.5%	40
% Uninsured, 18 and under	4.7%	50
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Age$	es and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	22.5% (+/- 0.7)	28
AIDS: Cumulative Cases Aged 13 & Over (2005)	14,274	16
Alzheimer's Disease: Estimated Cases (2000)	170,000	8
Asthma: 2004-2006 3 Yr Average (95% CI)	13.4% (+/- 0.6)	12
Cancer: Estimated New Cases (2008)	51,150	8
Chlamydia: Rates per 100,000 Population (2006)	363.1	20
Diabetes: 2004-2006 3 Yr Average (95% CI)	8.3% (+/- 0.4)	- 11
Human West Nile Virus: New Cases (2007)	13	28
Hypertension: 2001-2005 3 Yr Average (95% CI)	27.3% (+/- 0.8)	13
Obesity: 2004-2006 3 Yr Average (95 % CI)	26.8% (+/- 0.8)	9
Syphilis: Rates per 100,000 Population (2006)	1.2	36
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	22.5% (+/- 0.8)	17
Tuberculosis: Number of Cases (2006)	221	18
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicator		rates of
AIDS: Cumulative Cases Under Age 13 (2005)	112	17
Asthma: High School Students (2005)	19.6% (+/- 2.1)	19
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	22.1%	30
Infant Mortality: Per 1,000 Live Births (2005)	7.9	14
Low Birthweight: % of Total Births (2006)	8.3%	23
Overweight: High School Students (2005)	12.1% (+/- 2.2)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	14.5%	20
Pre-Term Labor: % of Live Births (2005)	12.5%	25
Tobacco: Current Smokers High School Students (2005)	17.0% (+/- 2.5)	33
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birtl Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	h Weight Babies; Highest R	lates of
Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	191	5
Health Professions Shortage Areas - Mental Health (FY 2007)	77	8
Health Professions Shortage Areas - Dental Care (FY 2007)	113	9
Nursing Shortage Estimates (2010)	-3,100	28
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage$	ry Care HPSAs; Highest Nu	mber of Menta
Pandemic Preparedness Key Fact	:s	
Potential # of Deaths During a Severe Pandemic	82,000	8
Potential # of Episodes of Illness During a Severe Pandemic	3,003,000	8
Potential Financial Loss During a Severe Pandemic, % of GDP	5.39%	39
	1	

*Note: For rankings, I =Worst Outcome. I =Highest Number of Potential Deaths; Highest Number of Potential Sick

\$20.3 Billion

Potential Financial Loss During a Severe Pandemic, \$ amount

Workers; Highest Financial Losses.



Pandemic Flu

School Health

Tobacco

Preventive Health and Health Services Block Grant

Terrorism Preparedness and Emergency Response

services, and supplies and equipment.

Sexually Transmitted Diseases (STD)

THE STATE OF YOUR HEALTH: **MICHIGAN**

Public Health Funding Facts			
Federal Funding for Michigan's Public Health	Per Capita Funding	State Rank*	
U.S. Centers for Disease Control (CDC) FY 2007	\$18.40	38	
Health Resources and Services Administration (HRSA) FY 2007 \$11.70		45	
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.32	40	
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Departments, Universities & Other Public/Private Agencies (Selected Categories)			
Agency for Toxic Substances and Disease Registry (ATSDR)		\$538,477	
Birth Defects and Developmental Disabilities		\$2,588,967	
Cancer		\$11,274,726	
Chronic Disease Prevention and Health Promotion		\$5,494,160	
Diabetes		\$820,880	
Environmental Health		\$2,915,788	
Heart Disease		\$1,170,415	
HIV/AIDS		\$9,743,278	
Immunization (Sect. 317 and Vaccines for Children Program)		\$71,971,872	
Infectious Diseases		\$1,001,801	
Injury and Violence Prevention		\$2,289,724	
Nutrition and Physical Activity		\$460,715	
Occupational Safety and Health		\$1,606,739	

Tuberculosis	\$1,058,050	
Total FY 2007 CDC Dollars (All Categories)**	\$185,306,899	
FY 2007 HRSA Grants to States by Key Program Area (Selected Categories)		
Health Professions	\$6,742,547	
HIV/AIDS	\$29,381,057	
Maternal & Child Health	\$28,456,210	
Primary Health Care	\$46,041,722	
Total FY 2007 HRSA Dollars (All Categories)	\$117,802,614	

\$6,726,393

\$3,800,312

\$2,754,645 \$1,833,000

\$22,318,492

\$813,717

, ,			
Hospital Preparedness Program (HPP)		\$13,298,463	
Total FY 2007 ASPR HPP Dollars		\$13,298,463	
State Spending			
State Per Capita Funding for Michigan's Health: \$19.59	State Per Capita Fundir	ng Ranking: 36	

FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health. **Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development,



Workers; Highest Financial Losses.

THE STATE OF YOUR HEALTH: MINNESOTA

	1	C . D . I *
LLS Commis Bureau 2007 Date		State Rank*
U.S. Census Bureau 2007 Data	F 107 (21	L NI/A
Total Population	5,197,621	N/A
% Uninsured, All Ages	8.3%	48
% Uninsured, 18 and under		33
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages Adult Health Indicators	ana 18 ana unaer.	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	15.4% (+/- 0.8)	51
AlDS: Cumulative Cases Aged 13 & Over (2005)	4,605	30
Alzheimer's Disease: Estimated Cases (2000)	88,000	18
Asthma: 2004-2006 3 Yr Average (95% CI)	11.2% (+/- 0.8)	45
Cancer: Estimated New Cases (2008)	23,160	23
Chlamydia: Rates per 100,000 Population (2006)	252.0	42
Diabetes: 2004-2006 3 Yr Average (95% CI)	5.5% (+/- 0.4)	48
Human West Nile Virus: New Cases (2007)	101	11
Hypertension: 2001-2005 3 Yr Average (95% CI)	22.1% (+/- 0.9)	47
Obesity: 2004-2006 3 Yr Average (95 % CI)	23.7% (+/- 1.0)	28
Syphilis: Rates per 100,000 Population (2006)	0.9	40
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	19.7% (+/- 1.0)	33
Tuberculosis: Number of Cases (2006)	217	19
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = Highest Level of Adult Physical P$		
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest R Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest R Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	27	31
Asthma: High School Students (2005)	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	22.4%	28
Infant Mortality: Per 1,000 Live Births (2005)	5.1	49
Low Birthweight: % of Total Births (2006)	6.5%	48
Overweight: High School Students (2005)	N/A	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	10.1%	47
Pre-Term Labor: % of Live Births (2005)	10.7%	43
Tobacco: Current Smokers High School Students (2005)	N/A	N/A
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Voverweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	Veight Babies; Highest F	lates of
Health Professions Shortage Areas - Primary Care (FY 2007)	119	17
Health Professions Shortage Areas - Mental Health (FY 2007)	42	23
Health Professions Shortage Areas - Dental Care (FY 2007)	61	22
Nursing Shortage Estimates (2010)	-4,400	24
*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary (1
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Es	_	
Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	39,000	20
Potential # of Episodes of Illness During a Severe Pandemic	1,526,000	21
Potential Financial Loss During a Severe Pandemic, % of GDP	5.44%	34
Potential Financial Loss During a Severe Pandemic, \$ amount	\$12.8 Billion	N/A
*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Death		•



THE STATE OF YOUR HEALTH: MINNESOTA

Public Health Funding Facts			
Federal Funding for Minnesota's Public Health	Per Capita Funding	State Rank*	
U.S. Centers for Disease Control (CDC) FY 2007	\$14.61	47	
Health Resources and Services Administration (HRSA) FY 2007	\$10.59	46	
Office of the Assistant Secretary for Preparedness and Response			
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.36	28	
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.			
FY 2007 CDC Funds for State/Local Health Depa		&	
Other Public/Private Agencies (Selecte	ed Categories)	****	
Agency for Toxic Substances and Disease Registry (ATSDR)		\$812,072	
Birth Defects and Developmental Disabilities		\$918,029	
Cancer		\$7,105,941	
Chronic Disease Prevention and Health Promotion		\$4,015,849	
Diabetes		\$1,103,533	
Environmental Health		\$2,175,746	
Heart Disease		\$963,587	
HIV/AIDS		\$422,115	
Immunization (Sect. 317 and Vaccines for Children Program)		\$24,139,349	
Infectious Diseases		\$3,190,725	
Injury and Violence Prevention		\$1,521,112	
Nutrition and Physical Activity		\$19,184	
Occupational Safety and Health		\$869,449	
Pandemic Flu		\$4,651,757	
Preventive Health and Health Services Block Grant		\$629,182	
School Health		\$388,215	
Sexually Transmitted Diseases (STD)		\$1,107,858	
Tobacco		\$1,403,934	
Terrorism Preparedness and Emergency Response		\$14,967,584	
Tuberculosis		\$820,866	
Total FY 2007 CDC Dollars (All Categories)**		\$75,943,264	
FY 2007 HRSA Grants to States by Key Program A	rea (Selected Catego	ries)	
Health Professions		\$5,077,695	
HIV/AIDS		\$12,755,479	
Maternal & Child Health		\$12,742,880	
Primary Health Care		\$17,431,206	
Total FY 2007 HRSA Dollars (All Categories)		\$55,054,498	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States			
Hospital Preparedness Program (HPP)		\$7,050,445	
Total FY 2007 ASPR HPP Dollars		\$7,050,445	

State Spending

State Per Capita Funding for Minnesota's Health: \$13.45

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

State Per Capita Funding Ranking: 44

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: MISSISSIPPI

		State Rank
U.S. Census Bureau 2007 Data	1	
Total Population	2,918,785	N/A
% Uninsured, All Ages	20.8%	(
% Uninsured, 18 and under	18.9%	
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ag$	ges and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	31.6% (+/- 0.9)	
AIDS: Cumulative Cases Aged 13 & Over (2005)	6,319	2
Alzheimer's Disease: Estimated Cases (2000)	51,000	3
Asthma: 2004-2006 3 Yr Average (95% CI)	11.3% (+/- 0.7)	4
Cancer: Estimated New Cases (2008)	13,400	3
Chlamydia: Rates per 100,000 Population (2006)	650.5	
Diabetes: 2004-2006 3 Yr Average (95% CI)	10.1% (+/- 0.5)	
Human West Nile Virus: New Cases (2007)	129	- 1
Hypertension: 2001-2005 3 Yr Average (95% CI)	32.7% (+/- 1.0)	
Obesity: 2004-2006 3 Yr Average (95 % CI)	30.6% (+/- 0.9)	
Syphilis: Rates per 100,000 Population (2006)	2.9	I
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	24.4% (+/- 0.9)	
Tuberculosis: Number of Cases (2006)	116	2
Child/Adolescent Health Indicate AIDS: Cumulative Cases Under Age 13 (2005)	57	2
AIDS: Cumulative Cases Under Age 13 (2005)	57	2
Asthma: High School Students (2005)	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without	27.70/	Ι.
All Immunizations (2006)	26.7%	
Infant Mortality: Per 1,000 Live Births (2005)	11.4	
Low Birthweight: % of Total Births (2006)	12.4%	NI/
Overweight: High School Students (2005)	N/A	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	17.8%	
Pre-Term Labor: % of Live Births (2005)	18.8%	N1/
Tobacco: Current Smokers High School Students (2005)	N/A	N/
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bir		
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds;	0 0	
Highest Rates of Current High School Smokers.	,	•
Other Public Health Indicators	;	
Health Professions Shortage Areas - Primary Care (FY 2007)	109	2
Health Professions Shortage Areas - Mental Health (FY 2007)	38	2
Health Professions Shortage Areas - Dental Care (FY 2007)	100	I
Nursing Shortage Estimates (2010)	-500	4
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Number of Prima Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage$		mber of Men
Pandemic Preparedness Key Fac		
Potential # of Deaths During a Severe Pandemic	22,000	3
Potential # of Episodes of Illness During a Severe Pandemic	864,000	3
Potential Financial Loss During a Severe Pandemic, % of GDP	5.99%	
De dille ill Die C. D. Licht	#4 O B:II:	NI/

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick

Potential Financial Loss During a Severe Pandemic, \$ amount

Workers; Highest Financial Losses.

\$4.9 Billion

N/A



THE STATE OF YOUR HEALTH: MISSISSIPPI

Public Health Funding Facts		
Federal Funding for Mississippi's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$19.77	33
Health Resources and Services Administration (HRSA) FY 2007	\$25.77	8
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.44	17
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&
Agency for Toxic Substances and Disease Registry (ATSDR)	,	N/A
Birth Defects and Developmental Disabilities		N/A
Cancer		\$2,834,430
Chronic Disease Prevention and Health Promotion		\$245,706
Diabetes		\$530,071
Environmental Health		\$607,268
Heart Disease		\$394,991
HIV/AIDS		\$4,233,920
Immunization (Sect. 317 and Vaccines for Children Program)		\$33,886,611
Infectious Diseases		\$58,329
Injury and Violence Prevention		\$540,227
Nutrition and Physical Activity		N/A
Occupational Safety and Health		N/A
Pandemic Flu		\$2,016,370
Preventive Health and Health Services Block Grant		\$1,430,000
School Health		\$227,176
Sexually Transmitted Diseases (STD)		\$1,293,650
Tobacco		\$545,992
Terrorism Preparedness and Emergency Response		\$7,403,790
Tuberculosis		\$831,700
Total FY 2007 CDC Dollars (All Categories)**		\$57,697,681
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	ries)
Health Professions		\$3,186,759
HIV/AIDS		\$18,044,591
Maternal & Child Health		\$11,193,799
Primary Health Care		\$39,372,543
Total FY 2007 HRSA Dollars (All Categories)		\$75,228,458
FY 2007 Office of the Assistant Secretary for Preparedness and Response Gran		
Hospital Preparedness Program (HPP)		\$4,189,754
Total FY 2007 ASPR HPP Dollars		\$4,189,754
State Spending		
State Per Capita Funding for Mississippi's Health: \$13.32	State Per Capita Fundi	ng Ranking: 45
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: MISSOURI

U.S. Census Bureau 2007 Data Total Population 5,878,4 % Uninsured, All Ages 13.3	State Rank*
Total Population 5,878,4	
% Uninsured All Ages 133	415 N/A
/o o i i i i i i i i i i i i i i i i i i	3% 29
% Uninsured, 18 and under 9.1	1% 29
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ages and 18 and under.$	
Adult Health Indicators	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) 24.5% (+/- I	1.0) 19
AIDS: Cumulative Cases Aged 13 & Over (2005)	569 21
Alzheimer's Disease: Estimated Cases (2000)	000 12
Asthma: 2004-2006 3 Yr Average (95% CI) 13.1% (+/- C	0.8) 19
Cancer: Estimated New Cases (2008) 29,3	390 16
	6.2 13
Diabetes: 2004-2006 3 Yr Average (95% CI) 7.5% (+/- 0	0.5) 22
Human West Nile Virus: New Cases (2007)	76 15
Hypertension: 2001-2005 3 Yr Average (95% CI) 27.1% (+/- I	
Obesity: 2004-2006 3 Yr Average (95 % CI) 26.3% (+/- I	
	2.9 16
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 23.6% (+/- I	
	104 27
, ,	
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; I	
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Hig	
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	,
Child/Adolescent Health Indicators	
AIDS: Cumulative Cases Under Age 13 (2005)	61 20
Asthma: High School Students (2005) 19.6% (+/- 3	3.9) 19
Immunization Gap: Children Aged 19-35 Months without	
All Immunizations (2006)	3% 46
Infant Mortality: Per 1,000 Live Births (2005)	7.5 16
Low Birthweight: % of Total Births (2006)	1% 29
Overweight: High School Students (2005) 13.9% (+/- 2	2.4) N/A
Overweight: 10 to 17 Year Olds (2003-2004) 15.6	6% 15
Pre-Term Labor: % of Live Births (2005)	3% 17
Tobacco: Current Smokers High School Students (2005) 21.3% (+/- 3	3.5) 20
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Hi	
Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; High	
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-T	erm Labor Babies;
Highest Rates of Current High School Smokers.	
Other Public Health Indicators	
Health Professions Shortage Areas - Primary Care (FY 2007)	173 7
Health Professions Shortage Areas - Mental Health (FY 2007)	48 17
Health Professions Shortage Areas - Dental Care (FY 2007)	124 8
Nursing Shortage Estimates (2010) -12,9	900 10
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Highest Number of Primary Care HPSAs}$; Highes	st Number of Mental
I II II III II II II I I I I I I I I I	
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate	
Pandemic Preparedness Key Facts	
	000 15
Pandemic Preparedness Key Facts	
Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 47,0	000 18
Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 47,0 Potential # of Episodes of Illness During a Severe Pandemic 1,717,0	000 18 4% 14
Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 47,0 Potential # of Episodes of Illness During a Severe Pandemic 1,717,0 Potential Financial Loss During a Severe Pandemic, % of GDP 5.74	000 18 4% 14 lion N/A



THE STATE OF YOUR HEALTH: **MISSOURI**

Public Health Funding Fac	te	
		C4-4- DL*
Federal Funding for Missouri's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$16.20	41
Health Resources and Services Administration (HRSA) FY 2007	\$16.13	28
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.35	32
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Departments, Universities &		
Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)	\$291,809	
Birth Defects and Developmental Disabilities	\$1,519,000	
Cancer	\$5,861,686	
Chronic Disease Prevention and Health Promotion	\$1,479,869	
Diabetes	\$475,948	
Environmental Health	\$2,760,959	
Heart Disease	\$1,225,000	
HIV/AIDS	\$5,093,082	
Immunization (Sect. 317 and Vaccines for Children Program)	\$39,992,547	
Infectious Diseases	\$563,884	
Injury and Violence Prevention	\$1,118,627	
Nutrition and Physical Activity	\$1,171,445	
Occupational Safety and Health	\$59,400	
Pandemic Flu	\$3,447,111	
Preventive Health and Health Services Block Grant	\$756,072	
School Health	\$207,802	
Sexually Transmitted Diseases (STD)	\$2,468,049	
Торассо	\$1,271,089	
Terrorism Preparedness and Emergency Response	\$14,566,135	
Tuberculosis	\$506,349	
Total FY 2007 CDC Dollars (All Categories)**	\$95,214,121	
FY 2007 HRSA Grants to States by Key Program Area (Selected	Categories)	
Health Professions	\$3,477,159	
HIV/AIDS	\$27,449,091	
Maternal & Child Health	\$17,351,280	
Primary Health Care	\$42,112,348	
Total FY 2007 HRSA Dollars (All Categories)	\$94,813,079	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)	\$7,906,932	
Total FY 2007 ASPR HPP Dollars	\$7,906,932	
State Spending		
	ta Funding Ranking: 47	
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: MONTANA

	1	
		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	957,861	N/A
% Uninsured, All Ages	17.1%	16
% Uninsured, 18 and under	14.5%	10
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ages and$	nd 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	20.2% (+/- 0.8)	41
AIDS: Cumulative Cases Aged 13 & Over (2005)	369	48
Alzheimer's Disease: Estimated Cases (2000)	16,000	45
Asthma: 2004-2006 3 Yr Average (95% CI)	12.2% (+/- 0.7)	32
Cancer: Estimated New Cases (2008)	5,090	44
Chlamydia: Rates per 100,000 Population (2006)	283.2	37
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.0% (+/- 0.4)	46
Human West Nile Virus: New Cases (2007)	201	6
Hypertension: 2001-2005 3 Yr Average (95% CI)	24.0% (+/- 1.0)	35
Obesity: 2004-2006 3 Yr Average (95 % CI)	20.7% (+/- 0.8)	45
Syphilis: Rates per 100,000 Population (2006)	0.1	50
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	19.5% (+/- 0.8)	35
Tuberculosis: Number of Cases (2006)	13	48
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physica		
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rat		
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rat		
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	3	48
Asthma: High School Students (2005)	18.9% (+/- 1.4)	25
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	34.4%	3
Infant Mortality: Per 1,000 Live Births (2005)	7.0	24
Low Birthweight: % of Total Births (2006)	7.3%	34
Overweight: High School Students (2005)	9.3% (+/- 1.3)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	11.1%	44
Pre-Term Labor: % of Live Births (2005)	11.4%	38
Tobacco: Current Smokers High School Students (2005)	20.1% (+/- 2.3)	25
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Most AIDS Cases}$; Highest Ra		
Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth W	0	•
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; High	est Rates of Pre-Term L	.abor Babies;
Highest Rates of Current High School Smokers.		
Other Public Health Indicators	l oı	1 2/
Health Professions Shortage Areas - Primary Care (FY 2007)	91	26
Health Professions Shortage Areas - Mental Health (FY 2007)	49	15
Health Professions Shortage Areas - Dental Care (FY 2007)	55	28
Nursing Shortage Estimates (2010)	-500	43
*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Co	_	mber of Mental
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate		
Pandemic Preparedness Key Facts	7,000	1 11
Potential # of Deaths During a Severe Pandemic	7,000	44
Potential # of Episodes of Illness During a Severe Pandemic	277,000	44
Potential Financial Loss During a Severe Pandemic, % of GDP	5.86%	12
Potential Financial Loss During a Severe Pandemic, \$ amount	\$1.8 Billion	N/A
*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths	; Highest Number of Po	otential Sick
Workers; Highest Financial Losses.		

THE STATE OF YOUR HEALTH: MONTANA

Public Health Funding Facts		
Federal Funding for Montana's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$25.22	18
Health Resources and Services Administration (HRSA) FY 2007	\$26.30	7
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.77	7
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding F Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Depa		&
Other Public/Private Agencies (Selecte	d Categories)	±205.000
Agency for Toxic Substances and Disease Registry (ATSDR)		\$305,000
Birth Defects and Developmental Disabilities		\$588,056
Cancer		\$2,769,965
Chronic Disease Prevention and Health Promotion		\$10,000
Diabetes		\$752,911
Environmental Health		\$31,991
Heart Disease		\$1,339,000
HIV/AIDS		\$1,594,817
Immunization (Sect. 317 and Vaccines for Children Program)		\$7,317,667
Infectious Diseases		\$170,491
Injury and Violence Prevention		\$347,763
Nutrition and Physical Activity		\$449,995
Occupational Safety and Health		\$59,450
Pandemic Flu		\$1,046,672
Preventive Health and Health Services Block Grant		\$164,193
School Health		\$251,849
Sexually Transmitted Diseases (STD)		\$310,383
Tobacco		\$1,058,500
Terrorism Preparedness and Emergency Response		\$4,840,368
Tuberculosis		\$172,286
Total FY 2007 CDC Dollars (All Categories)**		\$24,155,309
FY 2007 HRSA Grants to States by Key Program A	rea (Selected Catego	ries)
Health Professions		\$2,472,201
HIV/AIDS		\$1,440,533
Maternal & Child Health		\$2,972,567
Primary Health Care		\$15,193,159
Total FY 2007 HRSA Dollars (All Categories)		\$25,194,691
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$1,697,530
Total FY 2007 ASPR HPP Dollars		\$1,697,530

State Spending

State Per Capita Funding for Montana's Health: \$14.58

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

State Per Capita Funding Ranking: 41

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: NEBRASKA

		State Rank*
U.S. Census Bureau 2007 Data		ocace Name
Total Population	1,774,571	N/A
% Uninsured, All Ages	12.3%	31
% Uninsured, 18 and under	10.1%	22
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages ar		
Adult Health Indicators	id 10 dild dilder.	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	22.1% (+/- 0.7)	32
AIDS: Cumulative Cases Aged 13 & Over (2005)	1,366	42
Alzheimer's Disease: Estimated Cases (2000)	33,000	35
Asthma: 2004-2006 3 Yr Average (95% CI)	10.6% (+/- 0.6)	48
Cancer: Estimated New Cases (2008)	8,710	36
Chlamydia: Rates per 100,000 Population (2006)	308.6	31
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.0% (+/- 0.4)	31
Human West Nile Virus: New Cases (2007)	144	8
Hypertension: 2001-2005 3 Yr Average (95% CI)	23.6% (+/- 0.8)	42
Obesity: 2004-2006 3 Yr Average (95 % CI)	25.4% (+/- 0.8)	18
Syphilis: Rates per 100,000 Population (2006)	0.4	47
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	20.1% (+/- 0.7)	30
Tuberculosis: Number of Cases (2006)	25	42
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physica		
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rat		
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rat		
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	11	40
Asthma: High School Students (2005)	19.2% (+/- 1.8)	22
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	25.1%	18
Infant Mortality: Per 1,000 Live Births (2005)	5.6	43
Low Birthweight: % of Total Births (2006)	7.1%	36
Overweight: High School Students (2005)	11.0% (+/- 1.2)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	11.9%	41
Pre-Term Labor: % of Live Births (2005)	12.2%	29
Tobacco: Current Smokers High School Students (2005)	21.8% (+/- 2.5)	18
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rater Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Wo		
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; High		
Highest Rates of Current High School Smokers.		,
Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	72	36
Health Professions Shortage Areas - Mental Health (FY 2007)	18	44
Health Professions Shortage Areas - Dental Care (FY 2007)	31	41
Nursing Shortage Estimates (2010)	-2,400	34
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Highest Number of Primary Col}$		nber of Mental
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estin	_	
Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	14,000	34
Potential # of Episodes of Illness During a Severe Pandemic	520,000	38
Potential Financial Loss During a Severe Pandemic, % of GDP	6.22%	5
Potential Financial Loss During a Severe Pandemic, \$ amount	\$4.4 Billion	N/A
*Note: For rankings, $I = \text{Worst Outcome}$. $I = \text{Highest Number of Potential Deaths}$; Highest Number of Po	tential Sick
Workers; Highest Financial Losses.		

THE STATE OF YOUR HEALTH: **NEBRASKA**

Public Health Funding Facts		
Federal Funding for Nebraska's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$19.72	34
Health Resources and Services Administration (HRSA) FY 2007	\$13.32	37
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.55	14
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Departments, Universities &		
Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)	N/A	
Birth Defects and Developmental Disabilities	\$155,850	
Cancer	\$5,146,212	
Chronic Disease Prevention and Health Promotion	\$867,319	
Diabetes	\$413,173	
Environmental Health	\$25,750	
Heart Disease	\$382,770	
HIV/AIDS	\$467,373	
Immunization (Sect. 317 and Vaccines for Children Program)	\$14,737,766	
Infectious Diseases	\$393,436	
Injury and Violence Prevention	\$369,679	
Nutrition and Physical Activity	N/A	
Occupational Safety and Health	\$340,000	
Pandemic Flu	\$1,457,985	
Preventive Health and Health Services Block Grant	\$1,606,491	
School Health	\$143,584	
Sexually Transmitted Diseases (STD)	\$451,852	
Tobacco	\$1,363,673	
Terrorism Preparedness and Emergency Response	\$5,966,406	
Tuberculosis	\$202,954	
Total FY 2007 CDC Dollars (All Categories)**	\$34,988,576	
FY 2007 HRSA Grants to States by Key Program Area (Selected Categor	ries)	
Health Professions	\$3,143,900	
HIV/AIDS	\$3,011,737	
Maternal & Child Health	\$6,919,285	
Primary Health Care	\$6,077,145	
Total FY 2007 HRSA Dollars (All Categories)	\$23,629,971	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)	\$2,741,751	
Total FY 2007 ASPR HPP Dollars	\$2,741,751	
State Spending		
State Per Capita Funding for Nebraska's Health: \$35.51 State Per Capita Funding	ng Ranking: 25	
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: NEVADA

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	2,565,382	N/A
% Uninsured, All Ages	19.6%	7
% Uninsured, 18 and under	18.8%	4
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ages and the state of Uninsured Ages and the State of Uninsured Ages and the State of Uninsured Ages are the state of Uninsured Ages and the Union October and Union$	nd 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	26.1% (+/- 1.4)	12
AIDS: Cumulative Cases Aged 13 & Over (2005)	5,452	28
Alzheimer's Disease: Estimated Cases (2000)	21,000	41
Asthma: 2004-2006 3 Yr Average (95% CI)	11.8% (+/- 1.0)	38
Cancer: Estimated New Cases (2008)	11,370	34
Chlamydia: Rates per 100,000 Population (2006)	347.8	24
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.0% (+/- 0.7)	31
Human West Nile Virus: New Cases (2007)	12	29
Hypertension: 2001-2005 3 Yr Average (95% CI)	24.6% (+/- 1.4)	30
Obesity: 2004-2006 3 Yr Average (95 % CI)	22.5% (+/- 1.3)	37
Syphilis: Rates per 100,000 Population (2006)	5.7	5
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	22.8% (+/- 1.3)	14
Tuberculosis: Number of Cases (2006)	99	29
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Level of Adult Physical$	I Inactivity; Most AIDS	Cases; Most
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rat		
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rat	es of Obesity; Highest	Rates of
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
Child/Adolescent Health Indicators	1 20	20
AIDS: Cumulative Cases Under Age 13 (2005)	29	29
Asthma: High School Students (2005)	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	40.5%	1
Infant Mortality: Per 1,000 Live Births (2005)	5.8	40
Low Birthweight: % of Total Births (2006)	8.3%	23
Overweight: High School Students (2005)	N/A	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	12.4%	36
Pre-Term Labor: % of Live Births (2005)	13.9%	10
Tobacco: Current Smokers High School Students (2005)	18.3% (+/- 2.6)	28
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Ra	· ,	L
Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth W		
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; High		
Highest Rates of Current High School Smokers.		
Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	55	40
Health Professions Shortage Areas - Mental Health (FY 2007)	18	44
Health Professions Shortage Areas - Dental Care (FY 2007)	20	45
Nursing Shortage Estimates (2010)	-4,100	25
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Number of Primary Co.$		nber of Mental
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Esting	mate	
Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	13,000	36
Potential # of Episodes of Illness During a Severe Pandemic	720,000	35
Potential Financial Loss During a Severe Pandemic, % of GDP	8.08%	I
Potential Financial Loss During a Severe Pandemic, \$ amount	\$9.0 Billion	N/A
*Note: For rankings, $I = $ Worst Outcome. $I = $ Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.		

THE STATE OF YOUR HEALTH: NEVADA

Public Health Funding Facts		
Federal Funding for Nevada's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$22.43	25
Health Resources and Services Administration (HRSA) FY 2007	\$11.82	44
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.43	20
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&
Agency for Toxic Substances and Disease Registry (ATSDR)		N/A
Birth Defects and Developmental Disabilities		N/A
Cancer		\$3,396,530
Chronic Disease Prevention and Health Promotion		\$891,101
Diabetes		\$581,712
Environmental Health		\$149,692
Heart Disease		\$382,770
HIV/AIDS		\$2,556,982
Immunization (Sect. 317 and Vaccines for Children Program)		\$28,871,371
Infectious Diseases		\$215,271
Injury and Violence Prevention		\$1,668,784
Nutrition and Physical Activity		\$2,634
Occupational Safety and Health		\$862,951
Pandemic Flu		\$2,802,032
Preventive Health and Health Services Block Grant		\$397,048
School Health		\$404,551
Sexually Transmitted Diseases (STD)		\$4,378,040
Tobacco		\$942,762
Terrorism Preparedness and Emergency Response		\$7,732,440
Tuberculosis		\$1,053,386
Total FY 2007 CDC Dollars (All Categories)**		\$57,533,560
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	ries)
Health Professions		\$1,565,351
HIV/AIDS		\$14,432,185
Maternal & Child Health		\$2,281,223
Primary Health Care		\$9,385,809
Total FY 2007 HRSA Dollars (All Categories)		\$30,326,924
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$3,663,636
Total FY 2007 ASPR HPP Dollars		\$3,663,636
State Spending		
State Per Capita Funding for Nevada's Health: \$ 3.46	State Per Capita Fund	ing Ranking: 51

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.



THE STATE OF YOUR HEALTH: NEW HAMPSHIRE

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	1,315,828	N/A
% Uninsured, All Ages	11.5%	39
% Uninsured, 18 and under	7.5%	37
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Age$	es and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	19.9% (+/- 0.7)	43
AIDS: Cumulative Cases Aged 13 & Over (2005)	1,022	44
Alzheimer's Disease: Estimated Cases (2000)	19,000	42
Asthma: 2004-2006 3 Yr Average (95% CI)	14.5% (+/- 0.7)	5
Cancer: Estimated New Cases (2008)	7,030	40
Chlamydia: Rates per 100,000 Population (2006)	152.4	51
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.8% (+/- 0.4)	35
Human West Nile Virus: New Cases (2007)	0	44
Hypertension: 2001-2005 3 Yr Average (95% CI)	22.9% (+/- 0.8)	44
Obesity: 2004-2006 3 Yr Average (95 % CI)	22.4% (+/- 0.8)	38
Syphilis: Rates per 100,000 Population (2006)	1.0	38
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	20.3% (+/- 0.8)	27
Tuberculosis: Number of Cases (2006)	17	45
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Phy Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicator	Rates of Chlamydia; Highe Rates of Obesity; Highest	st Rate of Rates of
AIDS: Cumulative Cases Under Age 13 (2005)	10	42
Asthma: High School Students (2005)	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	23.7%	25
Infant Mortality: Per 1,000 Live Births (2005)	5.3	44
Low Birthweight: % of Total Births (2006)	6.9%	39
Overweight: High School Students (2005)	11.4% (+/- 2.2)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	12.9%	33
Pre-Term Labor: % of Live Births (2005)	10.5%	48
Tobacco: Current Smokers High School Students (2005)	20.5% (+/- 3.2)	23
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	n Weight Babies; Highest R	ates of
Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	23	47
Health Professions Shortage Areas - Mental Health (FY 2007)	14	48
Health Professions Shortage Areas - Dental Care (FY 2007)	18	47
Nursing Shortage Estimates (2010)	-3,300	27
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage I$	_	mber of Mental
Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	10,000	41

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.

Potential # of Episodes of Illness During a Severe Pandemic

Potential Financial Loss During a Severe Pandemic, % of GDP

Potential Financial Loss During a Severe Pandemic, \$ amount

389,000

5.30%

\$2.9 Billion

41

44

N/A



THE STATE OF YOUR HEALTH: NEW HAMPSHIRE

Public Health Funding Facts		
Federal Funding for New Hampshire's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$26.61	12
Health Resources and Services Administration (HRSA) FY 2007	\$12.44	40
Office of the Assistant Secretary for Preparedness and Response	.	
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.65	l I I
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Departments, Universities &		
Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)	\$301,915	
Birth Defects and Developmental Disabilities	\$618,175	
Cancer	\$2,399,870	
Chronic Disease Prevention and Health Promotion	\$1,086,246	
Diabetes	\$2,399,870	
Environmental Health	\$1,459,720	
Heart Disease	N/A	
HIV/AIDS	\$1,619,130	
Immunization (Sect. 317 and Vaccines for Children Program)	\$13,065,275	
Infectious Diseases	\$272,902	
Injury and Violence Prevention	\$472,955	
Nutrition and Physical Activity	N/A	
Occupational Safety and Health	\$363,328	
Pandemic Flu	\$1,214,690	
Preventive Health and Health Services Block Grant	\$821,018	
School Health	\$231,395	
Sexually Transmitted Diseases (STD)	\$266,001	
Tobacco	\$1,144,746	
Terrorism Preparedness and Emergency Response	\$5,076,960	
Tuberculosis	\$275,374	
Total FY 2007 CDC Dollars (All Categories)**	\$35,019,561	
FY 2007 HRSA Grants to States by Key Program Area (Selected Catego	ries)	
Health Professions	\$708,107	
HIV/AIDS	\$2,187,211	
Maternal & Child Health	\$4,153,041	
Primary Health Care	\$8,010,323	
Total FY 2007 HRSA Dollars (All Categories)	\$16,371,384	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)	\$2,166,921	
Total FY 2007 ASPR HPP Dollars	\$2,166,921	
State Spending		
State Per Capita Funding for New Hampshire's Health: \$20.63 State Per Capita Funding Ranking: 34		
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: NEW JERSEY

	St	ate Rank*
U.S. Census Bureau 2007 Date	a	
Total Population	8,685,920	N/A
% Uninsured, All Ages	15.5%	20
% Uninsured, 18 and under	13.3%	12
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All A$	Ages and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	27.3% (+/- 0.6)	9
AIDS: Cumulative Cases Aged 13 & Over (2005)	47,659	5
Alzheimer's Disease: Estimated Cases (2000)	150,000	9
Asthma: 2004-2006 3 Yr Average (95% CI)	12.1% (+/- 0.4)	33
Cancer: Estimated New Cases (2008)	45,900	9
Chlamydia: Rates per 100,000 Population (2006)	231.6	45
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.3% (+/- 0.3)	27
Human West Nile Virus: New Cases (2007)	I	41
Hypertension: 2001-2005 3 Yr Average (95% CI)	25.7% (+/- 0.6)	22
Obesity: 2004-2006 3 Yr Average (95 % CI)	22.2% (+/- 0.6)	40
Syphilis: Rates per 100,000 Population (2006)	2.0	23
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	18.3% (+/- 0.6)	44
iobacco. Current sinokers 2003-2003 3 11 Average (7370 Ci)		
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest F	ses; Most Rate of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fest Rates of Obesity; Highest Rat	ses; Most Rate of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicat	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fest Rates of Obesity; Highest Rateors	Rate of es of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicate AIDS: Cumulative Cases Under Age 13 (2005)	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fest Rates of Obesity; Highest Rateors 772	ses; Most Rate of es of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicat AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005)	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fest Rates of Obesity; Highest Rateors	ses; Most Rate of es of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicat AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fest Rates of Obesity; Highest Rateors 772	ses; Most Rate of es of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F. Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicat AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fast Rates of Obesity; Highest Rates of T72 20.1% (+/- 2.0)	ses; Most Rate of es of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicat AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005)	20.1% (+/- 2.0)	ses; Most Rate of es of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicat AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006)	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fest Rates of Obesity; Highest Rateors 772 20.1% (+/- 2.0) 23.9% 5.2	ses; Most Rate of es of 15
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicate AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fast Rates of Obesity; Highest Rates of Obesity; Hig	ses; Most Rate of es of 3 15 24
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Higher Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Higher Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicate AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004)	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fast Rates of Obesity; Highest Rates of Obesity; Hig	ses; Most Rate of es of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicate AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2003-2004) Pre-Term Labor: % of Live Births (2005)	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fast Rates of Obesity; Highest Rates of Obesity; Hig	Sees; Most Rate of ees of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicat AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005)	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fast Rates of Obesity; Highest Rates of Asthma; Highest Rates of Asthma; Highest Rates of Highest Rates	Sees; Most Rate of ees of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicat AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birthy Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Rest Rates of Obesity; Highest Rates of Obesity; Highest Rates of Obesity; Highest Rates of Obesity; Highest Rates of Chemical Science (1988) 20.1% (+/- 2.0) 23.9% 5.2 8.6% 11.4% (+/- 2.7) 13.7% 12.5% 19.8% (+/- 2.8) est Rates of Asthma; Highest Rates of Rates of Asthma; Highest Rates; Highest Rates of Pre-Term Laboratory	Sees; Most Rate of ees of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicat AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birthy Coverweight High School Students; Highest Rates of Overweight 10-17 Year Olds Highest Rates of Current High School Smokers. Other Public Health Indicator	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Rest Rates of Obesity; Highest Rates of Obesity; Highest Rates of Obesity; Highest Rates of Obesity; Highest Rates of Chemical Science (1988) 20.1% (+/- 2.0) 23.9% 5.2 8.6% 11.4% (+/- 2.7) 13.7% 12.5% 19.8% (+/- 2.8) est Rates of Asthma; Highest Rates of Rates of Asthma; Highest Rates; Highest Rates of Pre-Term Laboratory	Rate of ees of 15 24 47 19 N/A 26 25 20 des of Not s of ar Babies;
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicat AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birthy Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds Highest Rates of Current High School Smokers.	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fast Rates of Obesity; Highest Rates of Nors 772 20.1% (+/- 2.0) 23.9% 5.2 8.6% 11.4% (+/- 2.7) 13.7% 12.5% 19.8% (+/- 2.8) 19.8% (+/- 2.8) 19.8% (+/- 2.8) 19.8% Rates of Asthma; Highest Rates of Highest Rates of Pre-Term Laborates	Ses; Most Rate of es of
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult F Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highe Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highe Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicate AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birthy Coverweight High School Students; Highest Rates of Overweight 10-17 Year Olds Highest Rates of Current High School Smokers. Other Public Health Indicator Health Professions Shortage Areas - Primary Care (FY 2007)	508 Physical Inactivity; Most AIDS Casest Rates of Chlamydia; Highest Fast Rates of Obesity; Highest Rates of Obesity; Highest Rates of Obesity; Highest Rates of Sors 772 20.1% (+/- 2.0) 23.9% 5.2 8.6% 11.4% (+/- 2.7) 13.7% 12.5% 19.8% (+/- 2.8) est Rates of Asthma; Highest Rates if Highest Rates of Pre-Term Labors strip 35	ses; Most Rate of es of

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	71,000	9
Potential # of Episodes of Illness During a Severe Pandemic	2,585,000	10
Potential Financial Loss During a Severe Pandemic, % of GDP	5.42%	35
Potential Financial Loss During a Severe Pandemic, \$ amount	\$23.4 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: NEW JERSEY

Public Health Funding Facts		
Federal Funding for New Jersey's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$23.71	21
Health Resources and Services Administration (HRSA) FY 2007	\$15.39	30
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.33	36
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding F	Per Capita; Highest Level of I	HRSA Funding Per
Capita; Highest ASPR Funding Per Capita.		•
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		č.
Agency for Toxic Substances and Disease Registry (ATSDR)	<i>5 /</i>	\$565,316
Birth Defects and Developmental Disabilities		\$6,386,190
Cancer		\$4,330,960
Chronic Disease Prevention and Health Promotion		\$196,886
Diabetes		\$1,340,310
Environmental Health		\$2,306,610
Heart Disease		N/A
HIV/AIDS		\$21,228,600
Immunization (Sect. 317 and Vaccines for Children Program)		\$55,018,209
Infectious Diseases		\$442,700
Injury and Violence Prevention		\$1,376,050
Nutrition and Physical Activity		N/A
Occupational Safety and Health		\$373,315
Pandemic Flu		\$4,922,330
Preventive Health and Health Services Block Grant		\$914,667
School Health		\$261,221
Sexually Transmitted Diseases (STD)		\$2,876,820
Tobacco		\$1,400,915
Terrorism Preparedness and Emergency Response		\$18,596,000
Tuberculosis		\$3,882,140
Total FY 2007 CDC Dollars (All Categories)**		\$205,980,790
FY 2007 HRSA Grants to States by Key Program A	rea (Selected Catego	
Health Professions		\$6,585,430
HIV/AIDS		\$79,444,588
Maternal & Child Health		\$15,323,777
Primary Health Care		\$31,525,657
Total FY 2007 HRSA Dollars (All Categories)		\$133,674,550
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$11,560,312
Total FY 2007 ASPR HPP Dollars		\$11,560,312
State Spending State Per Capita Funding for New Jersey's Health: \$39.74 State Per Capita Funding Ranking: 22		
State Per Capita Funding for New Jersey's Health: \$39.74	•	ig Kanking: 22
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: NEW MEXICO

		Ct. t. D. L.
110 C D 2007 D		State Rank
U.S. Census Bureau 2007 Data	1040015	.
Total Population	1,969,915	N/A
% Uninsured, All Ages	22.9%	2
% Uninsured, 18 and under	17.9%	Į.
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Age	es and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	22.4% (+/- 0.8)	29
AIDS: Cumulative Cases Aged 13 & Over (2005)	2,518	37
Alzheimer's Disease: Estimated Cases (2000)	27,000	3(
Asthma: 2004-2006 3 Yr Average (95% CI)	14.1% (+/- 0.7)	10
Cancer: Estimated New Cases (2008)	8,260	3
Chlamydia: Rates per 100,000 Population (2006)	509.7	
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.1% (+/- 0.4)	2
Human West Nile Virus: New Cases (2007)	60	I
Hypertension: 2001-2005 3 Yr Average (95% CI)	21.4% (+/- 0.8)	4
Obesity: 2004-2006 3 Yr Average (95 % CI)	22.0% (+/- 0.8)	4
Syphilis: Rates per 100,000 Population (2006)	4.1	I
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	20.6% (+/- 0.8)	2
Tuberculosis: Number of Cases (2006)	48	3
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest	Rates of Obesity; Highest I	Rates of
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicator	rs	
Child/Adolescent Health Indicator		4
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005)	8	
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005)		
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without	8	
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	22.0% (+/- 1.5)	ı
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005)	8 22.0% (+/- 1.5) 28.4%	l 3
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006)	8 22.0% (+/- 1.5) 28.4% 6.1 8.9%	1 3
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2)	1 3 1 N/
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004)	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8%	 3 N/
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005)	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2)	 3 N/
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005)	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest h Weight Babies; Highest Rates	I 3 I N// I 2 Rates of Norates of
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Overweight 10-17 Year	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest h Weight Babies; Highest Rates	I 3 I N/. I 2 Rates of No
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest h Weight Babies; Highest Rates	I 3 I N/A 1 2 Rates of No ates of abor Babies;
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest h Weight Babies; Highest Rates of Pre-Term Lighest Rates Of Pre-Term L	I 3 1 N/A I 2 2 Rates of No ates of abor Babies;
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest Righest Rates of Pre-Term Lights Rights Righ	I 3 3 I N/A 1 2 2 Rates of No ates of abor Babies;
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007)	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest h Weight Babies; Highest RHighest Rates of Pre-Term Length Pre-Term L	I 3 I N/. 1 2 Rates of No ates of abor Babies;
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest h Weight Babies; Highest Rates of Pre-Term Lates of	I 3 I N/A I 2 Part of No ates of Abor Babies; 2 2 2 2 2 2
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest R Weight Babies; Highest R Highest Rates of Pre-Term L 91 41 61 -3,100 by Care HPSAs; Highest Num.	I 3 I N/. I 2 Part of No ates of Abor Babies; 2 2 2 2 2 2
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest Righest Rates of Pre-Term Lighest Rates of Pre-Term Light Rates of Pr	I 3 I N/. I 2 Part of No ates of Abor Babies; 2 2 2 2 2 2
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest Righest Rights Righest Righest Righest Righest Righest Rights Righest Rights Righ	I 3 I N/A I 2 Part I See
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar, Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest Rh Weight Babies; Highest RHighest Rates of Pre-Term LHighest Rates of Pre-Ter	ates of abor Babies; 2 2 2 2 2
Child/Adolescent Health Indicator AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar, Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact: Potential # of Deaths During a Severe Pandemic	8 22.0% (+/- 1.5) 28.4% 6.1 8.9% 12.0% (+/- 2.2) 16.8% 13.1% 25.7% (+/- 3.4) t Rates of Asthma; Highest Righest Rights Righest Righest Righest Righest Righest Rights Righest Rights Righ	I 3 3 I. N// I I 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 3

Workers; Highest Financial Losses.

THE STATE OF YOUR HEALTH: NEW MEXICO

Public Health Funding Facts		
Federal Funding for New Mexico's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$32.75	8
Health Resources and Services Administration (HRSA) FY 2007	\$27.25	5
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.51	15
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of I	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&
Agency for Toxic Substances and Disease Registry (ATSDR)		N/A
Birth Defects and Developmental Disabilities		N/A
Cancer		\$3,900,430
Chronic Disease Prevention and Health Promotion		\$2,265,962
Diabetes		N/A
Environmental Health		\$1,775,720
Heart Disease		N/A
HIV/AIDS		\$2,339,210
Immunization (Sect. 317 and Vaccines for Children Program)		\$37,893,571
Infectious Diseases		\$553,232
Injury and Violence Prevention		\$562,743
Nutrition and Physical Activity		\$389,512
Occupational Safety and Health		\$120,381
Pandemic Flu		\$1,689,360
Preventive Health and Health Services Block Grant		\$473,033
School Health		\$596,583
Sexually Transmitted Diseases (STD)		\$762,492
Tobacco		\$942,762
Terrorism Preparedness and Emergency Response		\$7,018,090
Tuberculosis		\$388,787
Total FY 2007 CDC Dollars (All Categories)**		\$64,520,792
FY 2007 HRSA Grants to States by Key Program Area (Selected Categories)		
Health Professions		\$2,626,615
HIV/AIDS		\$5,782,260
Maternal & Child Health		\$8,671,883
Primary Health Care		\$34,721,727
Total FY 2007 HRSA Dollars (All Categories)		\$53,679,214
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		

State Spending

\$2,977,887

\$2,977,887

State Per Capita Funding Ranking: 5

Hospital Preparedness Program (HPP)

State Per Capita Funding for New Mexico's Health: \$78.68

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

Total FY 2007 ASPR HPP Dollars

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: NEW YORK

10 207 720	
10 207 720	
19,297,729	N/A
14.0%	24
8.4%	32
and 18 and under.	
26.5% (+/- 0.8)	10
170,035	I
330,000	3
13.3% (+/- 0.6)	14
97,130	3
356.9	21
7.8% (+/- 0.5)	16
21	26
25.6% (+/- 0.8)	24
22.4% (+/- 0.8)	38
3.8	12
19.5% (+/- 0.7)	35
1,274	3
	8.4% s and 18 and under. 26.5% (+/- 0.8) 170,035 330,000 13.3% (+/- 0.6) 97,130 356.9 7.8% (+/- 0.5) 21 25.6% (+/- 0.8) 22.4% (+/- 0.8) 3.8 19.5% (+/- 0.7)

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	2,342	I
Asthma: High School Students (2005)	20.5% (+/- 2.0)	13
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	21.3%	35
Infant Mortality: Per 1,000 Live Births (2005)	5.8	40
Low Birthweight: % of Total Births (2006)	8.3%	23
Overweight: High School Students (2005)	10.5% (+/- 1.4)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	15.3%	18
Pre-Term Labor: % of Live Births (2005)	12.1%	32
Tobacco: Current Smokers High School Students (2005)	16.2% (+/- 2.2)	36

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	171	8
Health Professions Shortage Areas - Mental Health (FY 2007)	121	4
Health Professions Shortage Areas - Dental Care (FY 2007)	101	11
Nursing Shortage Estimates (2010)	-21,500	4

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	157,000	2
Potential # of Episodes of Illness During a Severe Pandemic	5,706,000	3
Potential Financial Loss During a Severe Pandemic, % of GDP	5.20%	47
Potential Financial Loss During a Severe Pandemic, \$ amount	\$49.8 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: **NEW YORK**

Public Health Funding Facts		
Federal Funding for New York's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$26.95	- 11
Health Resources and Services Administration (HRSA) FY 2007	\$26.85	6
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$0.75	50
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&
Agency for Toxic Substances and Disease Registry (ATSDR)		\$1,215,390
Birth Defects and Developmental Disabilities		\$6,367,280
Cancer		\$11,621,500
Chronic Disease Prevention and Health Promotion		\$14,574,169
Diabetes		\$954,170
Environmental Health		\$5,730,830
Heart Disease		\$1,490,840
HIV/AIDS		\$79,277,700
Immunization (Sect. 317 and Vaccines for Children Program)		\$76,944,398
Infectious Diseases		\$4,754,710
Injury and Violence Prevention		\$6,098,930
Nutrition and Physical Activity		\$1,043,290
Occupational Safety and Health		\$1,681,900
Pandemic Flu		\$13,387,200
Preventive Health and Health Services Block Grant		\$1,923,940
School Health		\$1,363,580
Sexually Transmitted Diseases (STD)		\$8,685,010
Тоbассо		\$2,037,958
Terrorism Preparedness and Emergency Response		\$48,486,200
Tuberculosis		\$12,626,300
Total FY 2007 CDC Dollars (All Categories)**		\$520,101,882
FY 2007 HRSA Grants to States by Key Program A	rea (Selected Categor	ries)
Health Professions		\$23,129,048
HIV/AIDS		\$333,582,373
Maternal & Child Health		\$54,790,331
Primary Health Care		\$100,336,722
Total FY 2007 HRSA Dollars (All Categories)		\$518,231,073
FY 2007 Office of the Assistant Secretary for Preparedness	s and Response Grant	s to States
Hospital Preparedness Program (HPP)		\$14,561,258
Total FY 2007 ASPR HPP Dollars		\$14,561,258
State Spending		
State Per Capita Funding for New York's Health: \$57.61	State Per Capita Fundin	g Ranking: 13
*Note: For rankings, $I = Most Funding$. $I = Highest State Funding for Publication 1.5 Publi$	c Health.	

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: NORTH CAROLINA

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	9,061,032	N/A
% Uninsured, All Ages	17.9%	11
% Uninsured, 18 and under	14.0%	11
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ages$	and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	24.7% (+/- 0.5)	18
AIDS: Cumulative Cases Aged 13 & Over (2005)	14,797	14
Alzheimer's Disease: Estimated Cases (2000)	130,000	10
Asthma: 2004-2006 3 Yr Average (95% CI)	11.2% (+/- 0.4)	45
Cancer: Estimated New Cases (2008)	40,420	10
Chlamydia: Rates per 100,000 Population (2006)	387.1	16
Diabetes: 2004-2006 3 Yr Average (95% CI)	8.7% (+/- 0.3)	9
Human West Nile Virus: New Cases (2007)	6	34
Hypertension: 2001-2005 3 Yr Average (95% CI)	28.4% (+/- 0.8)	10
Obesity: 2004-2006 3 Yr Average (95 % CI)	25.6% (+/- 0.5)	17
Syphilis: Rates per 100,000 Population (2006)	3.6	13
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	22.6% (+/- 0.5)	15
Tuberculosis: Number of Cases (2006)	374	8
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most}$		

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicat	ors	
AIDS: Cumulative Cases Under Age 13 (2005)	118	16
Asthma: High School Students (2005)	20.1% (+/- 2.1)	15
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	18.5%	49
Infant Mortality: Per 1,000 Live Births (2005)	8.8	8
Low Birthweight: % of Total Births (2006)	9.1%	12
Overweight: High School Students (2005)	13.5% (+/- 2.5)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	19.3%	5
Pre-Term Labor: % of Live Births (2005)	13.7%	12
Tobacco: Current Smokers High School Students (2005)	24.9% (+/- 3.3)	8

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	114	18
Health Professions Shortage Areas - Mental Health (FY 2007)	44	21
Health Professions Shortage Areas - Dental Care (FY 2007)	95	13
Nursing Shortage Estimates (2010)	-8,100	19

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	62,000	10
Potential # of Episodes of Illness During a Severe Pandemic	2,556,000	11
Potential Financial Loss During a Severe Pandemic, % of GDP	5.48%	30
Potential Financial Loss During a Severe Pandemic, \$ amount	\$19.0 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: NORTH CAROLINA

Public Health Funding Facts		
Federal Funding for North Carolina's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$22.53	24
Health Resources and Services Administration (HRSA) FY 2007	\$14.78	32
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.29	45
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	; Per Capita; Highest Level of I	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Dep	partments, Universities	&
Other Public/Private Agencies (Select		
Agency for Toxic Substances and Disease Registry (ATSDR)		\$315,229
Birth Defects and Developmental Disabilities		\$2,528,130
Cancer		\$7,889,230
Chronic Disease Prevention and Health Promotion		\$4,326,726
Diabetes		\$74,616
Environmental Health		\$1,128,550
Heart Disease		\$2,137,500
HIV/AIDS		\$8,109,000
Immunization (Sect. 317 and Vaccines for Children Program)		\$89,594,781
Infectious Diseases		\$449,135
Injury and Violence Prevention		\$3,706,590
Nutrition and Physical Activity		\$1,377,980
Occupational Safety and Health		\$1,147,560
Pandemic Flu		\$5,904,430
Preventive Health and Health Services Block Grant		\$755,954
School Health		\$442,814
Sexually Transmitted Diseases (STD)		\$3,974,200
Tobacco		\$1,829,636
Terrorism Preparedness and Emergency Response		\$18,677,000
Tuberculosis		\$1,626,100
Total FY 2007 CDC Dollars (All Categories)**		\$204,168,869
FY 2007 HRSA Grants to States by Key Program	Area (Selected Catego	ries)
Health Professions		\$10,921,404
HIV/AIDS		\$46,485,346
Maternal & Child Health		\$24,603,096
Primary Health Care		\$48,248,275
Total FY 2007 HRSA Dollars (All Categories)		\$133,890,703
FY 2007 Office of the Assistant Secretary for Preparedne	ess and Response Grant	ts to States
Hospital Preparedness Program (HPP)		\$11,727,581
Total FY 2007 ASPR HPP Dollars		\$11,727,581
State Spending		
State Per Capita Funding for North Carolina's Health: \$14.30	State Per Capita Fundir	ng Ranking: 42
*Note: For rankings, $I = Most Funding$. $I = Highest State Funding for Pub$	olic Health.	<u> </u>

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: NORTH DAKOTA

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	639,715	N/A
% Uninsured, All Ages	12.2%	33
% Uninsured, 18 and under	10.3%	20
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ages and$	nd 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	22.1% (+/- 0.9)	32
AIDS: Cumulative Cases Aged 13 & Over (2005)	139	51
Alzheimer's Disease: Estimated Cases (2000)	16,000	45
Asthma: 2004-2006 3 Yr Average (95% CI)	10.6% (+/- 0.8)	48
Cancer: Estimated New Cases (2008)	3,090	48
Chlamydia: Rates per 100,000 Population (2006)	285.9	34
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.4% (+/- 0.5)	41
Human West Nile Virus: New Cases (2007)	369	3
Hypertension: 2001-2005 3 Yr Average (95% CI)	23.8% (+/- 0.9)	37
Obesity: 2004-2006 3 Yr Average (95 % CI)	25.1% (+/- 1.0)	19
Syphilis: Rates per 100,000 Population (2006)	0.2	48
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	19.8% (+/- 0.9)	32
Tuberculosis: Number of Cases (2006)	9	49
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Level of Adult Physical$		
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rat		
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rat	es of Obesity; Highest	Rates of
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	Г	51
Asthma: High School Students (2005)	19/1% (+/- 2.2)	23
Immunization Gap: Children Aged 19-35 Months without	17/170 (1/- 2.2)	23
All Immunizations (2006)	19.9%	41
Infant Mortality: Per 1,000 Live Births (2005)	6.0	37
Low Birthweight: % of Total Births (2006)	6.7%	47
Overweight: High School Students (2005)	11.2% (+/- 2.4)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	12.1%	39
Pre-Term Labor: % of Live Births (2005)	11.5%	36
Tobacco: Current Smokers High School Students (2005)	22.1% (+/- 3.1)	16
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Ra	` '	Rates of Not-
Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth W		
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; High	est Rates of Pre-Term L	abor Babies;
Highest Rates of Current High School Smokers.		
Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	76	34
Health Professions Shortage Areas - Mental Health (FY 2007)	41	24
Health Professions Shortage Areas - Dental Care (FY 2007)	27	43
Nursing Shortage Estimates (2010)	-900	40
*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Co	_	nber of Mental
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Esti	mate	
Pandemic Preparedness Key Facts	(000	4.4
Potential # of Deaths During a Severe Pandemic	6,000	44
Potential # of Episodes of Illness During a Severe Pandemic	186,000	48
Potential Financial Loss During a Severe Pandemic, % of GDP	5.71%	16
Potential Financial Loss During a Severe Pandemic, \$ amount	\$1.4 Billion	N/A
*Note: For rankings, $I = \text{Worst Outcome}$. $I = \text{Highest Number of Potential Deaths}$ Workers; Highest Financial Losses.	; Highest Number of Po	tential Sick

THE STATE OF YOUR HEALTH: NORTH DAKOTA

Public Health Funding Facts		
Federal Funding for North Dakota's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$32.76	7
Health Resources and Services Administration (HRSA) FY 2007	\$18.27	19
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$2.04	3
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of I	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Department		&
Other Public/Private Agencies (Selecte	ed Categories)	# F0.000
Agency for Toxic Substances and Disease Registry (ATSDR)		\$50,000
Birth Defects and Developmental Disabilities		\$300,675
Cancer		\$1,930,240
Chronic Disease Prevention and Health Promotion		\$14,883
Diabetes		\$277,585
Environmental Health		\$22,637
Heart Disease		N/A
HIV/AIDS		\$672,678
Immunization (Sect. 317 and Vaccines for Children Program)		\$8,016,373
Infectious Diseases		\$131,752
Injury and Violence Prevention		\$357,743
Nutrition and Physical Activity		N/A
Occupational Safety and Health		N/A
Pandemic Flu		\$926,521
Preventive Health and Health Services Block Grant		\$63,739
School Health		\$643,441
Sexually Transmitted Diseases (STD)		\$846,300
Tobacco		\$1,363,673
Terrorism Preparedness and Emergency Response		\$4,850,720
Tuberculosis		\$264,085
Total FY 2007 CDC Dollars (All Categories)**		\$20,957,249
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	
Health Professions	,	\$1,226,805
HIV/AIDS		\$343,556
Maternal & Child Health		\$2,551,579
Primary Health Care		\$3,760,247
Total FY 2007 HRSA Dollars (All Categories)		\$11,688,682
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)	•	\$1,306,102
Total FY 2007 ASPR HPP Dollars		\$1,306,102
State Spending		
State Per Capita Funding for North Dakota's Health: \$33.26	State Per Capita Fund	ing Ranking: 26
		5 ·

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.



THE STATE OF YOUR HEALTH: OHIO

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	11,466,917	N/A
% Uninsured, All Ages	10.1%	44
% Uninsured, 18 and under	5.7%	48
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ag$	es and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	24.4% (+/- 1.1)	20
AIDS: Cumulative Cases Aged 13 & Over (2005)	14,246	17
Alzheimer's Disease: Estimated Cases (2000)	200,000	7
Asthma: 2004-2006 3 Yr Average (95% CI)	11.9% (+/- 0.9)	36
Cancer: Estimated New Cases (2008)	56,840	7
Chlamydia: Rates per 100,000 Population (2006)	349.8	22
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.4% (+/- 0.6)	23
Human West Nile Virus: New Cases (2007)	23	25
Hypertension: 2001-2005 3 Yr Average (95% CI)	26.7% (+/- 1.0)	19
Obesity: 2004-2006 3 Yr Average (95 % CI)	26.0% (+/- 1.2)	15
Syphilis: Rates per 100,000 Population (2006)	1.6	30
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	23.5% (+/- 1.2)	П
Tuberculosis: Number of Cases (2006)	239	16
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Level of Adult Ph$	ysical Inactivity; Most AIDS	Cases; Most

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	135	14
Asthma: High School Students (2005)	18.4% (+/- 3.1)	29
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	25.0%	19
Infant Mortality: Per 1,000 Live Births (2005)	8.3	9
Low Birthweight: % of Total Births (2006)	8.8%	17
Overweight: High School Students (2005)	12.7% (+/- 2.7)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	14.2%	22
Pre-Term Labor: % of Live Births (2005)	13.0%	24
Tobacco: Current Smokers High School Students (2005)	24.4% (+/- 3.9)	9

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	111	19
Health Professions Shortage Areas - Mental Health (FY 2007)	49	15
Health Professions Shortage Areas - Dental Care (FY 2007)	86	14
Nursing Shortage Estimates (2010)	-12,100	12

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	96,000	7
Potential # of Episodes of Illness During a Severe Pandemic	3,396,000	7
Potential Financial Loss During a Severe Pandemic, % of GDP	5.54%	26
Potential Financial Loss During a Severe Pandemic, \$ amount	\$24.4 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: OHIO

Public Health Funding Facts		
Federal Funding for Ohio's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$15.08	44
Health Resources and Services Administration (HRSA) FY 2007	\$10.18	47
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.31	41
*Note: For rankings, $I = Most Funding$. $I = Highest Level of CDC Funding$	Per Capita; Highest Level of	HRSA Funding Per
Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Dep Other Public/Private Agencies (Select		&
Agency for Toxic Substances and Disease Registry (ATSDR)	ed Categories)	\$369,424
Birth Defects and Developmental Disabilities		\$1,097,460
Cancer		\$5,838,600
Chronic Disease Prevention and Health Promotion		\$2,796,266
Diabetes		\$1,388,880
Environmental Health		\$1,749,920
Heart Disease		
		\$969,341
HIV/AIDS		\$6,714,200
Immunization (Sect. 317 and Vaccines for Children Program)		\$68,472,058
Infectious Diseases		\$1,072,700
Injury and Violence Prevention		\$3,052,590
Nutrition and Physical Activity		\$50,460
Occupational Safety and Health		\$1,303,430
Pandemic Flu		\$6,497,320
Preventive Health and Health Services Block Grant		\$950,156
School Health		\$303,000
Sexually Transmitted Diseases (STD)		\$3,639,360
Tobacco		\$1,617,040
Terrorism Preparedness and Emergency Response		\$23,786,200
Tuberculosis		\$975,813
Total FY 2007 CDC Dollars (All Categories)**		\$172,898,33
FY 2007 HRSA Grants to States by Key Program	Area (Selected Catego	
Health Professions		\$5,956,96
HIV/AIDS		\$32,066,387
Maternal & Child Health		\$28,851,802
Primary Health Care		\$45,348,256
Total FY 2007 HRSA Dollars (All Categories)		\$116,712,67
FY 2007 Office of the Assistant Secretary for Preparedne	ss and Response Gran	
Hospital Preparedness Program (HPP)		\$15,050,914
Total FY 2007 ASPR HPP Dollars		\$15,050,914
State Spending		
State Per Capita Funding for Ohio's Health: \$13.07	State Per Capita Fund	ing Ranking: 4

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

THE STATE OF YOUR HEALTH: OKLAHOMA

		State Rank*
U.S. Census Bureau 2007 Data		State Hank
	3 4 1 7 3 1 4	N/A
Total Population	3,617,316	1N/A 8
% Uninsured, All Ages	12.5%	17
% Uninsured, 18 and under		17
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Age	s and 18 and under.	
Adult Health Indicators	1 20 40((+ / 0.0)	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	29.4% (+/- 0.8)	6
AIDS: Cumulative Cases Aged 13 & Over (2005)	4,626	29
Alzheimer's Disease: Estimated Cases (2000)	62,000	28
Asthma: 2004-2006 3 Yr Average (95% CI)	13.2% (+/- 0.6)	16
Cancer: Estimated New Cases (2008)	17,860	29
Chlamydia: Rates per 100,000 Population (2006)	366.2	18
Diabetes: 2004-2006 3 Yr Average (95% CI)	9.0% (+/- 0.4)	6
Human West Nile Virus: New Cases (2007)	101	- 11
Hypertension: 2001-2005 3 Yr Average (95% CI)	28.8% (+/- 0.8)	8
Obesity: 2004-2006 3 Yr Average (95 % CI)	26.8% (+/-0.8)	9
Syphilis: Rates per 100,000 Population (2006)	2.0	23
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	25.4% (+/- 0.8)	3
Tuberculosis: Number of Cases (2006)	144	22
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physics	sical Inactivity; Most AIDS (Cases; Most
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest	•	
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest	Rates of Obesity; Highest R	lates of
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
Child/Adolescent Health Indicator	s	
AIDS: Cumulative Cases Under Age 13 (2005)	25	33
Asthma: High School Students (2005)	19.6% (+/- 2.3)	19
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	22.4%	28
Infant Mortality: Per 1,000 Live Births (2005)	8.1	П
Low Birthweight: % of Total Births (2006)	8.3%	23
Overweight: High School Students (2005)	15.2% (+/- 2.0)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	15.4%	17
Pre-Term Labor: % of Live Births (2005)	13.1%	20
Tobacco: Current Smokers High School Students (2005)	28.6% (+/- 3.4)	I
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest	Rates of Asthma; Highest I	Rates of Not-
Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth	Weight Babies; Highest Ra	ites of
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H	lighest Rates of Pre-Term La	ibor Babies;
Highest Rates of Current High School Smokers.		
Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	143	10
Health Professions Shortage Areas - Mental Health (FY 2007)	35	33
Treater From Strong Strong Cape From Care From Care (Fr 2007)	34	39
Health Professions Shortage Areas - Dental Care (FY 2007)	31	43
	-500	
Health Professions Shortage Areas - Dental Care (FY 2007)	-500	
Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	-500 Care HPSAs; Highest Num	
Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary	-500 Care HPSAs; Highest Num Estimate	
Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage B	-500 Care HPSAs; Highest Num Estimate	
Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Beat Pandemic Preparedness Key Facts	-500 v Care HPSAs; Highest Num Estimate s	nber of Menta
Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Beat Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic	-500 v Care HPSAs; Highest Num Estimate s 28,000	nber of Menta
Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Beat Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP	-500 / Care HPSAs; Highest Num Estimate \$ 28,000 1,046,000 5.55%	nber of Mental
Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Beat Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic	-500 / Care HPSAs; Highest Num Estimate 28,000 1,046,000 5.55% \$6.7 Billion	27 28 25 N/A

THE STATE OF YOUR HEALTH: **OKLAHOMA**

Public Health Funding Facts		
Federal Funding for Oklahoma's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$23.01	23
Health Resources and Services Administration (HRSA) FY 2007	\$12.25	41
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.39	23
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of I	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Dep		&
Other Public/Private Agencies (Selected	ed Categories)	
Agency for Toxic Substances and Disease Registry (ATSDR)		N/A
Birth Defects and Developmental Disabilities		\$459,456
Cancer		\$4,423,940
Chronic Disease Prevention and Health Promotion		\$3,354,364
Diabetes		\$533,634
Environmental Health		\$512,450
Heart Disease		\$749,75 I
HIV/AIDS		\$2,697,620
Immunization (Sect. 317 and Vaccines for Children Program)		\$41,537,033
Infectious Diseases		\$100,402
Injury and Violence Prevention		\$1,498,170
Nutrition and Physical Activity		\$433,437
Occupational Safety and Health		\$176,403
Pandemic Flu		\$2,324,470
Preventive Health and Health Services Block Grant		\$930,918
School Health		\$364,370
Sexually Transmitted Diseases (STD)		\$1,199,720
Tobacco		\$1,908,030
Terrorism Preparedness and Emergency Response		\$9,882,270
Tuberculosis		\$748,653
Total FY 2007 CDC Dollars (All Categories)**		\$83,220,349
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	ries)
Health Professions		\$3,256,584
HIV/AIDS		\$11,025,992
Maternal & Child Health		\$10,361,834
Primary Health Care		\$16,452,721
Total FY 2007 HRSA Dollars (All Categories)		\$44,310,900
FY 2007 Office of the Assistant Secretary for Preparedne	ss and Response Gran	ts to States
Hospital Preparedness Program (HPP)		\$5,037,444
Total FY 2007 ASPR HPP Dollars		\$5,037,444
State Spending		
State Per Capita Funding for Oklahoma's Health: \$66.36	State Per Capita Fundi	ng Ranking: 11
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Publication	lic Health.	

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: OREGON

OREGON		
-		State Rank*
U.S. Census Bureau 2007 Data	•	
Total Population	3,747,455	N/A
% Uninsured, All Ages	17.9%	- 11
% Uninsured, 18 and under	13.1%	13
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ag$	es and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	17.4% (+/- 0.7)	49
AIDS: Cumulative Cases Aged 13 & Over (2005)	5,721	27
Alzheimer's Disease: Estimated Cases (2000)	57,000	29
Asthma: 2004-2006 3 Yr Average (95% CI)	15.1% (+/- 0.6)	1
Cancer: Estimated New Cases (2008)	19,230	26
Chlamydia: Rates per 100,000 Population (2006)	263.0	41
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.7% (+/- 0.4)	37
Human West Nile Virus: New Cases (2007)	26	22
Hypertension: 2001-2005 3 Yr Average (95% CI)	24.2% (+/- 0.8)	32
Obesity: 2004-2006 3 Yr Average (95 % CI)	23.3% (+/- 0.8)	30
Syphilis: Rates per 100,000 Population (2006)	0.8	42
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	19.0% (+/- 0.7)	41
Tuberculosis: Number of Cases (2006)	81	32
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Ph Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	, t Rates of Chlamydia; Highe	est Rate of
Child/Adolescent Health Indicato	rs	

Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	19	36
Asthma: High School Students (2005)	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	26.8%	13
Infant Mortality: Per 1,000 Live Births (2005)	5.9	38
Low Birthweight: % of Total Births (2006)	6.1%	50
Overweight: High School Students (2005)	N/A	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	14.1%	23
Pre-Term Labor: % of Live Births (2005)	10.2%	50
Tobacco: Current Smokers High School Students (2005)	N/A	N/A

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	91	26
Health Professions Shortage Areas - Mental Health (FY 2007)	39	27
Health Professions Shortage Areas - Dental Care (FY 2007)	54	30
Nursing Shortage Estimates (2010)	-5,300	21

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts			
Potential # of Deaths During a Severe Pandemic	28,000	29	
Potential # of Episodes of Illness During a Severe Pandemic	1,082,000	27	
Potential Financial Loss During a Severe Pandemic, % of GDP	5.46%	31	
Potential Financial Loss During a Severe Pandemic, \$ amount	\$7.9 Billion	N/A	

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: **OREGON**

Public Health Funding Facts		
Federal Funding for Oregon's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$16.78	40
Health Resources and Services Administration (HRSA) FY 2007	\$17.65	21
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.39	24
*Note: For rankings. I = Most Funding. I = Highest Level of CDC Funding Per Cabita: Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of I	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Department of the Public Private Agencies (Selected)		&
Agency for Toxic Substances and Disease Registry (ATSDR)		\$410,919
Birth Defects and Developmental Disabilities		\$1,109,880
Cancer		\$4,426,860
Chronic Disease Prevention and Health Promotion		\$1,886,030
Diabetes		\$822,353
Environmental Health		\$2,074,660
Heart Disease		\$342,102
HIV/AIDS		\$3,795,650
Immunization (Sect. 317 and Vaccines for Children Program)		\$24,285,224
Infectious Diseases		\$1,405,570
Injury and Violence Prevention		\$2,210,150
Nutrition and Physical Activity		\$986,362
Occupational Safety and Health		\$410,438
Pandemic Flu		\$2,523,960
Preventive Health and Health Services Block Grant		\$735,018
School Health		\$662,221
Sexually Transmitted Diseases (STD)		\$1,393,190
Тоbассо		\$1,908,030
Terrorism Preparedness and Emergency Response		\$8,857,810
Tuberculosis		\$693,118
Total FY 2007 CDC Dollars (All Categories)**		\$62,864,566
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	ries)
Health Professions		\$2,626,526
HIV/AIDS		\$11,655,603
Maternal & Child Health		\$10,283,606
Primary Health Care		\$37,404,255
Total FY 2007 HRSA Dollars (All Categories)		\$66,149,631
FY 2007 Office of the Assistant Secretary for Preparedne	ss and Response Grant	ts to States
Hospital Preparedness Program (HPP)		\$5,191,530
Total FY 2007 ASPR HPP Dollars		\$5,191,530
State Spending		
State Per Capita Funding for Oregon's Health: \$28.99	State Per Capita Fundi	ng Ranking: 28
*Note: For rankings, $I = Most Funding$. $I = Highest State Funding for Published$	ic Health.	

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: PENNSYLVANIA

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	12,432,792	N/A
% Uninsured, All Ages	10.0%	45
% Uninsured, 18 and under	7.3%	39
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ag		
Adult Health Indicators	,	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	24.4% (+/- 0.8)	20
AIDS: Cumulative Cases Aged 13 & Over (2005)	31,619	7
Alzheimer's Disease: Estimated Cases (2000)	280,000	4
Asthma: 2004-2006 3 Yr Average (95% CI)	12.1% (+/- 0.6)	33
Cancer: Estimated New Cases (2008)	70,110	5
, ,	317.7	3
Chlamydia: Rates per 100,000 Population (2006)		
Diabetes: 2004-2006 3 Yr Average (95% CI)	8.2% (+/- 0.4)	13
Human West Nile Virus: New Cases (2007)	9	33
Hypertension: 2001-2005 3 Yr Average (95% CI)	27.3% (+/- 0.8)	13
Obesity: 2004-2006 3 Yr Average (95 % CI)	24.5% (+/- 0.7)	23
Syphilis: Rates per 100,000 Population (2006)	2.1	22
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	22.6% (+/- 0.8)	15
Tuberculosis: Number of Cases (2006)	338	9
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Ph		
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest		
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highes	t Rates of Obesity; Highest R	ates of
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
	AMC .	
Child/Adolescent Health Indicato		
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005)	358	6
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005)		N/A
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without	358 N/A	N/A
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	358 N/A 19.2%	N/A
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005)	358 N/A 19.2% 7.3	N/A 47 20
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006)	358 N/A 19.2% 7.3 8.4%	N/A 47 20 2
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)	358 N/A 19.2% 7.3 8.4% N/A	1 47 20 2 N/A
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004)	358 N/A 19.2% 7.3 8.4% N/A 13.3%	N/A 47 20 2 N/A 29
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005)	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9%	N/A 4: 20 2 N/A 20 34
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005)	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A	N/A 4: 20 2 N/A 29 34
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A st Rates of Asthma; Highest F	N/A 47 20 2 N/A 29 34 N/A Rates of Not
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Rath Rath Rath Rath Rath Rath Rat	N/A 4: 20 2 N/A 29 3. N/A Rates of Notites of
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds;	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Rath Rath Rath Rath Rath Rath Rat	N/A 4: 20 2 N/A 29 3 N/A Rates of Not
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Highest Rates of Pre-Term Lath	N/A 47 20 21 N/A 29 34 N/A Rates of Not
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Highest Rates of Pre-Term Lath	N/A 47 20 21 N/A 29 34 N/A Rates of Not ites of ibor Babies;
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A St Rates of Asthma; Highest Rath Weight Babies; Highest Rath Highest Rates of Pre-Term Lath	N/A 47 20 21 N/A 29 34 N/A Rates of Not tes of bor Babies;
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A 13.4% N/A 13.	N/A 47 20 21 N/A 29 34 N/A Rates of Not ttes of bor Babies;
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007)	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A St Rates of Asthma; Highest Rath Weight Babies; Highest Rath Highest Rates of Pre-Term Lath 171 81 128	N/A 47 20 21 N/A 29 3 ² N/A Rates of Notites of labor Babies;
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, 1 = Worst Health Outcome. 1 = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A 13.6 11.9% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Highest Rates of Pre-Term Late 171 81 128 -21,100	N/A 47 20 21 N/A 29 34 N/A Rates of Not tes of bor Babies;
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prima	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A 13.3% 11.996 N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Numerous Rath Weight Babies; Highest Rath Weigh	N/A 47 20 21 N/A 29 34 N/A Rates of Not tes of bor Babies;
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prima Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A 13.3% 11.9% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Highest Rates of Pre-Term Lath Highest Rates of Pre-Term Lath Lath Lath Lath Lath Lath Lath Lath	N/A 47 20 21 N/A 29 34 N/A Rates of Not tes of bor Babies;
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bird Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prima Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fac	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A 13.396 11.9% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rath Highest Rates of Pre-Term Lath Rate Soft Pre-Term Rate Soft Pre-Term Rate Soft Pre-Term Rate Soft Pre-Term Rate Soft	N/A 4: 20 2 N/A 29 34 N/A Rates of Not tes of bor Babies;
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I 0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prima Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A 13.3% 11.9% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Number Estimate 171 81 128 -21,100 177 Estimate 113,000	N/A 47 20 21 N/A 29 34 N/A Rates of Not ites of ibor Babies;
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prima Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A 13.396 11.9% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rath Weight Babies; Highest Rates of Pre-Term Lath Weight Babies; Highest Rates	N/A 47 20 21 N/A 29 34 N/A Rates of Not tes of labor Babies;
Child/Adolescent Health Indicato AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: I 0 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prima Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact	358 N/A 19.2% 7.3 8.4% N/A 13.3% 11.9% N/A 13.3% 11.9% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Number Estimate 171 81 128 -21,100 177 Estimate 113,000	N/A 47 20 21 N/A 29 34 N/A Rates of Not tes of bor Babies;

THE STATE OF YOUR HEALTH: PENNSYLVANIA

Public Health Funding Facts		
Federal Funding for Pennsylvania's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$15.30	43
Health Resources and Services Administration (HRSA) FY 2007	\$13.65	34
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.31	43
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

Capita; Highest ASPR Funding Per Capita. FY 2007 CDC Funds for State/Local Health Departments, Universities & Other Public/Private Agencies (Selected Categories) Agency for Toxic Substances and Disease Registry (ATSDR) \$411,752 Birth Defects and Developmental Disabilities \$2,038,730 Cancer \$4,012,530 Chronic Disease Prevention and Health Promotion \$5,519,292 **Diabetes** \$564,951 Environmental Health \$4,372,540 Heart Disease N/A HIV/AIDS \$16,066,000 Immunization (Sect. 317 and Vaccines for Children Program) \$60,880,087 \$1,105,400 Infectious Diseases Injury and Violence Prevention \$7,060,940 Nutrition and Physical Activity \$1,343,390 \$1,378,640 Occupational Safety and Health Pandemic Flu \$7,426,700 Preventive Health and Health Services Block Grant \$1,191,370 \$682,583 School Health Sexually Transmitted Diseases (STD) \$4,482,530 \$1,417,245 Tobacco Terrorism Preparedness and Emergency Response \$26,987,768 Tuberculosis \$1,386,590 Total FY 2007 CDC Dollars (All Categories)** \$190,255,436 FY 2007 HRSA Grants to States by Key Program Area (Selected Categories) Health Professions \$13,153,776 HIV/AIDS \$68,975,069 Maternal & Child Health \$34,470,940 \$49,890,366 Primary Health Care **Total FY 2007 HRSA Dollars (All Categories)** \$169,656,302 FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States Hospital Preparedness Program (HPP) \$16,271,242 **Total FY 2007 ASPR HPP Dollars** \$16,271,242 **State Spending** State Per Capita Funding for Pennsylvania's Health: \$19.26 State Per Capita Funding Ranking: 37

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: **RHODE ISLAND**

		State Rank*
U.S. Census Bureau 2007 Da	ıta	
Total Population	1,057,832	N/A
% Uninsured, All Ages	8.6%	51
% Uninsured, 18 and under	4.1%	51
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All$	l Ages and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	25.0% (+/- 1.0)	16
AIDS: Cumulative Cases Aged 13 & Over (2005)	2,476	38
Alzheimer's Disease: Estimated Cases (2000)	24,000	38
Asthma: 2004-2006 3 Yr Average (95% CI)	15.1% (+/- 0.8)	I
Cancer: Estimated New Cases (2008)	6,120	43
Chlamydia: Rates per 100,000 Population (2006)	292.0	33
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.0% (+/- 0.5)	31
Human West Nile Virus: New Cases (2007)	1	41
Hypertension: 2001-2005 3 Yr Average (95% CI)	26.9% (+/- 0.9)	18
Obesity: 2004-2006 3 Yr Average (95 % CI)	20.5% (+/- 0.9)	46
Syphilis: Rates per 100,000 Population (2006)	1.3	35
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	20.1% (+/- 1.0)	30
Tuberculosis: Number of Cases (2006)	26	41

Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	27	31
Asthma: High School Students (2005)	20.1% (+/- 2.5)	15
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	19.4%	45
Infant Mortality: Per 1,000 Live Births (2005)	6.5	32
Low Birthweight: % of Total Births (2006)	8.0%	32
Overweight: High School Students (2005)	12.9% (+/- 1.7)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	11.9%	41
Pre-Term Labor: % of Live Births (2005)	12.1%	32
Tobacco: Current Smokers High School Students (2005)	15.9% (+/- 2.9)	38

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	19	49
Health Professions Shortage Areas - Mental Health (FY 2007)	16	47
Health Professions Shortage Areas - Dental Care (FY 2007)	16	48
Nursing Shortage Estimates (2010)	-3,000	30

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	9,000	41
Potential # of Episodes of Illness During a Severe Pandemic	318,000	43
Potential Financial Loss During a Severe Pandemic, % of GDP	5.29%	45
Potential Financial Loss During a Severe Pandemic, \$ amount	\$2.3 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: **RHODE ISLAND**

Public Health Funding Facts		
Federal Funding for Rhode Island's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$33.60	6
Health Resources and Services Administration (HRSA) FY 2007	\$21.74	13
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.75	8
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of Capita; Highest ASPR Funding Per Capita.	HRSA Funding Per	
FY 2007 CDC Funds for State/Local Health Departments, Universities &		
Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)	N/A	
Birth Defects and Developmental Disabilities	\$319,897	
Cancer	\$1,338,253	
Chronic Disease Prevention and Health Promotion	\$665,607	
Diabetes	\$822,597	
Environmental Health	\$1,442,700	
Heart Disease	\$282,969	
HIV/AIDS	\$2,371,980	
Immunization (Sect. 317 and Vaccines for Children Program)	\$15,506,813	
Infectious Diseases	\$246,386	
Injury and Violence Prevention	\$925,777	
Nutrition and Physical Activity	\$418,622	
Occupational Safety and Health	N/A	
Pandemic Flu	\$1,110,190	
Preventive Health and Health Services Block Grant	\$467,425	
School Health	\$827,111	
Sexually Transmitted Diseases (STD)	\$413,167	
Tobacco	\$1,266,207	
Terrorism Preparedness and Emergency Response	\$5,048,930	
Tuberculosis	\$473,779	
Total FY 2007 CDC Dollars (All Categories)**		
FY 2007 HRSA Grants to States by Key Program Area (Selected Catego	ries)	
Health Professions	\$2,095,777	
HIV/AIDS	\$5,677,108	
Maternal & Child Health	\$2,849,252	
Primary Health Care	\$11,534,315	
Total FY 2007 HRSA Dollars (All Categories)	\$22,995,789	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grant	ts to States	
Hospital Preparedness Program (HPP)	\$1,853,432	
Total FY 2007 ASPR HPP Dollars	\$1,853,432	
State Spending		
State Per Capita Funding for Rhode Island's Health: \$46.74 State Per Capita Funding Ranking: 17		
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: SOUTH CAROLINA

		tate Rank [*]
U.S. Census Bureau 2007 Data		
Total Population	4,407,709	N/A
% Uninsured, All Ages	15.9%	18
% Uninsured, 18 and under	10.7%	19
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ag$	ges and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	24.8% (+/- 0.7)	17
AIDS: Cumulative Cases Aged 13 & Over (2005)	12,614	18
Alzheimer's Disease: Estimated Cases (2000)	67,000	26
Asthma: 2004-2006 3 Yr Average (95% CI)	11.5% (+/- 0.5)	40
Cancer: Estimated New Cases (2008)	20,740	2.
Chlamydia: Rates per 100,000 Population (2006)	525.3	4
Diabetes: 2004-2006 3 Yr Average (95% CI)	9.4% (+/- 0.4)	3
Human West Nile Virus: New Cases (2007)	5	36
Hypertension: 2001-2005 3 Yr Average (95% CI)	29.7% (+/- 0.8)	(
Obesity: 2004-2006 3 Yr Average (95 % CI)	27.8% (+/- 0.7)	Ţ
Syphilis: Rates per 100,000 Population (2006)	1.6	30
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	23.0% (+/- 0.7)	13
Tuberculosis: Number of Cases (2006)	222	17
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Ph. Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highes Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highes Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	t Rates of Chlamydia; Highest t Rates of Obesity; Highest Ra	Rate of
Child/Adolescent Health Indicato		
AIDS: Cumulative Cases Under Age 13 (2005)	101	31
Asthma: High School Students (2005)	19.0% (+/- 3.3)	24
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	20.4%	40
Infant Mortality: Per 1,000 Live Births (2005)	9.4	4
Low Birthweight: % of Total Births (2006)	10.1%	į
Overweight: High School Students (2005)	12.7% (+/- 2.9)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	18.9%	-
Pre-Term Labor: % of Live Births (2005)	15.6%	Ĺ
Tobacco: Current Smokers High School Students (2005)	23.5% (+/- 3.9)	12
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt		

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	87	29
Health Professions Shortage Areas - Mental Health (FY 2007)	41	24
Health Professions Shortage Areas - Dental Care (FY 2007)	65	20
Nursing Shortage Estimates (2010)	-5,200	22

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	31,000	25
Potential # of Episodes of Illness During a Severe Pandemic	1,256,000	25
Potential Financial Loss During a Severe Pandemic, % of GDP	5.62%	20
Potential Financial Loss During a Severe Pandemic, \$ amount	\$ 7.9 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: SOUTH CAROLINA

Public Health Funding Facts		
Federal Funding for South Carolina's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$19.84	32
Health Resources and Services Administration (HRSA) FY 2007	\$23.14	10
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.36	29

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.				
FY 2007 CDC Funds for State/Local Health Departments, Universities & Other Public/Private Agencies (Selected Categories)				
Agency for Toxic Substances and Disease Registry (ATSDR)	N/A			
Birth Defects and Developmental Disabilities	\$912,502			
Cancer	\$4,408,040			
Chronic Disease Prevention and Health Promotion	\$2,715,247			
Diabetes	\$1,410,680			
Environmental Health	\$180,000			
Heart Disease	\$1,100,000			
HIV/AIDS	\$6,930,190			
Immunization (Sect. 317 and Vaccines for Children Program)	\$45,708,135			
Infectious Diseases	\$310,217			
Injury and Violence Prevention	\$2,263,150			
Nutrition and Physical Activity	\$960,261			
Occupational Safety and Health	\$66,419			
Pandemic Flu	\$2,682,110			
Preventive Health and Health Services Block Grant	\$307,746			
School Health	\$831,405			
Sexually Transmitted Diseases (STD)	\$1,705,300			
Tobacco	\$1,307,963			
Terrorism Preparedness and Emergency Response	\$10,806,000			
Tuberculosis	\$1,162,150			
Total FY 2007 CDC Dollars (All Categories)**	\$87,439,287			
FY 2007 HRSA Grants to States by Key Program Area (Selected Catego	ries)			
Health Professions	\$4,439,003			
HIV/AIDS	\$35,074,331			
Maternal & Child Health	\$15,793,402			
Primary Health Care	\$43,877,089			
Total FY 2007 HRSA Dollars (All Categories)	\$101,988,488			
FY 2007 Office of the Assistant Secretary for Preparedness and Response Gran	ts to States			
Hospital Preparedness Program (HPP)	\$5,978,140			
Total FY 2007 ASPR HPP Dollars	\$5,978,140			
State Spending				
State Per Capita Funding for South Carolina's Health: \$38.24 State Per Capita Funding Ranking: 24				
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.				

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: SOUTH DAKOTA

		State Rank*			
U.S. Census Bureau 2007 Data					
Total Population	796,214	N/A			
% Uninsured, All Ages	11.8%	35			
% Uninsured, 18 and under	9.2%	28			
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ages a$	nd 18 and under.				
Adult Health Indicators					
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	21.8% (+/- 0.7)	34			
AIDS: Cumulative Cases Aged 13 & Over (2005)	239	49			
Alzheimer's Disease: Estimated Cases (2000)	17,000	44			
Asthma: 2004-2006 3 Yr Average (95% CI)	10.5% (+/- 0.6)	50			
Cancer: Estimated New Cases (2008)	4,080	46			
Chlamydia: Rates per 100,000 Population (2006)	339.3	25			
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.5% (+/- 0.4)	40			
Human West Nile Virus: New Cases (2007)	207	5			
Hypertension: 2001-2005 3 Yr Average (95% CI)	24.7% (+/- 0.7)	29			
Obesity: 2004-2006 3 Yr Average (95 % CI)	24.9% (+/- 0.8)	20			
Syphilis: Rates per 100,000 Population (2006)	1.7	27			
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	20.2% (+/- 0.8)	29			
Tuberculosis: Number of Cases (2006)	14	47			
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Highest Level of Adult Physical}$	al Inactivity: Most AIDS				
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Ra	•				
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Ra	tes of Obesity; Highest I	Rates of			
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.					
Child/Adolescent Health Indicators					
AIDS: Cumulative Cases Under Age 13 (2005)	5	47			
Asthma: High School Students (2005)	16.2% (+/- 2.4)	35			
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	25.6%	16			
Infant Mortality: Per 1,000 Live Births (2005)	7.2	22			
Low Birthweight: % of Total Births (2006)	7.0%	38			
Overweight: High School Students (2005)	10.4% (+/- 2.1)	N/A			
Overweight: 10 to 17 Year Olds (2003-2004)	12.1%	39			
Pre-Term Labor: % of Live Births (2005)	11.5%	36			
Tobacco: Current Smokers High School Students (2005)	28.2% (+/- 7.6)	2			
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rc Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth W					
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; High		•			
Highest Rates of Current High School Smokers.	•				
Other Public Health Indicators					
Health Professions Shortage Areas - Primary Care (FY 2007)	80	33			
Health Professions Shortage Areas - Mental Health (FY 2007)	34	34			
Health Professions Shortage Areas - Dental Care (FY 2007)	40	34			
Nursing Shortage Estimates (2010)	-200	46			
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Highest Number of Primary Continuous}$	are HPSAs; Highest Nun	nber of Mental			
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate					
Pandemic Preparedness Key Facts					
Potential # of Deaths During a Severe Pandemic	6,000	47			
Potential # of Episodes of Illness During a Severe Pandemic	229,000	46			
Potential Financial Loss During a Severe Pandemic, % of GDP	5.71%	16			
Potential Financial Loss During a Severe Pandemic, \$ amount	\$1.8 Billion	N/A			
	*Note: For rankings, $I = \text{Worst Outcome}$. $I = \text{Highest Number of Potential Deaths}$; Highest Number of Potential Sick Workers; Highest Financial Losses.				

THE STATE OF YOUR HEALTH: SOUTH DAKOTA

Public Health Funding Facts				
Federal Funding for South Dakota's Public Health	Per Capita Funding	State Rank*		
U.S. Centers for Disease Control (CDC) FY 2007	\$30.80	10		
Health Resources and Services Administration (HRSA) FY 2007	\$22.02	12		
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.87	5		
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of I	HRSA Funding Per		
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&		
Agency for Toxic Substances and Disease Registry (ATSDR)		N/A		
Birth Defects and Developmental Disabilities		\$534,474		
Cancer		\$2,075,250		
Chronic Disease Prevention and Health Promotion		\$141,803		
Diabetes		\$291,260		
Environmental Health		N/A		
Heart Disease		\$162,831		
HIV/AIDS		\$726,375		
Immunization (Sect. 317 and Vaccines for Children Program)		\$11,460,036		
Infectious Diseases		\$59,959		
Injury and Violence Prevention		\$106,574		
Nutrition and Physical Activity		\$424,384		
Occupational Safety and Health		N/A		
Pandemic Flu		\$936,596		
Preventive Health and Health Services Block Grant		\$230,274		
School Health		\$642,173		
·				

Tuberculosis	\$237,906	
Total FY 2007 CDC Dollars (All Categories)**	\$24,523,465	
FY 2007 HRSA Grants to States by Key Program Area (Selected Categories)		
Health Professions	\$1,328,915	
HIV/AIDS	\$1,179,730	
Maternal & Child Health	\$4,412,431	
Primary Health Care	\$8,304,190	
Total FY 2007 HRSA Dollars (All Categories)	\$17,529,729	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)	\$1,491,255	
Total FY 2007 ASPR HPP Dollars	\$1,491,255	

Sexually Transmitted Diseases (STD)

Terrorism Preparedness and Emergency Response

State Per Capita Funding for South Dakota's Health: \$22.23

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

Tobacco

\$208,185

\$1,258,266

\$4,865,610

State Per Capita Funding Ranking: 32

State Spending

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: TENNESSEE

		State Rank [*]
U.S. Census Bureau 2007 Data	1	
Total Population	6,156,719	N/A
% Uninsured, All Ages	13.7%	27
% Uninsured, 18 and under	6.4%	43
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All A$	ges and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	30.5% (+/- 1.1)	4
AIDS: Cumulative Cases Aged 13 & Over (2005)	11,810	19
Alzheimer's Disease: Estimated Cases (2000)	100,000	14
Asthma: 2004-2006 3 Yr Average (95% CI)	12.4% (+/- 0.8)	2
Cancer: Estimated New Cases (2008)	29,390	1
Chlamydia: Rates per 100,000 Population (2006)	424.6	10
Diabetes: 2004-2006 3 Yr Average (95% CI)	9.4% (+/- 0.6)	
Human West Nile Virus: New Cases (2007)	10	3
Hypertension: 2001-2005 3 Yr Average (95% CI)	29.9% (+/- 1.1)	
Obesity: 2004-2006 3 Yr Average (95 % CI)	27.8% (+/- 1.2)	
Syphilis: Rates per 100,000 Population (2006)	4.2	
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	25.1% (+/- 1.1)	
Tuberculosis: Number of Cases (2006)	279	13
Child/Adolescent Health Indicate	ors 57	2
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005)	18.9% (+/- 2.1)	2
Immunization Gap: Children Aged 19-35 Months without	10.770 (17-2.1)	
All Immunizations (2006)	23.2%	2
Infant Mortality: Per 1,000 Live Births (2005)	8.9	
Low Birthweight: % of Total Births (2006)	9.6%	
Overweight: High School Students (2005)	14.6% (+/- 2.6)	N//
Overweight: 10 to 17 Year Olds (2003-2004)	20.0%	
Pre-Term Labor: % of Live Births (2005)	14.7%	
Tobacco: Current Smokers High School Students (2005)	26.3% (+/- 3.4)	
*Note: For rankings, $I = Worst Health Outcome$. $I = Most AIDS Cases$; Highe	est Rates of Asthma; Highest F	Rates of Not
Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bir	rth Weight Babies; Highest Ra	ites of
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds;	Highest Rates of Pre-Term La	ıbor Babies;
Highest Rates of Current High School Smokers. Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	120	I.
Health Professions Shortage Areas - Hilliany Care (FT 2007) Health Professions Shortage Areas - Mental Health (FY 2007)	46	1
Health Professions Shortage Areas - Dental Care (FY 2007)	125	
Nursing Shortage Estimates (2010)	-18,500	
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Highest Number of Prime}$		
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage	-	.201 01 111011
Pandemic Preparedness Key Fac	ets	
Potential # of Deaths During a Severe Pandemic	45,000	10
Potential # of Episodes of Illness During a Severe Pandemic	1,767,000	10
Potential Financial Loss During a Severe Pandemic, % of GDP	5.98%	
	#12 7 D:II:	N 1 /

*Note: For rankings, I =Worst Outcome. I =Highest Number of Potential Deaths; Highest Number of Potential Sick

\$13.7 Billion

N/A

Potential Financial Loss During a Severe Pandemic, \$ amount

Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: TENNESSEE

Public Health Funding Facts		
Federal Funding for Tennessee's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$25.34	16
Health Resources and Services Administration (HRSA) FY 2007	\$15.09	31
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.32	38
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

Capita; Highest ASPR Funding Per Capita. FY 2007 CDC Funds for State/Local Health Departments, Universities & Other Public/Private Agencies (Selected Categories) Agency for Toxic Substances and Disease Registry (ATSDR) \$184,792 Birth Defects and Developmental Disabilities \$1,928,900 Cancer \$1,889,500 Chronic Disease Prevention and Health Promotion \$490,818 **Diabetes** \$321,265 Environmental Health \$414,358 Heart Disease \$350,000 HIV/AIDS \$5,427,440 Immunization (Sect. 317 and Vaccines for Children Program) \$49,733,275 Infectious Diseases \$2,035,520 Injury and Violence Prevention \$2,002,400 Nutrition and Physical Activity N/A N/A Occupational Safety and Health Pandemic Flu \$3,884,040 Preventive Health and Health Services Block Grant \$1,609,490 School Health \$949,630 Sexually Transmitted Diseases (STD) \$2,721,240 Tobacco \$760,111 Terrorism Preparedness and Emergency Response \$12,842,700 **Tuberculosis** \$1,371,540 Total FY 2007 CDC Dollars (All Categories)** \$155,991,446 FY 2007 HRSA Grants to States by Key Program Area (Selected Categories) Health Professions \$16,630,209 HIV/AIDS \$23,135,328 Maternal & Child Health \$14,547,496 Primary Health Care \$35,169,129 **Total FY 2007 HRSA Dollars (All Categories)** \$92,932,687 FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States Hospital Preparedness Program (HPP) \$8,155,520 **Total FY 2007 ASPR HPP Dollars** \$8,155,520

State Spending

State Per Capita Funding Ranking: 19

State Per Capita Funding for Tennessee's Health: \$43.79

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



Workers; Highest Financial Losses.

THE STATE OF YOUR HEALTH: TEXAS

% Uninsured, All Ages 24.5% % Uninsured, 18 and under 21.2% *Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages and 18 and under. Adult Health Indicators Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) 27.4% (+/- 1.0) AlDS: Cumulative Cases Aged 13 & Over (2005) 66.836 Alzheimer's Disease: Estimated Cases (2000) 270,000 Asthan: 2004-2006 3 Yr Average (95% CI) 11.8% (+/- 0.7) Cancer: Estimated New Cases (2008) 96,320 Chlamydia: Rates per 100,000 Population (2006) 330.5 Diabetes: 2004-2006 3 Yr Average (95% CI) 7.8% (+/- 0.5) Human West Nile Virus: New Cases (2007) 219 Hypertension: 2001-2003 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 26.3% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 26.3% (+/- 0.9) Syphilis: Rates per 100,000 Population (2006) 4.7 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 19.4% (+/- 0.8) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 19.4% (+/- 0.8) Tobacco: Sees: Highest Rates of Asthmm. Kins New Cases of Cancer: Highest Rates of Obesity: Highest Rates of National R			State Rank
Total Population	U.S. Census Bureau 2007 Data		
% Uninsured, All Ages 24.5% % Uninsured, 18 and under 21.2% **Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages and 18 and under. Adult Health Indicators Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) 27.4% (+/- I.0) AIDS: Cumulative Cases Aged 13 & Over (2005) 66.836 Alzheimer's Disease: Estimated Cases (2000) 270,000 Asthma: 2004-2006 3 Yr Average (95% CI) 11.8% (+/- 0.7) Cancer: Estimated New Cases (2008) 96,320 Chlamydia: Rates per 100,000 Population (2006) 330.5 Diabetes: 2004-2006 3 Yr Average (95% CI) 7.8% (+/- 0.5) Human West Nile Virus: New Cases (2007) 219 Hypertension: 2001-2005 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 26.3% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 26.3% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 19.4% (+/- 0.8) Tuberculosis: Number of Cases (2006) 1,585 Tuberculosis: Number of Cases (2005) 19.4% (+/- 0.8) Tuberculosis: Number of Cases (2006) 1,585 **Note: For rankings. I = Worst Health Outcome. I = Highest Level		23,904,380	N/A
% Uninsured, 18 and under 1 = Highest Rate of Uninsured All Ages and 18 and under. Adult Health Indicators Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) 27.4% (+/- 1.0) Alult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) 27.4% (+/- 1.0) AIDS: Cumulative Cases Aged 13 & Over (2005) 66.836 Alzheimer's Disease: Estimated Cases (2000) 270,000 Asthma: 2004-2006 3 Yr Average (95% CI) 11.8% (+/- 0.7) Cancer: Estimated New Cases (2008) 96,320 Chlamydia: Rates per 100,000 Population (2006) 330.5 Diabeters: 2004-2006 3 Yr Average (95% CI) 7.8% (+/- 0.5) Human West Nile Virus: New Cases (2007) 219 Hyperrension: 2001-2005 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95 % CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95 % CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95 % CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95 % CI) 19.4% (+/- 0.8) Tuberculosis: Number of Cases (2006) 1.585	•		<u> </u>
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages and 18 and under. Adult Health Indicators Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) 27.4% (+/- 1.0) AlDS: Cumulative Cases Aged 13 & Over (2005) 66.836 Alzheimer's Disease: Estimated Cases (2000) 270,000 Asthma: 2004-2006 3 Yr Average (95% CI) 11.8% (+/- 0.7) Cancer: Estimated New Cases (2008) 96,320 Chlamydia: Rates per 100,000 Population (2006) 330.5 Diabetes: 2004-2006 3 Yr Average (95% CI) 7.8% (+/- 0.5) Human West Nile Virus: New Cases (2007) 219 Hypertension: 2001-2005 3 Yr Average (95% CI) 7.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95 % CI) 26.3% (+/- 0.9) Syphilis: Rates per 100,000 Population (2006) 4.7 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 19.4% (+/- 0.8) Tüberculosis: Number of Cases (2006) 1,585 "Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AlDS Cases; Natheimer's Cases: Highest Rates of Asthma: Most New Cases of Cancer; Highest Rates of Obestry; Highest Rates of Diabetes; Most Cases of West Nile Virus: Highest Rates of Hypertension: Highest Rates of Obestry; Highest Rates of Syphilis; Highest Rates of Such Cases of Tuberculosis: **Child/Adolescent Health Indicators** AlDS: Cumulative Cases Under Age I 3 (2005) 391 Asthma: High School Students (2005) 18.2% (+/- 2.2) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) 18.4% Overweight: High School Students (2005) 19.1% Tobacco: Current Smokers: High School Students (2005) 19.1% Tobacco: Current Smokers High School Students (2005) 19.1% There-Term Labor: 9% of Live Births (2005) 19.1% Tobacco: Current Smokers High School Students (2005) 19.1% Tobacco: Current Smokers High School Students (2005) 19.1% The Tobacco: Current Smokers High School Students (2005) 19.1% The Tobacco: Current Smokers: Highs Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab H	·	21.2%	
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) 27.4% (+/- I.0)	<u> </u>		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI) 27.4% (+/- 1.0) AIDS: Cumulative Cases Aged 13 & Over (2005) 66.836 Alzheimer's Disease: Estimated Cases (2000) 270,000 Asthma: 2004-2006 3 Yr Average (95% CI) 111.8% (+/- 0.7) Cancer: Estimated New Cases (2008) 96,320 Chlamydia: Rates per 100,000 Population (2006) 330.5 Diabetes: 2004-2006 3 Yr Average (95% CI) 7.8% (+/- 0.5) Human West Nile Virus: New Cases (2007) 219 Hypertension: 2001-2005 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 26.3% (+/- 0.9) Syphilis: Rates per 100,000 Population (2006) 4.7 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 19.4% (+/- 0.8) Tuberculosis: Number of Cases (2006) 1,585 **Note: For rankings, 1 = Worst Health Outcome. 1 = Highest Level of Adult Physical Inactivity: Most AIDS Cases; Natheimer's Cases; Highest Rates of Athmary Machinery Cases; Highest Rates of Current Smokers: Most Cases of Tuberculosis. Child/Adolescent Health Indicators AIDS: Cumulative Cases Under Age 13 (2005) 391 Asthma: High School Students (2005) 18.2% (+/- 2.2) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) 25.3% Infant Mortality: Per 1,000 Live Births (2005) 6.6 Low Birthweight: 96 of Total Births (2005) 13.6% Tobacco: Current Smokers High School Students (2005) 13.9% (+/- 1.6) Overweight: 19 to 17 Year Olds (2003-2004) 19.1% **Note: For rankings, 1 = Worst Health Outcome. 1 = Most AIDS Cases; Highest Rates of Asthma: Highest Rates of Fully-immunization Babies; Most Cases of Infant Mortality: Highest Rates of Pre-Term Labor: 96 of Live Births (2005) 13.6% Tobacco: Current Smokers High School Students (2005) 24.2% (+/- 2.9) **N			
AIDS: Cumulative Cases Aged 13 & Over (2005) 66,836 Alzheimer's Disease: Estimated Cases (2000) 270,000 Alzheimer's Disease: Estimated Cases (2008) 970,000 Asthma: 2004-2006 3 Yr Average (95% CI) 11.8% (+/- 0.7) Cancer: Estimated New Cases (2008) 96,320 Chlamydia: Rates per 100,000 Population (2006) 330.5 Diabetes: 2004-2006 3 Yr Average (95% CI) 7.8% (+/- 0.5) Human West Nile Virus: New Cases (2007) 219 Hypertension: 2001-2005 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 24.8% (+/- 0.9) Syphilis: Rates per 100,000 Population (2006) 4.7 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 19.4% (+/- 0.8) Tuberculosis: Number of Cases (2006) 1,585 Tuberculosis: Number of Cases (2005) 1,585 Tuberculosis: Number of Cases (2005) 1,585 Tuberculosis: Number of Num		27.4% (+/- 1.0)	Τ ;
Alzheimer's Disease: Estimated Cases (2000) 270,000 Asthma: 2004-2006 3 Yr Average (95% CI) 11.8% (+/- 0.7) Cancer: Estimated New Cases (2008) 96,320 Chlamydia: Rates per 100,000 Population (2006) 330.5 Diabetes: 2004-2006 3 Yr Average (95% CI) 7.8% (+/- 0.5) Human West Nile Virus: New Cases (2007) 219 Hypertension: 2001-2005 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 26.3% (+/- 0.9) Syphilis: Rates per 100,000 Population (2006) 4.7 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 26.3% (+/- 0.9) Syphilis: Rates per 100,000 Population (2006) 4.7 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 19.4% (+/- 0.8) Tuberculosis: Number of Cases (2006) 1,585 **Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AIDS Cases; Natzheimer's Cases: Highest Rates of Asthma: Most New Cases of Cancer: Highest Rates of Chlamydia: Highest Rates of Diabetes; Most Cases of West Nille Virus: Highest Rates of Hypertension: Highest Rates of Obesity: Highest Rates of Syphilis: Highest Rates of Chlamydia: Highest Rates of Students (2005) 391 Asthma: High School Students (2005) 391 Asthma: High School Students (2005) 18.2% (+/- 2.2) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) 25.3% Infant Mortality: Per 1,000 Live Births (2005) 25.3% Infant Mortality: Per 1,000 Live Births (2005) 13.9% (+/- 1.6) Overweight: High School Students (2005) 13.9% (+/- 1.6) Overweight: High School Students (2005) 13.9% (+/- 2.9) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases, Highest Rates of Asthma: Highest Rates of Fully-immunized Babies; Most Cases of Infant Mortality: Highest Rate of Low Birth Weight Babies; Highest Rates of Pre-Term Labor & Deverweight High School Students (2005) 24.2% (+/- 2.9) *Note: Fo	, , , , , , , , , , , , , , , , , , , ,		
Asthma: 2004-2006 3 Yr Average (95% CI)		270,000	
Cancer: Estimated New Cases (2008) 96,320 Chlamydia: Rates per 100,000 Population (2006) 330.5 Diabetes: 2004-2006 3 Yr Average (95% CI) 7.8% (+/- 0.5) Human West Nile Virus: New Cases (2007) 219 Hypertension: 2001-2005 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95% CI) 26.3% (+/- 0.9) Syphilis: Rates per 100,000 Population (2006) 4.7 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 19.4% (+/- 0.8) Tuberculosis: Number of Cases (2006) 1,585 Tuberculosis: Number of Cases (2005) 1,585 Tuberculosis: Number of Numberculosis: Number of Numbers Number of Deaths Number of Deaths Number of Deaths Number of Deaths Number of Death Number of Pandemic Perparedness Key Fa	, ,		3
Chilamydia: Rates per 100,000 Population (2006) Diabetes: 2004-2006 3 Yr Average (95% CI) Human West Nile Virus: New Cases (2007) Hypertension: 2001-2005 3 Yr Average (95% CI) 24.8% (+/- 0.7) Obesity: 2004-2006 3 Yr Average (95 % CI) Syphilis: Rates per 100,000 Population (2006) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tuberculosis: Number of Cases (2006) **Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AIDS Cases: Malzheimer's Cases: Highest Rates of Asthma: Most New Cases of Cancer; Highest Rates of Chlamydia: Highest Rate of Diabetes: Most Cases of West Nile Virus: Highest Rates of Hypertension: Highest Rates of Obesity: Highest Rates of Syphilis: Highest Rates of Current Smokers: Most Cases of Totherculosis: Child/Adolescent Health Indicators AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Inmunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Coverweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Total Births (2005) Tobacco: Current Smokers High School Students (2005) Tobacco: Gurrent Smokers High School Students (2005) Tobacco: Highest Rates of Pre-Term Labor Bab Highe		<u> </u>	
Diabetes: 2004-2006 3 Yr Average (95% CI) Human West Nile Virus: New Cases (2007) 219 Hypertension: 2001-2005 3 Yr Average (95% CI) Cobesity: 2004-2006 3 Yr Average (95% CI) Syphillis: Rates per 100,000 Population (2006) Syphillis: Rates per 100,000 Population (2006) Syphillis: Rates per 100,000 Population (2006) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tuberculosis: Number of Cases (2006) Tuberculosis: Number of Tuberculosis: Number of Perimary Care HPSAs; Highest Number of Number of Penantial # of Deaths During a Severe Pandemic Poetential Financial Loss During a Severe Pandemic Poetential Financial Loss During a Severe Pandemic	, ,		2
Human West Nile Virus: New Cases (2007) Hypertension: 2001-2005 3 Yr Average (95% CI) Obesity: 2004-2006 3 Yr Average (95 % CI) Obesity: 2004-2006 3 Yr Average (95 % CI) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tuberculosis: Number of Cases (2006) Tuberculosis: Observed (2006) Tuberculosis: Observed (2006) Tuberculosis: Observed (2006) Tuberculosis: Observed (2006) Tuberculosis: Highest Rates of Obesity: Highest Rates of Obe			
Hypertension: 2001-2005 3 Yr Average (95% CI) Obesity: 2004-2006 3 Yr Average (95 % CI) Syphilis: Rates per 100,000 Population (2006) **Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Nathranizations (2005) **Inderculosis: Number of Cases (2006) **Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Nalzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia: Highest Rates of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. **Child/Adolescent Health Indicators** AIDS: Cumulative Cases Under Age 13 (2005) **Asthma: High School Students (2005) Inmunization Gap: Children Aged 19-35 Months without All Immunizations (2006) **Infant Mortality: Per 1,000 Live Births (2005) **Low Birthweight: % of Total Births (2006) **Overweight: High School Students (2005) **Overweight: 10 to 17 Year Olds (2003-2004) **Pre-Term Labor: % of Live Births (2005) **Tobacco: Current Smokers High School Students (2005) **Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Fully-Immunized Babies; Most Cases of Infant Mortality: Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight Health Professions Shortage Areas - Primary Care (FY 2007) **Health Professions Shortage Areas - Pental Care (FY 2007) **Health Professions Shortage Areas - Dental Care (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mealth HPSAs; Highest Number of Dental Care (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest	<u> </u>	<u> </u>	
Obesity: 2004-2006 3 Yr Average (95 % CI) Syphilis: Rates per 100,000 Population (2006) 4.7 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) "Note: For rankings. I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity: Most AIDS Cases; Nathemer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity: Highest Rates of Syphilis; Highest Rates of Current Smokers: Most Cases of Tuberculosis. **Child/Adolescent Health Indicators** AIDS: Cumulative Cases Under Age 13 (2005) ASthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Asthma: High School Students (2005) Infant Mortality: Per I,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Overweight High School Students; Highest Rates of Overweight Hollocators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Ausing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Medulth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shor	` ,	24.8% (+/- 0.7)	2
Syphilis: Rates per 100,000 Population (2006) 4.7 Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) 19.4% (+/- 0.8) Tuberculosis: Number of Cases (2006) 1,585 *Note: For rankings, 1 = Worst Health Outcome. 1 = Highest Level of Adult Physical Inactivity: Most AIDS Cases; NaZheimer's Cases; Highest Rates of Asthma: Most New Cases of Cancer; Highest Rates of Chlamydia: Highest Rates of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity: Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. **Child/Adolescent Health Indicators** AIDS: Cumulative Cases Under Age 13 (2005) 391 Asthma: High School Students (2005) 18.2% (+/- 2.2) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) 25.3% Infant Mortality: Per 1,000 Live Births (2005) 6.6 Low Birthweight: % of Total Births (2005) 6.6 Low Birthweight: % of Total Births (2005) 13.9% (+/- 1.6) Overweight: High School Students (2005) 13.9% (+/- 1.6) Overweight: High School Students (2005) 13.6% Tobacco: Current Smokers High School Students (2005) 24.2% (+/- 2.9) **Note: For rankings, 1 = Worst Health Outcome. 1 = Most AIDS Cases; Highest Rates of Asthma: Highest Rates of Overweight High School Students: Highest Rates of Overweight High School Shortage Areas - Dental Care (FY 2007) 208 Health Professions Shortag	71	` `	Ī
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI) Tuberculosis: Number of Cases (2006) Tuberculosis: Most Cases of West Nile Virus; Highest Rates of Cancer; Highest Rates of Chlamydia: Highest Rates of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers (2005) Tuberculosis: Cumulative Cases Under Age 13 (2005) Tuberculosis: Most Cases Obesity; Highest Rates of Obesity; Highest Rates of Asthmaticative Cases (2005) Tuberculosis: Most Cases Obesity; Highest Rates of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight Horizor High School Smokers. Tuberculosis: Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Dental Care (FY 2007) Qual Nursing Shortage Estimates (2010) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number	, , ,		†
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; M AIzheimer's Cases; Highest Rates of Ashtma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicators AIDS: Cumulative Cases Under Age 13 (2005) ASthma: High School Students (2005) Instrumization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) Tobacco: Current Smokers High School Students (2005) Tobacco: Current Smokers High School Students (2005) Tobacco: Gurrent High School Students: Highest Rates of Overweight High School Students: Highest Rates of Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) Tobacco: Gurrent High School Students: Highest Rates of Overweight High School Students: Highest Rates of Overweigh			3
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Nalzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rates of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicators AIDS: Cumulative Cases Under Age I 3 (2005) 391 Asthma: High School Students (2005) 18.2% (+/- 2.2) Immunization Gap: Children Aged I 9-35 Months without All Immunizations (2006) 25.3% Infant Mortality: Per I,000 Live Births (2005) 6.6 Low Birthweight: % of Total Births (2005) 8.4% Overweight: High School Students (2005) 13.9% (+/- 1.6) Overweight: 10 to 17 Year Olds (2003-2004) 19.1% Pre-Term Labor: % of Live Births (2005) 13.6% Tobacco: Current Smokers High School Students (2005) 24.2% (+/- 2.9) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Overweight High School Students; Highest Rates of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Student			† •
Alzheimer's Cases: Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rates of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Under Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicators AlDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2005) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Overweight Rates of Current High School Students; Highest Rates of Liverent High School Students; Highest Rates of Overweight Holatators Health Professions Shortage Areas - Primary Care (FY 2007) 405 Health Professions Shortage Areas - Dental Care (FY 2007) 208 Nursing Shortage Estimates (2010) *Note: For rankings, 1 = Worst Health Outcome. 1 = Highest Number of Primary Care HPSAs; Highest Number of Netalth HPSAs; Highest Number of Dental Care HPSAs; La	, ,		
Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) **Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Coverweight High School Students; Highest Rates of Overweight Indicators **Other Public Health Indicators** Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mealth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic Other Planding A Severe Pandemic Ot	Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Overweight High School Students; Highest Rates of Overweight I0-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. **Other Public Health Indicators** Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mealth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic Othernial # of Episodes of Illness During a Severe Pandemic 6,789,000 Potential Financial Loss During a Severe Pandemic 6,789,000	AIDS: Cumulative Cases Under Age 13 (2005)	391	
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) I 3.9% (+/- 1.6) Overweight: 10 to 17 Year Olds (2003-2004) I 9.1% Pre-Term Labor: % of Live Births (2005) I 3.6% Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of A Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 6,789,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5,57%		18.2% (+/- 2.2)	3
Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) 225 Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mealth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 146,000 Potential Financial Loss During a Severe Pandemic 6,789,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%			
Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Aursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mealth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential Financial Loss During a Severe Pandemic Overweight: 13.9% (+/- 1.6) 19.19%	All Immunizations (2006)	25.3%	1
Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Alledth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%	Infant Mortality: Per 1,000 Live Births (2005)		2
Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Potential Professions Shortage Areas - Dental Care (FY 2007) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Alledth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential Financial Loss During a Severe Pandemic Potential Financial Loss During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP 7.5.7%	Low Birthweight: % of Total Births (2006)	8.4%	2
Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight I0-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) *Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of A Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 146,000 Potential Financial Loss During a Severe Pandemic 9 5.57%	Overweight: High School Students (2005)	13.9% (+/- 1.6)	N/A
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. **Other Public Health Indicators** Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) **Health Professions Shortage Areas - Dental Care (FY 2007) **Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mealth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic **Potential Loss During a Severe Pandemic, % of GDP **5.57%	, ,	19.1%	
*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. **Other Public Health Indicators** Health Professions Shortage Areas - Primary Care (FY 2007) 405 Health Professions Shortage Areas - Mental Health (FY 2007) 225 Health Professions Shortage Areas - Dental Care (FY 2007) 208 Nursing Shortage Estimates (2010) -41,900 *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of A Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate **Pandemic Preparedness Key Facts** Potential # of Deaths During a Severe Pandemic 146,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%	Pre-Term Labor: % of Live Births (2005)	13.6%	I
Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Bab Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) 405 Health Professions Shortage Areas - Mental Health (FY 2007) 225 Health Professions Shortage Areas - Dental Care (FY 2007) 208 Nursing Shortage Estimates (2010) -41,900 *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of A Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 146,000 Potential # of Episodes of Illness During a Severe Pandemic 6,789,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%	• , ,		I
Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of A Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%	Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H Highest Rates of Current High School Smokers.	Weight Babies; Highest I	Rates of
Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Nealth HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%		405	
Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Note Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%			
Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of A Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 146,000 Potential # of Episodes of Illness During a Severe Pandemic 6,789,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%	· ,		
*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of A Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic	. , , , , , , , , , , , , , , , , , , ,		
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic			
Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic 146,000 Potential # of Episodes of Illness During a Severe Pandemic 6,789,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%		_	THE OF THE
Potential # of Deaths During a Severe Pandemic 146,000 Potential # of Episodes of Illness During a Severe Pandemic 6,789,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%			
Potential # of Episodes of Illness During a Severe Pandemic 6,789,000 Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%			Τ
Potential Financial Loss During a Severe Pandemic, % of GDP 5.57%			
			2
FOLENLIAI FINANCIAL LOSS DUFING A SEVERE PANGEMIC. & AMOUNT 1 &55.1 Killion 1	Potential Financial Loss During a Severe Pandemic, \$ amount	\$55.1 Billion	N//



THE STATE OF YOUR HEALTH: TEXAS

Public Health Funding Facts		
Federal Funding for Texas's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$19.67	35
Health Resources and Services Administration (HRSA) FY 2007	\$13.48	35
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.27	47
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of I	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Depa		&
Other Public/Private Agencies (Selecte	d Categories)	
Agency for Toxic Substances and Disease Registry (ATSDR)		\$302,072
Birth Defects and Developmental Disabilities		\$1,760,100
Cancer		\$11,648,100
Chronic Disease Prevention and Health Promotion		\$5,650,681
Diabetes		\$410,000
Environmental Health		\$1,297,600
Heart Disease		\$516,950
HIV/AIDS		\$28,346,400
Immunization (Sect. 317 and Vaccines for Children Program)		\$270,467,057
Infectious Diseases		\$28,346,400
Injury and Violence Prevention		\$3,168,550
Nutrition and Physical Activity		\$1,244,090
Occupational Safety and Health		\$1,059,810
Pandemic Flu		\$11,897,100
Preventive Health and Health Services Block Grant		\$4,059,880
School Health		\$959,044
Sexually Transmitted Diseases (STD)		\$6,424,860
Tobacco		\$1,015,622
Terrorism Preparedness and Emergency Response		\$43,757,500
Tuberculosis		\$8,782,770

FY 2007 HRSA Grants to States by Key Program Area (Selected Categories)		
Health Professions	\$13,921,421	
HIV/AIDS	\$147,157,769	
Maternal & Child Health	\$43,115,648	
Primary Health Care	\$111,845,993	
Total FY 2007 HRSA Dollars (All Categories)	\$322,281,473	
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)	\$30,301,320	
Total FY 2007 ASPR HPP Dollars	\$30,301,320	
State Spending		

\$470,146,799

State Per Capita Funding Ranking: 43

Total FY 2007 CDC Dollars (All Categories)**

State Per Capita Funding for Texas's Health: \$14.27

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: UTAH

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	2,645,330	N/A
% Uninsured, All Ages	17.4%	14
% Uninsured, 18 and under	15.0%	8
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ages$	s and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	18.3% (+/- 0.8)	47
AIDS: Cumulative Cases Aged 13 & Over (2005)	2,241	39
Alzheimer's Disease: Estimated Cases (2000)	22,000	40
Asthma: 2004-2006 3 Yr Average (95% CI)	13.1% (+/- 0.7)	19
Cancer: Estimated New Cases (2008)	7,760	39
Chlamydia: Rates per 100,000 Population (2006)	206.2	47
Diabetes: 2004-2006 3 Yr Average (95% CI)	5.4% (+/- 0.4)	49
Human West Nile Virus: New Cases (2007)	68	16
Hypertension: 2001-2005 3 Yr Average (95% CI)	19.8% (+/- 0.9)	5
Obesity: 2004-2006 3 Yr Average (95 % CI)	21.1% (+/- 0.8)	44
Syphilis: Rates per 100,000 Population (2006)	0.9	40
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	10.6% (+/- 0.6)	5
Tuberculosis: Number of Cases (2006)	34	39
*Note: For rankings, $I = Worst Health Outcome$. $I = Highest Level of Adult Physics Physics (Property of Adult Physics) (Property of Adult P$		
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest I		
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest I Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	Rates of Obesity; Highest	Kates of
Child/Adolescent Health Indicators	•	
AIDS: Cumulative Cases Under Age 13 (2005)	20	3.5
Asthma: High School Students (2005)	17.2% (+/- 3.0)	3:
Immunization Gap: Children Aged 19-35 Months without	17.270 (17-3.0)	<u> </u>
All Immunizations (2006)	22.0%	3
Infant Mortality: Per 1,000 Live Births (2005)	4.5	5
Low Birthweight: % of Total Births (2006)	6.9%	39
Overweight: High School Students (2005)	5.6% (+/- 1.7)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	8.5%	5
, ,	11.4%	38
Pre-lerm Labor: % of Live Births (2005)		4.
Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005)	7.4% (+/- 2.9)	1 40
Tobacco: Current Smokers High School Students (2005)	7.4% (+/- 2.9) Rates of Asthma; Highest	L
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth	Rates of Asthma; Highest Weight Babies; Highest R	Rates of Not lates of
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; H	Rates of Asthma; Highest Weight Babies; Highest R	lates of
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	Rates of Asthma; Highest Weight Babies; Highest R	Rates of Not lates of
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L	Rates of Not lates of labor Babies;
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L	Rates of Not lates of labor Babies;
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007)	Rates of Asthma; Highest Weight Babies; Highest Rilighest Rates of Pre-Term L	Rates of Not lates of Labor Babies;
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007)	Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L 53 26 41	Rates of Not lates of .abor Babies;
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L 53 26 41 -1,500	Rates of Not Rates of Sales of
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary	Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L 53 26 41 -1,500 Care HPSAs; Highest Nui	Rates of Not Rates of Sales of
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimates	Rates of Asthma; Highest Weight Babies; Highest R Rates of Pre-Term L S S 26 41 -1,500 Care HPSAs; Highest Nuissimate	Rates of Not lates of .abor Babies;
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage E	Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L 53 26 41 -1,500 Care HPSAs; Highest Nulsstimate	Rates of Not lates of abor Babies; 4 33 30 mber of Ment
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Endemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic	Rates of Asthma; Highest R Weight Babies; Highest R lighest Rates of Pre-Term L 53 26 41 -1,500 Care HPSAs; Highest Num Estimate	Rates of Not lates of abor Babies; 4 33 33 mber of Ment
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Endemic Proparedness Key Facts Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic	Rates of Asthma; Highest Weight Babies; Highest R lighest Rates of Pre-Term L 53 26 41 -1,500 Care HPSAs; Highest Numer Stimate 14,000 737,000	Rates of Not lates of abor Babies; 4 33 36 mber of Ment
Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Mental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Endemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic	Rates of Asthma; Highest R Weight Babies; Highest R lighest Rates of Pre-Term L 53 26 41 -1,500 Care HPSAs; Highest Num Estimate	Rates of Not Rates of Sales of

THE STATE OF YOUR HEALTH: UTAH

Public Health Funding Facts		
Federal Funding for Utah's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$14.81	46
Health Resources and Services Administration (HRSA) FY 2007	\$12.54	39
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.41	22
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&
Agency for Toxic Substances and Disease Registry (ATSDR)	au categories)	\$228,713
Birth Defects and Developmental Disabilities		\$774,947
Cancer		\$2,817,585
Chronic Disease Prevention and Health Promotion		\$600,458
Diabetes		\$48,000
Environmental Health		\$1,131,653
Heart Disease		\$948,335
HIV/AIDS		\$1,071,870
Immunization (Sect. 317 and Vaccines for Children Program)		\$15,492,385
Infectious Diseases		\$599,815
Injury and Violence Prevention		\$699,016
Nutrition and Physical Activity		N/A
Occupational Safety and Health		\$701,238
Pandemic Flu		\$1,825,559
Preventive Health and Health Services Block Grant		\$300,730
School Health		N/A
Sexually Transmitted Diseases (STD)		\$483,114
Tobacco		\$1,195,981
Terrorism Preparedness and Emergency Response		\$8,744,574
Tuberculosis		\$360,081
Total FY 2007 CDC Dollars (All Categories)**		\$39,174,021
FY 2007 HRSA Grants to States by Key Program A	Area (Selected Catego	
Health Professions	`	\$2,004,280
HIV/AIDS		\$5,108,944
Maternal & Child Health		\$11,318,104
Primary Health Care		\$12,797,024
Total FY 2007 HRSA Dollars (All Categories)		\$33,176,776
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$3,732,769
Total FY 2007 ASPR HPP Dollars		\$3,732,769
State Spending		
State Per Capita Funding for Utah's Health: \$31.45 State Per Capita Funding Ranking: 27		
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.		

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: VERMONT

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	621,254	N/A
% Uninsured, All Ages	10.2%	43
% Uninsured, 18 and under	8.0%	35
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ages$	and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	18.4% (+/- 0.6)	46
AIDS: Cumulative Cases Aged 13 & Over (2005)	441	47
Alzheimer's Disease: Estimated Cases (2000)	10,000	48
Asthma: 2004-2006 3 Yr Average (95% CI)	14.2% (+/- 0.6)	7
Cancer: Estimated New Cases (2008)	3,530	47
Chlamydia: Rates per 100,000 Population (2006)	191.2	48
Diabetes: 2004-2006 3 Yr Average (95% CI)	5.8% (+/- 0.3)	47
Human West Nile Virus: New Cases (2007)	0	44
Hypertension: 2001-2005 3 Yr Average (95% CI)	22.8% (+/- 0.7)	46
Obesity: 2004-2006 3 Yr Average (95 % CI)	20.0% (+/- 0.6)	49
Syphilis: Rates per 100,000 Population (2006)	0.5	46
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	19.1% (+/- 0.7)	40
Tuberculosis: Number of Cases (2006)	9	49
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most		

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

6	46
N/A	N/A
24.8%	20
6.7	28
6.9%	39
9.5% (+/- 2.1)	N/A
11.3%	43
9.0%	51
17.9% (+/- 3.8)	30
	N/A 24.8% 6.7 6.9% 9.5% (+/- 2.1) 11.3% 9.0%

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	22	48
Health Professions Shortage Areas - Mental Health (FY 2007)	10	49
Health Professions Shortage Areas - Dental Care (FY 2007)	12	49
Nursing Shortage Estimates (2010)	-600	42

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	5,000	49
Potential # of Episodes of Illness During a Severe Pandemic	185,000	49
Potential Financial Loss During a Severe Pandemic, % of GDP	5.65%	19
Potential Financial Loss During a Severe Pandemic, \$ amount	\$1.3 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.

THE STATE OF YOUR HEALTH: VERMONT

Public Health Funding Facts		
Federal Funding for Vermont's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$39.02	5
Health Resources and Services Administration (HRSA) FY 2007	\$17.81	20
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$2.08	2
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per Capita; Highest ASPR Funding Per Capita.		
FY 2007 CDC Funds for State/Local Health Departments, Universities & Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)		N/A
Birth Defects and Developmental Disabilities		\$265,547
Cancer		\$2,283,694
Chronic Disease Prevention and Health Promotion	·	\$313.495

Other Public/Private Agencies (Selected Categories)		
Agency for Toxic Substances and Disease Registry (ATSDR)		N/A
Birth Defects and Developmental Disabilities		\$265,547
Cancer		\$2,283,694
Chronic Disease Prevention and Health Promotion		\$313,495
Diabetes		\$272,336
Environmental Health		\$765,020
Heart Disease		N/A
HIV/AIDS		\$1,472,695
Immunization (Sect. 317 and Vaccines for Children Program)		\$9,202,457
Infectious Diseases		\$271,265
Injury and Violence Prevention		\$218,156
Nutrition and Physical Activity		\$449,988
Occupational Safety and Health		N/A
Pandemic Flu		\$859,436
Preventive Health and Health Services Block Grant		\$267,188
School Health		\$642,949
Sexually Transmitted Diseases (STD)		\$171,655
Tobacco		\$1,252,996
Terrorism Preparedness and Emergency Response		\$4,909,089
Tuberculosis		\$125,976
Total FY 2007 CDC Dollars (All Categories)**		\$24,239,383
FY 2007 HRSA Grants to States by Key Program Area (Selected Categories)		
Health Professions		\$700,644
HIV/AIDS		\$1,404,236
Maternal & Child Health		\$2,672,725
Primary Health Care		\$5,657,458
Total FY 2007 HRSA Dollars (All Categories)		\$11,061,965
FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States		
Hospital Preparedness Program (HPP)		\$1,290,942
Total FY 2007 ASPR HPP Dollars		\$1,290,942
State Spending		
State Per Capita Funding for Vermont's Health: \$146.74 State Per Capita Funding Rankii		ding Ranking: 2

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

*Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.



THE STATE OF YOUR HEALTH: VIRGINIA

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	7,712,091	N/A
% Uninsured, All Ages	13.3%	29
% Uninsured, 18 and under	10.1%	22
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All Ag$	ges and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	21.7% (+/- 1.0)	35
AIDS: Cumulative Cases Aged 13 & Over (2005)	16,202	13
Alzheimer's Disease: Estimated Cases (2000)	100,000	14
Asthma: 2004-2006 3 Yr Average (95% CI)	13.2% (+/- 0.8)	16
Cancer: Estimated New Cases (2008)	35,590	12
Chlamydia: Rates per 100,000 Population (2006)	318.3	27
Diabetes: 2004-2006 3 Yr Average (95% CI)	7.1% (+/- 0.5)	29
Human West Nile Virus: New Cases (2007)	5	36
Hypertension: 2001-2005 3 Yr Average (95% CI)	25.7% (+/- 0.9)	22
Obesity: 2004-2006 3 Yr Average (95 % CI)	24.5% (+/- 1.0)	23
Syphilis: Rates per 100,000 Population (2006)	2.5	20
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	20.3% (+/- 0.9)	27
Tuberculosis: Number of Cases (2006)	331	10
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult PI	hysical Inactivity; Most AIDS	Cases; Most

*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physical Inactivity; Most AIDS Cases; Most Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rates of Chlamydia; Highest Rate of Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rates of Obesity; Highest Rates of Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	176	13
Asthma: High School Students (2005)	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	22.6%	27
Infant Mortality: Per 1,000 Live Births (2005)	7.5	16
Low Birthweight: % of Total Births (2006)	8.3%	23
Overweight: High School Students (2005)	N/A	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	13.8%	25
Pre-Term Labor: % of Live Births (2005)	12.3%	27
Tobacco: Current Smokers High School Students (2005)	N/A	N/A

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	109	20
Health Professions Shortage Areas - Mental Health (FY 2007)	65	11
Health Professions Shortage Areas - Dental Care (FY 2007)	78	16
Nursing Shortage Estimates (2010)	-11,000	14

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts		
Potential # of Deaths During a Severe Pandemic	54,000	13
Potential # of Episodes of Illness During a Severe Pandemic	2,208,000	12
Potential Financial Loss During a Severe Pandemic, % of GDP	5.13%	49
Potential Financial Loss During a Severe Pandemic, \$ amount	\$18.1 Billion	N/A

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: **VIRGINIA**

Public Health Funding Facts		
Federal Funding for Virginia's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$45.20	4
Health Resources and Services Administration (HRSA) FY 2007	\$12.81	38
Office of the Assistant Secretary for Preparedness and Response		
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.32	39
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding. Capita; Highest ASPR Funding Per Capita.	Per Capita; Highest Level of I	HRSA Funding Per
FY 2007 CDC Funds for State/Local Health Depa	artments, Universities	&
Other Public/Private Agencies (Selecte		
Agency for Toxic Substances and Disease Registry (ATSDR)		\$60,000
Birth Defects and Developmental Disabilities		\$829,291
Cancer		\$4,405,946
Chronic Disease Prevention and Health Promotion		\$2,061,032
Diabetes		\$371,242
Environmental Health		\$2,018,686
Heart Disease		\$1,000,000
HIV/AIDS		\$7,195,286
Immunization (Sect. 317 and Vaccines for Children Program)		\$40,045,184
Infectious Diseases		\$782,441
Injury and Violence Prevention		\$3,083,717
Nutrition and Physical Activity		N/A
Occupational Safety and Health		\$850,410
Pandemic Flu		\$5,910,206
Preventive Health and Health Services Block Grant		\$760,625
School Health		\$2,102,352
Sexually Transmitted Diseases (STD)		\$1,962,990
Tobacco		\$1,030,116
Terrorism Preparedness and Emergency Response		\$18,062,715
Tuberculosis		\$858,919
Total FY 2007 CDC Dollars (All Categories)**		\$348,608,534
FY 2007 HRSA Grants to States by Key Program A	rea (Selected Catego	ries)
Health Professions		\$4,151,349
HIV/AIDS		\$36,685,915
Maternal & Child Health		\$15,857,267
Primary Health Care		\$37,177,611
Total FY 2007 HRSA Dollars (All Categories)		\$98,800,738
FY 2007 Office of the Assistant Secretary for Preparedness	ss and Response Grant	ts to States
Hospital Preparedness Program (HPP)		\$10,189,048
Total FY 2007 ASPR HPP Dollars		\$10,189,048
State Spending		
State Per Capita Funding for Virginia's Health: \$74.87	State Per Capita Fund	ding Ranking: 9
*Note: For rankings, $I = Most Funding$. $I = Highest State Funding for Publication 1.15$	ic Health.	

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: WASHINGTON

		State Rank*
U.S. Census Bureau 2007 Data		
Total Population	6,468,424	N/A
% Uninsured, All Ages	11.8%	35
% Uninsured, 18 and under	6.9%	42
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Age	res and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	17.3% (+/- 0.4)	50
AIDS: Cumulative Cases Aged 13 & Over (2005)	11,404	20
Alzheimer's Disease: Estimated Cases (2000)	83,000	20
Asthma: 2004-2006 3 Yr Average (95% CI)	14.4% (+/- 0.4)	6
Cancer: Estimated New Cases (2008)	32,380	14
Chlamydia: Rates per 100,000 Population (2006)	283.4	36
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.6% (+/- 0.2)	38
Human West Nile Virus: New Cases (2007)	0.070 (17 0.2)	44
Hypertension: 2001-2005 3 Yr Average (95% CI)	24.1% (+/- 0.6)	33
Obesity: 2004-2006 3 Yr Average (95 % CI)	23.2% (+/- 0.5)	31
Syphilis: Rates per 100,000 Population (2006)	2.9	16
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	17.9% (+/- 0.4)	46
<u> </u>	262	13
Tuberculosis: Number of Cases (2006) *Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physics		
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.		
Child/Adolescent Health Indicator	rs	
AIDS: Cumulative Cases Under Age 13 (2005)	34	26
Asthma: High School Students (2005)	N/A	N/A
Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without	N/A	N/A
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	28.6%	
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005)	28.6%	10
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	28.6%	10
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005)	28.6%	10 49 48
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006)	28.6% 5.1 6.5%	1(49 48 N/A
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)	28.6% 5.1 6.5% N/A	1(49 48 N/A
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005)	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A	10 49 48 N/A 46 46
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest Rates of Pre-Term Land	10 49 48 N/A 46 N/A Rates of Not
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rathes of Pre-Term Later Late	1(45 At N/A 46 N/A Rates of Not ates of abor Babies;
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest th Weight Babies; Highest Rates of Pre-Term Lo	1(45 48 N/A 46 N/A Rates of Not ates of abor Babies;
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest Rest Weight Babies; Highest Rest Rates of Pre-Term Lest Rates Rates of Pre-Term Lest Rates Rates of Pre-Term Lest Rates Rat	1(4! A! A! 4! N/A Rates of Not ates of abor Babies;
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt. Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007)	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest th Weight Babies; Highest Rates of Pre-Term Lates of Pre-	1(45 48 N/A 46 N/A Rates of Not ates of abor Babies;
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt. Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010)	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rates of Pre-Term Late American Service Control of Tour Tour Tour Tour Tour Tour Tour Tour	1(49 48 N/A 46 N/A Rates of Not ates of abor Babies;
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt. Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary *Note: For rankings, I = Worst Health Outcome. I = Worst Health Outcome. I = Worst H	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest Rath Weight Babies; Highest Rath Highest Rates of Pre-Term Late P	1(49 48 N/A 46 N/A Rates of Not ates of abor Babies;
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt. Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest Reth Weight Babies; Highest Reth Highest Rates of Pre-Term Leth P	10 49 48 N/A 46 Ale N/A Rates of Notates of abor Babies;
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt. Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest Reh Weight Babies; Highest Reh Highest Rates of Pre-Term Legal Top	10 49 48 N/A 46 Att N/A Rates of Not ates of abor Babies;
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt. Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact Potential # of Deaths During a Severe Pandemic	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest Reb Weight Babies; Highest Reb Highest Rates of Pre-Term Leb Top	10 49 48 N/A 46 N/A Rates of Not ates of abor Babies;
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest Reb Weight Babies; Highest Reb Highest Rates of Pre-Term Leb Top	10 49 48 N/A 46 N/A Rates of Not ates of abor Babies;
Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highes Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birt. Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primar Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Pandemic Preparedness Key Fact Potential # of Deaths During a Severe Pandemic	28.6% 5.1 6.5% N/A 10.8% 10.6% N/A st Rates of Asthma; Highest Reb Weight Babies; Highest Reb Highest Rates of Pre-Term Leb Top	10 49 48 N/A 46 N/A Rates of Notates of abor Babies;



THE STATE OF YOUR HEALTH: WASHINGTON

Public Health Funding Facts		
Federal Funding for Washington's Public Health	Per Capita Funding	State Rank*
U.S. Centers for Disease Control (CDC) FY 2007	\$21.21	27
Health Resources and Services Administration (HRSA) FY 2007	\$20.16	15
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.33	37
*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per		

FY 2007 CDC Funds for State/Local Health Departments, Universities & Other Public/Private Agencies (Selected Categories) Agency for Toxic Substances and Disease Registry (ATSDR) \$657,668 Birth Defects and Developmental Disabilities \$529,483 \$7,362,097 Cancer Chronic Disease Prevention and Health Promotion \$6,865,740 **Diabetes** \$1,694,555 Environmental Health \$1,383,891 Heart Disease \$1,601,993 HIV/AIDS \$4,259,528 Immunization (Sect. 317 and Vaccines for Children Program) \$71,474,553 Infectious Diseases \$382,458 Injury and Violence Prevention \$3,159,094 Nutrition and Physical Activity \$1,291,100 \$2,433,911 Occupational Safety and Health Pandemic Flu \$4,102,116 Preventive Health and Health Services Block Grant \$255,823 \$849,407 School Health Sexually Transmitted Diseases (STD) \$3,330,303 Tobacco \$1,550,973 Terrorism Preparedness and Emergency Response \$14,861,107 **Tuberculosis** \$1,336,175 Total FY 2007 CDC Dollars (All Categories)** \$137,169,586 FY 2007 HRSA Grants to States by Key Program Area (Selected Categories) Health Professions \$8,297,015 HIV/AIDS \$55,979,598 Maternal & Child Health \$12,783,927 \$47,006,744 Primary Health Care Total FY 2007 HRSA Dollars (All Categories) \$130,398,465 FY 2007 Office of the Assistant Secretary for Preparedness and Response Grants to States Hospital Preparedness Program (HPP) \$8,608,090 **Total FY 2007 ASPR HPP Dollars** \$8,608,090 **State Spending** State Per Capita Funding for Washington's Health: \$78.54 State Per Capita Funding Ranking: 6 *Note: For rankings, I = Most Funding. I = Highest State Funding for Public Health.

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: **WEST VIRGINIA**

		State Rank*
U.S. Census Bureau 2007 Dat	a	
Total Population	1,812,035	N/A
% Uninsured, All Ages	13.5%	28
% Uninsured, 18 and under	8.5%	31
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All A$	Ages and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	26.2% (+/- 1.0)	- 11
AIDS: Cumulative Cases Aged 13 & Over (2005)	1,433	41
Alzheimer's Disease: Estimated Cases (2000)	40,000	34
Asthma: 2004-2006 3 Yr Average (95% CI)	13.3% (+/- 0.8)	14
Cancer: Estimated New Cases (2008)	10,250	35
Chlamydia: Rates per 100,000 Population (2006)	160.2	50
Diabetes: 2004-2006 3 Yr Average (95% CI)	11.1% (+/- 0.6)	I
Human West Nile Virus: New Cases (2007)	0	44
Hypertension: 2001-2005 3 Yr Average (95% CI)	32.5% (+/- 1.0)	2
Obesity: 2004-2006 3 Yr Average (95 % CI)	29.8% (+/- 1.0)	2
Syphilis: Rates per 100,000 Population (2006)	0.6	44
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	26.4% (+/- 1.0)	2
Tuberculosis: Number of Cases (2006)	22	43
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult If Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highes Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highes Sybhilis: Highest Rates of Current Smokers: Most Cases of Tuberculosis.	est Rates of Chlamydia; Highe	est Rate of

Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.

Child/Adolescent Health Indicat	tors	
AIDS: Cumulative Cases Under Age 13 (2005)	11	40
Asthma: High School Students (2005)	23.7% (+/- 3.3)	4
Immunization Gap: Children Aged 19-35 Months without		
All Immunizations (2006)	31.6%	5
Infant Mortality: Per 1,000 Live Births (2005)	8.1	11
Low Birthweight: % of Total Births (2006)	9.7%	6
Overweight: High School Students (2005)	14.5% (+/- 2.2)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	20.9%	2
Pre-Term Labor: % of Live Births (2005)	14.4%	8
Tobacco: Current Smokers High School Students (2005)	25.3% (+/- 3.3)	7

*Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Highest Rates of Asthma; Highest Rates of Not-Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth Weight Babies; Highest Rates of Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Pre-Term Labor Babies; Highest Rates of Current High School Smokers.

Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	96	23
Health Professions Shortage Areas - Mental Health (FY 2007)	46	20
Health Professions Shortage Areas - Dental Care (FY 2007)	57	26
Nursing Shortage Estimates (2010)	700	50

*Note: For rankings, I = Worst Health Outcome. I = Highest Number of Primary Care HPSAs; Highest Number of Mental Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Estimate

Pandemic Preparedness Key Facts						
Potential # of Deaths During a Severe Pandemic	17,000	34				
Potential # of Episodes of Illness During a Severe Pandemic	537,000	37				
Potential Financial Loss During a Severe Pandemic, % of GDP	5.69%	18				
Potential Financial Loss During a Severe Pandemic, \$ amount	\$3.0 Billion	N/A				

*Note: For rankings, I = Worst Outcome. I = Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.



THE STATE OF YOUR HEALTH: **WEST VIRGINIA**

Public Health Funding Facts							
Federal Funding for West Virginia's Public Health	Per Capita Funding	State Rank*					
U.S. Centers for Disease Control (CDC) FY 2007	\$25.40	15					
Health Resources and Services Administration (HRSA) FY 2007	\$23.74	9					
Office of the Assistant Secretary for Preparedness and Response							
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.55	13					
*Note: For rankings 1 - Most Funding 1 - Highest Level of CDC Funding	Per Cabita: Highest Level of I	HRSA Funding Per					

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of Capita; Highest ASPR Funding Per Capita.	HRSA Funding Per						
FY 2007 CDC Funds for State/Local Health Departments, Universities &							
Other Public/Private Agencies (Selected Categories)							
Agency for Toxic Substances and Disease Registry (ATSDR)	\$222,350						
Birth Defects and Developmental Disabilities	N/A						
Cancer	\$5,551,932						
Chronic Disease Prevention and Health Promotion	\$1,394,688						
Diabetes	\$1,018,540						
Environmental Health	\$424,101						
Heart Disease	\$72,500						
HIV/AIDS	\$1,739,787						
Immunization (Sect. 317 and Vaccines for Children Program)	\$14,560,369						
Infectious Diseases	\$330,128						
Injury and Violence Prevention	\$1,121,637						
Nutrition and Physical Activity	\$447,769						
Occupational Safety and Health	\$405,900						
Pandemic Flu	\$1,527,544						
Preventive Health and Health Services Block Grant	\$223,396						
School Health	\$1,031,008						
Sexually Transmitted Diseases (STD)	\$671,936						
Tobacco	\$1,270,153						
Terrorism Preparedness and Emergency Response	\$6,009,114						
Tuberculosis	\$340,454						
Total FY 2007 CDC Dollars (All Categories)**	\$46,033,678						
FY 2007 HRSA Grants to States by Key Program Area (Selected Catego	ries)						
Health Professions	\$2,641,045						
HIV/AIDS	\$3,190,113						
Maternal & Child Health	\$8,229,530						
Primary Health Care	\$26,589,281						
Total FY 2007 HRSA Dollars (All Categories)	\$43,008,714						
FY 2007 Office of the Assistant Secretary for Preparedness and Response Gran	ts to States						
Hospital Preparedness Program (HPP)	\$2,805,313						
Total FY 2007 ASPR HPP Dollars	\$2,805,313						
State Spending							
State Per Capita Funding for West Virginia's Health: \$73.63 State Per Capita Fund	ing Ranking: 10						
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.							

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.



THE STATE OF YOUR HEALTH: **WISCONSIN**

U.S. Census Bureau 2007 Data		tate Rank [*]
Total Population	5,601,640	N/A
% Uninsured, All Ages	8.8%	50
% Uninsured, 18 and under	4.9%	49
*Note: For rankings, $I = Worst Outcome$. $I = Highest Rate of Uninsured All A$	ges and 18 and under.	
Adult Health Indicators		
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	18.8% (+/- 0.8)	45
AIDS: Cumulative Cases Aged 13 & Over (2005)	4,300	32
Alzheimer's Disease: Estimated Cases (2000)	100,000	4
Asthma: 2004-2006 3 Yr Average (95% CI)	12.4% (+/- 0.7)	29
Cancer: Estimated New Cases (2008)	27,590	18
Chlamydia: Rates per 100,000 Population (2006)	364.7	19
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.2% (+/- 0.4)	44
Human West Nile Virus: New Cases (2007)	11	30
Hypertension: 2001-2005 3 Yr Average (95% CI)	24.5% (+/- 0.9)	3
Obesity: 2004-2006 3 Yr Average (95 % CI)	24.8% (+/- 0.9)	22
Syphilis: Rates per 100,000 Population (2006)	1.2	36
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	21.1% (+/- 0.9)	20
Tuberculosis: Number of Cases (2006)	75	33
Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis. Child/Adolescent Health Indicate		tes of
	nrs	
		27
AIDS: Cumulative Cases Under Age 13 (2005)	32	27
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005)		
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without	32	18
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006)	32 19.9% (+/- 1.6)	18
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005)	32 19.9% (+/- 1.6) 19.5%	18 44 29
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006)	32 19.9% (+/- 1.6) 19.5% 6.6 6.9%	18 44 29 39
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)	32 19.9% (+/- 1.6) 19.5% 6.6	18 44 29 39 N/A
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004)	32 19.9% (+/- 1.6) 19.5% 6.6 6.9% 9.9% (+/- 1.6)	18 44 29 39 N/A
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005)	32 19.9% (+/- 1.6) 19.5% 6.6 6.9% 9.9% (+/- 1.6) 13.5%	18 44 29 39 N/A 28
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bir Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	32 19.9% (+/- 1.6) 19.5% 6.6 6.9% 9.9% (+/- 1.6) 13.5% 11.4% 22.8% (+/- 2.5) est Rates of Asthma; Highest Rate th Weight Babies; Highest Rate Highest Rates of Pre-Term Labo	18 44 29 39 N/A 28 38 13 sites of Not
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bir Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	32 19.9% (+/- 1.6) 19.5% 6.6 6.9% 9.9% (+/- 1.6) 13.5% 11.4% 22.8% (+/- 2.5) est Rates of Asthma; Highest Rate th Weight Babies; Highest Rates; Highest Rates of Pre-Term Laboratory	18 44 29 39 N/A 28 38 13 sites of Not
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bir Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers.	32 19.9% (+/- 1.6) 19.5% 6.6 6.9% 9.9% (+/- 1.6) 13.5% 11.4% 22.8% (+/- 2.5) est Rates of Asthma; Highest Rate th Weight Babies; Highest Rates; Highest Rates of Pre-Term Laboratory	18 44 29 39 N/A 28 38 13 sites of Not
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bir Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators	32 19.9% (+/- 1.6) 19.5% 6.6 6.9% 9.9% (+/- 1.6) 13.5% 11.4% 22.8% (+/- 2.5) est Rates of Asthma; Highest Rate; Highest Rate; Highest Rates; Highest Rates; Highest Rates of Pre-Term Labors	18 44 29 39 N/A 28 38 13 stes of Not es of or Babies;
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bir Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	32 19.9% (+/- 1.6) 19.5% 6.6 6.9% 9.9% (+/- 1.6) 13.5% 11.4% 22.8% (+/- 2.5) est Rates of Asthma; Highest Rate; Highest Rates; Highest Rates; Highest Rates of Pre-Term Labors 96	18 44 29 39 N/A 28 38 13 stees of Notes of Babies;
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bir Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007)	32 19.9% (+/- 1.6) 19.5% 6.6 6.9% 9.9% (+/- 1.6) 13.5% 11.4% 22.8% (+/- 2.5) est Rates of Asthma; Highest Raterth Weight Babies; Highest Rates; Highest Rates; Highest Rates of Pre-Term Laborates 96 89	18 4/ 29 39 N// 28 38 13 etes of Notes of or Babies;
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bir Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Health (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prima Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage	32 19.9% (+/- 1.6) 19.5% 6.6 6.9% 9.9% (+/- 1.6) 13.5% 11.4% 22.8% (+/- 2.5) est Rates of Asthma; Highest Rates th Weight Babies; Highest Rates; Highest Rates of Pre-Term Laborates 96 89 57 500 ary Care HPSAs; Highest Number e Estimate	18 44 29 39 N/A 28 38 13 stes of Notes of or Babies;
AIDS: Cumulative Cases Under Age 13 (2005) Asthma: High School Students (2005) Immunization Gap: Children Aged 19-35 Months without All Immunizations (2006) Infant Mortality: Per 1,000 Live Births (2005) Low Birthweight: % of Total Births (2006) Overweight: High School Students (2005) Overweight: 10 to 17 Year Olds (2003-2004) Pre-Term Labor: % of Live Births (2005) Tobacco: Current Smokers High School Students (2005) *Note: For rankings, I = Worst Health Outcome. I = Most AIDS Cases; Higher Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Bird Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; Highest Rates of Current High School Smokers. Other Public Health Indicators Health Professions Shortage Areas - Primary Care (FY 2007) Health Professions Shortage Areas - Dental Care (FY 2007) Nursing Shortage Estimates (2010) *Note: For rankings, I = Worst Health Outcome. I = Highest Number of Prime	32 19.9% (+/- 1.6) 19.5% 6.6 6.9% 9.9% (+/- 1.6) 13.5% 11.4% 22.8% (+/- 2.5) est Rates of Asthma; Highest Rate th Weight Babies; Highest Rates; Highest Rates of Pre-Term Laborates 96 89 57 500 ary Care HPSAs; Highest Number e Estimate	44 20 30 N// 28 31 1. ottes of Notes of oor Babies;

Potential Financial Loss During a Severe Pandemic, \$ amount *Note: For rankings, I =Worst Outcome. I =Highest Number of Potential Deaths; Highest Number of Potential Sick Workers; Highest Financial Losses.

1,643,000

\$12.0 Billion

5.56%

20

24

N/A

Potential # of Episodes of Illness During a Severe Pandemic

Potential Financial Loss During a Severe Pandemic, % of GDP



THE STATE OF YOUR HEALTH: **WISCONSIN**

Public Health Funding Facts							
Federal Funding for Wisconsin's Public Health	Per Capita Funding	State Rank*					
U.S. Centers for Disease Control (CDC) FY 2007	\$14.94	45					
Health Resources and Services Administration (HRSA) FY 2007	\$10.10	48					
Office of the Assistant Secretary for Preparedness and Response							
(ASPR) Hospital Preparedness Program (HPP) FY 2007	\$1.35	31					
*Note: For rankings, $I = Most Funding$. $I = Highest Level of CDC Funding$	*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of HRSA Funding Per						

*Note: For rankings, I = Most Funding. I = Highest Level of CDC Funding Per Capita; Highest Level of Capita; Highest ASPR Funding Per Capita.	HRSA Funding Per				
FY 2007 CDC Funds for State/Local Health Departments, Universities &					
Other Public/Private Agencies (Selected Categories)					
Agency for Toxic Substances and Disease Registry (ATSDR)	\$454,629				
Birth Defects and Developmental Disabilities	\$1,551,075				
Cancer	\$4,709,415				
Chronic Disease Prevention and Health Promotion	\$155,103				
Diabetes	\$891,759				
Environmental Health	\$2,769,318				
Heart Disease	\$528,000				
HIV/AIDS	\$3,497,475				
Immunization (Sect. 317 and Vaccines for Children Program)	\$35,913,257				
Infectious Diseases	\$394,084				
Injury and Violence Prevention	\$3,041,586				
Nutrition and Physical Activity	\$433,206				
Occupational Safety and Health	\$840,377				
Pandemic Flu	\$5,157,650				
Preventive Health and Health Services Block Grant	\$488,937				
School Health	\$998,299				
Sexually Transmitted Diseases (STD)	\$1,220,651				
Tobacco	\$1,308,942				
Terrorism Preparedness and Emergency Response	\$12,250,374				
Tuberculosis	\$362,604				
Total FY 2007 CDC Dollars (All Categories)**	\$83,703,345				
FY 2007 HRSA Grants to States by Key Program Area (Selected Catego	ries)				
Health Professions	\$5,301,538				
HIV/AIDS	\$12,846,576				
Maternal & Child Health	\$16,406,345				
Primary Health Care	\$17,923,328				
Total FY 2007 HRSA Dollars (All Categories)	\$56,599,402				
FY 2007 Office of the Assistant Secretary for Preparedness and Response Gran	ts to States				
Hospital Preparedness Program (HPP)	\$7,544,102				
Total FY 2007 ASPR HPP Dollars	\$7,544,102				
State Spending					
State Per Capita Funding for Wisconsin's Health: \$ 9.16 State Per Capita Fund	ling Ranking: 50				
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.					

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

THE STATE OF YOUR HEALTH: WYOMING

		State Rank*
U.S. Census Bureau 2007 Data		•
Total Population	522,830	N/A
% Uninsured, All Ages	14.6%	23
% Uninsured, 18 and under	8.2%	34
*Note: For rankings, I = Worst Outcome. I = Highest Rate of Uninsured All Ages a	nd 18 and under.	
Adult Health Indicators	1 21 20/ / / 0.7	20
Adult Physical Inactivity: 2004-2006 3 Yr Average (95% CI)	21.3% (+/- 0.7)	38
AIDS: Cumulative Cases Aged 13 & Over (2005)	223	50
Alzheimer's Disease: Estimated Cases (2000)	7,000	50
Asthma: 2004-2006 3 Yr Average (95% CI)	12.6% (+/- 0.7)	26
Cancer: Estimated New Cases (2008)	2,570	50
Chlamydia: Rates per 100,000 Population (2006)	279.2	39
Diabetes: 2004-2006 3 Yr Average (95% CI)	6.3% (+/- 0.4)	42
Human West Nile Virus: New Cases (2007)	181	7
Hypertension: 2001-2005 3 Yr Average (95% CI)	23.2% (+/- 0.8)	43
Obesity: 2004-2006 3 Yr Average (95 % CI)	22.8% (+/- 0.8)	35
Syphilis: Rates per 100,000 Population (2006)	0.0	51
Tobacco: Current Smokers 2003-2005 3 Yr Average (95% CI)	21.5% (+/- 0.8)	19
Tuberculosis: Number of Cases (2006)	4	51
*Note: For rankings, I = Worst Health Outcome. I = Highest Level of Adult Physics		
Alzheimer's Cases; Highest Rates of Asthma; Most New Cases of Cancer; Highest Rate Diabetes; Most Cases of West Nile Virus; Highest Rates of Hypertension; Highest Rate		
Syphilis; Highest Rates of Current Smokers; Most Cases of Tuberculosis.	ies of obesity, i lightest i	naces of
Child/Adolescent Health Indicators		
AIDS: Cumulative Cases Under Age 13 (2005)	2	49
Asthma: High School Students (2005)	18.5% (+/- 1.9)	28
Immunization Gap: Children Aged 19-35 Months without	ĺ	
All Immunizations (2006)	36.5%	2
Infant Mortality: Per 1,000 Live Births (2005)	6.8	27
Low Birthweight: % of Total Births (2006)	8.9%	14
Overweight: High School Students (2005)	8.4% (+/- 1.1)	N/A
Overweight: 10 to 17 Year Olds (2003-2004)	8.7%	50
Pre-Term Labor: % of Live Births (2005)	13.1%	20
Tobacco: Current Smokers High School Students (2005)	22.5% (+/- 2.0)	14
*Note: For rankings, $I = Worst Health Outcome$. $I = Most AIDS Cases$; Highest Ra		
Fully-Immunized Babies; Most Cases of Infant Mortality; Highest Rate of Low Birth W		
Overweight High School Students; Highest Rates of Overweight 10-17 Year Olds; High Highest Rates of Current High School Smokers.	lest Kates of Pre-Ierm L	abor Babies;
Other Public Health Indicators		
Health Professions Shortage Areas - Primary Care (FY 2007)	35	44
Health Professions Shortage Areas - Mental Health (FY 2007)	19	42
Health Professions Shortage Areas - Dental Care (FY 2007)	19	46
Nursing Shortage Estimates (2010)	-1,200	38
*Note: For rankings, $I = \text{Worst Health Outcome}$. $I = \text{Highest Number of Primary Continuous}$		<u> </u>
	_	ווייבו טן ואפוונמו
	mate	
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Esti	mate	
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Esti Pandemic Preparedness Key Facts		49
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Esti Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic	4,000	49 51
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Esti Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic Potential # of Episodes of Illness During a Severe Pandemic	4,000 150,000	49 51
Health HPSAs; Highest Number of Dental Care HPSAs; Largest Nursing Shortage Esti Pandemic Preparedness Key Facts Potential # of Deaths During a Severe Pandemic	4,000	51

THE STATE OF YOUR HEALTH: WYOMING

Public Health Funding Facts					
Federal Funding for Wyoming's Public Health	Per Capita Funding	State Rank*			
U.S. Centers for Disease Control (CDC) FY 2007	\$31.64	9			
Health Resources and Services Administration (HRSA) FY 2007	\$16.87	24			
Office of the Assistant Secretary for Preparedness and Response (ASPR) Hospital Preparedness Program (HPP) FY 2007	\$2.21	1			
*Note: For rankings, $I = Most$ Funding. $I = Highest$ Level of CDC Funding $I = Highest$ ASPR Funding Per Capita.					
FY 2007 CDC Funds for State/Local Health Depa Other Public/Private Agencies (Selecte		&			
Agency for Toxic Substances and Disease Registry (ATSDR)		N/A			
Birth Defects and Developmental Disabilities		\$157,000			
Cancer		\$1,571,663			
Chronic Disease Prevention and Health Promotion		\$406,808			
Diabetes		\$291,746			
Environmental Health		N/A			
Heart Disease		N/A			
HIV/AIDS		\$913,670			
Immunization (Sect. 317 and Vaccines for Children Program)		\$5,099,889			
Infectious Diseases		\$130,345			
Injury and Violence Prevention	\$70,601				
Nutrition and Physical Activity	N/A				
Occupational Safety and Health	N/A				
Pandemic Flu	\$883,764				
Preventive Health and Health Services Block Grant	\$223,514				
School Health	\$243,621				
Sexually Transmitted Diseases (STD)		\$253,886			
Tobacco		\$1,139,998			
Terrorism Preparedness and Emergency Response		\$4,863,250			
Tuberculosis		N/A			
Total FY 2007 CDC Dollars (All Categories)**		\$16,544,795			
FY 2007 HRSA Grants to States by Key Program A	rea (Selected Catego	ries)			
Health Professions		\$713, 44 2			
HIV/AIDS		\$923,938			
Maternal & Child Health	\$1,849,545				
Primary Health Care	\$4,340,240				
Total FY 2007 HRSA Dollars (All Categories)	\$8,820,397				
FY 2007 Office of the Assistant Secretary for Preparednes	s and Response Grant	ts to States			
Hospital Preparedness Program (HPP)		\$1,152,882			
Total FY 2007 ASPR HPP Dollars	\$1,152,882				
State Spending					
State Per Capita Funding for Wyoming's Health: \$117.34	State Per Capita Fund	ding Ranking: 3			
*Note: For rankings, $I = Most$ Funding. $I = Highest$ State Funding for Public Health.					

^{**}Note: Total FY 2007 CDC Dollars includes money for other contracts, such as construction, training, research and development, services, and supplies and equipment.

Appendix A:

NOTES ON DATA AND METHODOLOGY

he sources for the funds and indicators come from a variety of publicly available sources. In some cases fiscal years for funding may vary depending on availability of data, and year of health indicators may vary slightly as well.

Funding References

CDC Funds for State and Local Health Departments, Universities, & Other Public and Private Agencies FY 2007 data were all provided by the U.S. Centers for Disease Control and Prevention's Financial Management Office. The total (all categories) was also provided by the CDC; it includes program areas not highlighted here.

CDC Per Capita Total FY 2007 calculated by TFAH by dividing CDC total dollars by July 1, 2007 U.S. Census Bureau population estimates.

CDC Per Capita Ranking based on TFAH calculated per capita totals.

HRSA Health Professions, HIV/AIDS, Maternal & Child Health, and Primary Health Care FY 2007 funding data come from HRSA's Geospatial Data Warehouse, State Profile Report. http://datawarehouse.hrsa.gov (accessed January 4, 2008.) The total HRSA dollar amount also came from this source. HRSA key program area totals, however, were calculated by TFAH using Microsoft Excel.

HRSA Per Capita Total FY 2007 calculated by TFAH by dividing HRSA Total dollars by July 1, 2007 U.S. Census Bureau population estimates.

HRSA Per Capita Ranking based on TFAH calculated per capita totals.

ASPR Hospital Preparedness Program FY2007 funding data from U.S. Department of Health and Human Services, "HHS Provides \$430 Million to States to Enhance Hospital and Other Health Care Facilities Preparedness for Public Health Emergencies," June 28, 2007, News Release. http://www.hhs.gov/news/press/2007pres/06/pr20070628a.html (accessed January 4, 2008).

ASPR Per Capita Total FY 2007 calculated by TFAH by dividing ASPR Totals by July 1, 2007 U.S. Census Bureau population estimates.

ASPR Per Capita Ranking based on TFAH calculated per capita totals.

Population Facts

U.S. Total Population estimates come from the U.S. Census Bureau, National and State Population Estimates, "Annual Estimates of the Population for the United States, Regions, States, and Puerto Rico: April 1, 2000 to July 1, 2007," released December 27, 2007 and available online at http://www.census.gov/popest/states/NST-ann-est.html. (accessed January 9, 2008).

Total Number of U.S. Uninsured, All Ages estimates come from the U.S. Census Bureau, "Current Population Survey, Table HI06.

Health Insurance Coverage Status by State for All People: 2006." http://pubdb3.census.gov/macro/032007/health/h06_000.htm (accessed January 4, 2008).

Total Number of Uninsured, 18 and under estimates come from the U.S. Census Bureau. "Current Population Survey, Table HI05: Health Insurance Coverage Status and Type of Coverage by State and Age for All People: 2006." http://pubdb3.census.gov/macro/032007/health/h05_000.htm (accessed January 4, 2008).

Adult Health Indicator References

**Note: All Behavioral Risk Factor Surveillance System (BRFSS) statistics use 3 years of combined data to "stabilize" yearly figures. TFAH contracted with Daniel Eisenberg, PhD, Assistant Professor, and Edward Okeke, MBBS, Health Service Organization and Policy Doctoral Student, both with the Department of Health Management and Policy, at the University of Michigan School of Public Health to carry out this data analysis.

Adult Physical Inactivity Rate 2004-2006
3 Yr Average data come from the BRFSS
Prevalence Data 2004-2006, percent
responding "did not engage in any physical
activity". National Center for Chronic
Disease Prevention & Health Promotion,
Centers for Disease Control and Prevention.
Available at http://apps.nccd.cdc.gov/brff.index.asp

AIDS Cumulative Cases Aged 13 and Older 2005 Yr End data come from Table 14, HIV/AIDS Surveillance Report: Cases of HIV Infection and AIDS in the United States, 2005, National Center for HIV, STD, and TB Prevention, CDC. http://www.cdc.gov/hiv/topics/surveillance/resources/reports/2005report/pdf/2005surveillancereport.pdf (accessed January 23, 2008).

Alzheimer's Estimated Cases among 65+ (2000) data come from the Alzheimer's Association report "Alzheimer's Disease Facts and Figures 2007." http://www.alz.org/national/documents/reportalz-factsfigures2007.pdf (accessed January 17, 2008). The Alzheimer's Association derived the estimated numbers of people age 65+ with Alzheimer's Disease from: L.E. Herbert, et al. "State-specific Projections Through 2025 of Alzheimer Disease Prevalence." Neurology 62 (2004):1645.

Asthma 2004-2006 3 Yr Average data come from the BRFSS Prevalence Data 2004-2006, percent responding "ever been told" they have asthma. National Center for Chronic Disease Prevention & Health Promotion, Centers for Disease Control and Prevention.

Available at http://apps.nccd.cdc.gov/brfss/index.asp

Cancer Estimated New Cases 2008 data come from the American Cancer Society's Cancer Facts and Figures 2008. http://www.cancer.org/downloads/STT/2 008CAFFfinalsecured.pdf (accessed February 26, 2008).

Chlamydia Rates per 100,000 Population (2006) data come from the "Sexually Transmitted Disease Surveillance, 2006." Atlanta, GA: Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, U.S. Centers for Disease Control and Prevention, November 2007. Table 3. Chlamydia – Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002-2006. http://www.cdc.gov/std/stats/pdf/tables.p df (accessed January 18, 2008).

Diabetes 2004-2006 3 Yr Average data come from the BRFSS Prevalence Data 2004-2006, percent responding "ever been told" they have diabetes. National Center for Chronic Disease Prevention & Health Promotion, Centers for Disease Control and Prevention. Available at http://apps.nccd.cdc.gov/brfss/index.asp.

Human West Nile Virus Cases 2007 data come from U.S. Geographical Service http://diseasemaps.usgs.gov/wnv-us-human.html and the U.S. Centers for Disease Control and Prevention, Division of Vector-Borne Infectious Diseases, <a href="http://www.cdc.gov/ncidod/dvbid/westnile/surv&controlCaseCount-dod/dvbid/surv&controlCaseCount-dod/dvbid/surv&controlCaseCount-dod/dvbid/surv&controlCaseCo

Hypertension 2001-2005 3 Yr Average data come from the BRFSS Prevalence Data 2001-2001, percent responding "ever been told" they have high blood pressure. Hypertension data is collected only on odd-numbered years. To stabilize the data, researchers used combined data from 2001, 2003 and 2005. National Center for Chronic Disease Prevention & Health Promotion,

Centers for Disease Control and Prevention. Available at http://apps.nccd.cdc.gov/brfss/index.asp.

Obesity 2004-2006 3 Yr Average data were calculated by contractors using self-reported height and weight measure from the BRFSS Prevalence Data 2004-2006. National Center for Chronic Disease Prevention & Health Promotion, Centers for Disease Control and Prevention. Available at http://apps.nccd.cdc.gov/brfss/index.asp. Obesity was defined as having a BMI greater than or equal to 30.

Syphilis Rates per 100,000 Population (2006) data come from the "Sexually Transmitted Disease Surveillance, 2006." Atlanta, GA: Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, U.S. Centers for Disease Control and Prevention, November 2007. Table 25. Primary and sec-

ondary syphilis – Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2002-2006. http://www.cdc.gov/std/stats/pdf/tables.pdf (accessed January 30, 2008).

Tobacco Use – Current Smokers 2004-2006 3 Yr Average data come from the BRFSS Prevalence Data 2004-2006, percent responding they are current smokers. National Center for Chronic Disease Prevention & Health Promotion, Centers for Disease Control and Prevention. Available at http://apps.nccd.cdc.gov/brfss/index.asp.

Tuberculosis (TB) Number of Cases 2006 data come from "Trends in Tuberculosis Incidence — United States, 2006," *MMWR* 56(11), March 23, 2007. http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5611a2.htm (accessed January 23, 2008).

Adolescent and Child Health Indicator References

AIDS Cumulative Cases Children Under 13 2005 data come from Table 14, HIV/AIDS Surveillance Report: Cases of HIV Infection and AIDS in the United States, 2005, National Center for HIV, STD, and TB Prevention, CDC. http://www.cdc.gov/hiv/topics/surveillance/resources/reports/2005report/pdf/2005surveillancereport.pdf (accessed January 23, 2008).

Asthma 2005 High School Students data come from the Youth Risk Behavior Surveillance System, Comprehensive Results 2005, percent responding "ever been told" they have asthma. National Center for Chronic Disease Prevention & Health Promotion, Centers for Disease Control and Prevention. Available at: http://www.cdc.gov/HealthyYouth/yrbs/index.htm.

Immunization Gap: Children Aged 19 to 35 Months without all Immunizations 2006 data come from "Estimated Vaccination Coverage with Individual Vaccines and Selected Vaccination Series Among Children 19-35 Months of Age by State and Local Area U.S., National Immunization Survey, Q1/2006-Q4/2006." http://www.cdc.gov/vaccines/stats-surv/nis/tables/06/tab03_antigen_state.xls (accessed January 17, 2008). TFAH used the data for the 4:3:1:3:3:1 series which is the CDC-recommended series for children aged 19-35 months. The 4:3:1:3:3:1 series is used to evaluate progress toward one of the Healthy People 2010 objectives, which aims to achieve greater than 80% coverage with the series among children ages 19-35 months. The 4:3:1:3:3:1 months.

Infant Mortality per 1,000 Live Births 2005 data come from "Deaths: Final Data for 2005" National Vital Statistics Reports; 56(10). National Center for Health Statistics, Hyattsville, Maryland: 2008. Table 32: Number of infant and neonatal deaths and mortality rates, by race for the United States, each state, Puerto Rico, Virgin Islands, Guam, American Samoa, and Northern Marianas, and by sex for the United States, 2005. http://www.cdc.gov/

nchs/data/nvsr/nvsr56/nvsr56_10.pdf (accessed January 18, 2008).

Low Birthweight Babies 2006 data come from "Births: Preliminary Data for 2006, State-specific Detailed Tables for 2006." National Vital Statistics Reports; 56(7). National Center for Health Statistics, Hyattsville, Maryland: 2006. Table C: Percentage of low birthweight births: United States and each state and territory, final 2005 and preliminary 2006. http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56 07 tables.pdf (accessed January 17, 2008).

Overweight High School Students 2005 data come from the Youth Risk Behavior Surveillance System, Comprehensive Results 2005. National Center for Chronic Disease Prevention & Health Promotion, Centers for Disease Control and Prevention. Available at http://www.cdc.gov/Healthy Youth/yrbs/index.htm.

Overweight 10 to 17 Year Olds 2003-2004 data come from the National Survey of Children's Health, 2003. Overweight and Physical Activity among Children: A Portrait

of States and the Nation 2005, Health Resources and Services Administration, Maternal and Child Health Bureau. http://www.mchb.hrsa.gov/overweight/index.htm (accessed January 17, 2008).

Pre-Term Births as Percent of Live Births 2005 data comes from "Births: Final Data for 2005", National Vital Statistics Reports; 56(6). National Center for Health Statistics, Hyattsville, Maryland: 2007. Table 34: Number and percentage of births delivered preterm, by race and Hispanic origin of mother: United States, each state and territory, 2005. http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56 06.pdf (accessed January 18, 2008).

Tobacco: Current Smokers High School Students 2005 data come from the Youth Risk Behavior Surveillance System, Comprehensive Results 2005, percent of "students who smoked cigarettes on one or more of the past 30 days." National Center for Chronic Disease Prevention & Health Promotion, Centers for Disease Control and Prevention. Available at http://www.cdc.gov/HealthyYouth/yrbs/ index.htm.

Other Public Heath Indicators

Health Professions Shortage Areas: Primary Care, Mental Health, Dental Care FY 2007 data come from HRSA's Geospatial Data Warehouse, State Profile Report. http://datawarehouse.hrsa.gov (accessed January 4, 2008.)

Projected Supply vs. Demand for RNs (2010) data comes from the National Center

for Health Workforce Analysis in the Bureau of Health Professions, Health Resources and Services Administration paper "What Is Behind HRSA's Projected Supply, Demand and Shortage of Registered Nurses?" Washington, D.C.: September 2004.

Pandemic Preparedness Key Facts


Potential # of Deaths During a Severe Pandemic estimates in each state used the same assumptions of a 30 percent attack rate and a 2.5 percent case-fatality rate. The rates were calculated using the Flu Aid computer modeling program developed by CDC, which also considers the age and health risk factors of a state's population.⁵⁰ It should be noted

that Flu Aid is limited in its ability to account for density issues, such as how close people live together in cities versus rural areas.

Potential # of Episodes of Illness During a Severe Pandemic estimates in each state used the same assumptions of a 30 percent attack rate and a 2.5 percent case-fatality rate. The rates were calculated using the Flu Aid computer modeling program developed by CDC, which also considers the age and health risk factors of a state's population. It should be noted that Flu Aid is limited in its ability to account for density issues, such as how close people live together in cities versus rural areas.

Potential Financial Loss during a Severe Pandemic, % of GDP data comes from: Trust for America's Health. "Pandemic Flu and the Potential for U.S. Economic Recession." Washington, D.C.: Trust for America's Health, 2007. Available at: http://healthyamericans.org/reports/flurecession/.

Potential Financial Loss during a Severe Pandemic, dollar amount data comes from: Trust for America's Health. "Pandemic Flu and the Potential for U.S. Economic Recession." Washington, D.C.: Trust for America's Health, 2007. Available at: http://healthyamericans.org/reports/flurecession/.



Appendix B:

STATE-BY-STATE HEALTH INDICATORS ADULT HEALTH INDICATO						CATORS	
State	2007 Census Population Estimate	% Uninsured, All Ages (2006)	Adult Physical Inactivity Rate 2004 2006 3 Yr Average (95% CI)	AIDS Cummulative Cases Aged 13 and Older 2005 Yr End	Alzheimer's Estimated Cases among 65+ (2000)	Asthma 2004 2006 3 Yr Average (95% CI)	Cancer Estimated New Cases 2008
Alabama	4,627,851	15.2%	29.5% (+/- 1.1)	8,176	84,000	12.7% (+/- 0.9)	22,340
Alaska	683,478	16.5%	21.1% (+/- 1.3)	614	3,400	12.9% (+/- 1.1)	2,650
Arizona	6,338,755	20.9%	23.0% (+/- 1.4)	9,907	78,000	12.7% (+/- 1.0)	25,540
Arkansas	2,834,797	18.9%	28.6% (+/- 0.9)	3,667	56,000	11.4% (+/- 0.6)	14,840
California	36,553,215	18.8%	23.2% (+-/ 0.8)	138,361	440,000	13.2% (+/- 0.7)	156,530
Colorado	4,861,515	17.2%	17.8% (+/- 0.7)	8,449	49,000	12.6% (+/- 0.6)	18,900
Connecticut	3,502,309	9.4%	20.0% (+/- 0.7)	14,304	68,000	13.4% (+/- 0.6)	19,190
Delaware	864,764	12.1%	22.2% (+/- 1.0)	3,433	12,000	13.7% (+/- 0.9)	4,590
D.C.	588,292	11.6%	22.3% (+/- 1.1)	16,777	10,000	15.0% (+/- 1.0)	2,560
Florida	18,251,243	21.2%	25.2% (+/- 0.8)	99,290	360,000	11.5% (+/- 0.6)	101,920
Georgia	9,544,750	17.7%	25.9% (+/- 0.9)	30,179	110,000	12.1% (+/- 0.7)	36,980
Hawaii	1,283,388	8.8%	19.4% (+/- 1.0)	2,840	23,000	14.6% (+/- 0.9)	6,310
ldaho	1,499,402	15.4%	20.5% (+/- 0.8)	576	19,000	12.3% (+/- 0.7)	6,430
Illinois	12,852,548	14.0%	24.3% (+/- 0.9)	32,314	210,000	11.9% (+/- 0.7)	59,130
Indiana	6,345,289	11.8%	25.9% (+/- 0.8)	7,908	100,000	12.6% (+/- 0.6)	29,550
lowa	2,988,046	10.5%	22.8% (+/- 0.8)	1,642	65,000	10.5% (+/- 0.6)	16,150
Kansas	2,775,997	12.3%	23.4% (+/- 0.6)	2,666	50,000	11.5% (+/- 0.5)	12,520
Kentucky	4,241,474	15.6%	30.6% (+/- 1.0)	4,424	74,000	12.7% (+/- 0.7)	23,270
Louisiana	4,293,204	21.9%	31.3% (+/- 0.9)	16,821	73,000	11.0% (+/- 0.6)	23,360
Maine	1,317,207	9.3%	21.6% (+/- 0.9)	1,045	25,000	14.2% (+/- 0.8)	8,140
Maryland	5,618,344	13.8%	22.6% (+/- 0.8)	28,804	78,000	13.0% (+/- 0.7)	27,380
Massachusetts	6,449,755	10.4%	21.5% (+/- 0.7)	18,683	120,000	14.2% (+/- 0.6)	34,470
Michigan	10,071,822	10.5%	22.5% (+/- 0.7)	14,274	170,000	13.4% (+/- 0.6)	51,150
Minnesota	5,197,621	9.2%	15.4% (+/- 0.8)	4,605	88,000	11.2% (+/- 0.8)	23,160
Mississippi	2,918,785	20.8%	31.6% (+/- 0.9)	6,319	51,000	11.3% (+/- 0.7)	13,400
Missouri	5,878,415	13.3%	24.5% (+/- 1.0)	10,569	110,000	13.1% (+/- 0.8)	29,390
Montana	957,861	17.1%	20.2% (+/- 0.8)	369	16,000	12.2% (+/- 0.7)	5,090
Nebraska	1,774,571	12.3%	22.1% (+/- 0.7)	1,366	33,000	10.6% (+/- 0.6)	8,710
Nevada	2,565,382	19.6%	26.1% (+/- 1.4)	5,452	21,000	11.8% (+/- 1.0)	11,370
New Hampshire	1,315,828	11.5%	19.9% (+/- 0.7)	1,022	19,000	14.5% (+/- 0.7)	7,030
New Jersey	8,685,920	15.5%	27.3% (+/- 0.6)	47,659	150,000	12.1% (+/- 0.4)	45,900
New Mexico	1,969,915	22.9%	22.4% (+/- 0.8)	2,518	27,000	14.1% (+/- 0.7)	8,260
New York	19,297,729	14.0%	26.5% (+/- 0.8)	170,035	330,000	13.3% (+/- 0.6)	97,130
North Carolina	9,061,032	17.9%	24.7% (+/- 0.5)	14,797	130,000	11.2% (+/- 0.4)	40,420
North Dakota	639,715	12.2%	22.1% (+/- 0.9)	139	16,000	10.6% (+/- 0.8)	3,090
Ohio	11,466,917	10.1%	24.4% (+/- 1.1)	14,246	200,000	11.9% (+/- 0.9)	56,840
Oklahoma	3,617,316	18.9%	29.4% (+/- 0.8)	4,626	62,000	13.2% (+/- 0.6)	17,860
Oregon	3,747,455	17.9%	17.4% (+/- 0.7)	5,721	57,000	15.1% (+/- 0.6)	19,230
Pennsylvania	12,432,792	10.0%	24.4% (+/- 0.8)	31,619	280,000	12.1% (+/- 0.6)	70,110
Rhode Island	1,057,832	8.6%	25.0% (+/- 1.0)	2,476	24,000	15.1% (+/- 0.8)	6,120
South Carolina	4,407,709	15.9%	24.8% (+/- 0.7)	12,614	67,000	11.5% (+/- 0.5)	20,740
South Dakota	796,214	11.8%	21.8% (+/- 0.7)	239	17,000	10.5% (+/- 0.6)	4,080
Tennessee	6,156,719	13.7%	30.5% (+/- 1.1)	11,810	100,000	12.4% (+/- 0.8)	29,390
Texas	23,904,380	24.5%	27.4% (+/- 1.0)	66,836	270,000	11.8% (+/- 0.7)	96,320
Utah	2,645,330	17.4%	18.3% (+/- 0.8)	2,241	22,000	13.1% (+/- 0.7)	7,760
Vermont	621,254	10.2%	18.4% (+/- 0.6)	441	10,000	14.2% (+/- 0.6)	3,530
Virginia	7,712,091	13.3%	21.7% (+/- 1.0)	16,202	100,000	13.2% (+/- 0.8)	35,590
Virginia Washington		11.8%		11,404	83,000		32,380
	6,468,424	13.5%	17.3% (+/- 0.4)		40,000	14.4% (+/- 0.4)	10,250
West Virginia Wisconsin	1,812,035	8.8%	26.2% (+/- 1.0)	1,433		13.3% (+/- 0.8)	27,590
	5,601,640		18.8% (+/- 0.8)	4,300 223	7,000	12.4% (+/- 0.7)	
Wyoming U.S. Total	522,830 301,621,157	14.6% 15.8 %	21.3% (+/- 0.7) N/A*	916,435	4,707,400	12.6% (+/- 0.7) N/A*	2,570 I,437,180

Notes *BRFSS data is not an accurate source of national-level data.

Chlamydia Rates	Diabetes	Human West	Hypertension	Obesity	Syphilis Rates	Tobacco Use	Tuberculosis
per 100,000	2004 2006	Nile Virus Cases	2004 2006	2004 2006	per 100,000	Current Smokers	Number of Cases
Population	3 Yr Average	2007	3 Yr Average	3 Yr Average	Population	2004 2006	2006
(2006)	Percentage		(95% CI)	Percentage	(2006)	3 Yr Average	(OE9/ CI)
502.8	(95% CI) 9.3% (+/- 0.6)	24	22.00% (/	29.4% (+/- 1.2)	(95% CI) 7.0	24.3% (+/- 1.1)	(95% CI)
		0					70
681.1 405.6	4.8% (+/- 0.6)	94		25.8% (+/- 1.4)	1.7	24.6% (+/- 1.4)	311
297.2	7.6% (+/- 0.7)	20		21.7% (+/- 1.4)	3.4 2.8	19.0% (+/- 1.3)	102
375.9	7.8% (+/- 0.5) 7.4% (+/- 0.5)	379	29.8% (+/- 0.9) 24.1% (+/- 0.8)		5.1	24.3% (+/- 0.9)	2,781
349.7	4.8% (+/- 0.3)	555	20.5% (+/- 0.9)		1.5	14.9% (+/- 0.8) 19.2% (+/- 0.8)	124
311.8	6.3% (+/- 0.4)	4	24.0% (+/- 0.7)	20.1% (+/- 0.7)	1.8	17.2% (+/- 0.7)	89
428.6	7.9% (+/- 0.4)	1		23.6% (+/- 1.1)	2.4	22.2% (+/- 1.1)	29
611.8	7.8% (+/- 0.6)	0		22.2% (+/- 1.1)	21.1	19.6% (+/- 1.1)	73
275.2	8.4% (+/- 0.5)	3		22.9% (+/- 0.8)	4.0	21.0% (+/- 0.8)	1,038
429.6	8.3% (+/- 0.5)	49		26.1% (+/- 1.0)	6.4	20.7% (+/- 0.9)	504
435.1	7.8% (+/- 0.6)	0		20.1% (+/- 1.0)	1.4	17.3% (+/- 0.9)	115
234.1	6.6% (+/- 0.4)	131		23.2% (+/- 0.8)	0.2	17.4% (+/- 0.8)	20
419.8	7.4% (+/- 0.5)	98		24.4% (+/- 0.9)	3.4	20.9% (+/- 0.9)	569
316.6	8.0% (+/- 0.4)	24		26.8% (+/- 0.8)	1.5	25.4% (+/- 0.8)	124
282.8	6.8% (+/- 0.4)	30		24.9% (+/- 0.8)	0.6	20.9% (+/- 0.8)	40
285.2	6.9% (+/- 0.3)	39		24.3% (+/- 0.6)	1.0	19.2% (+/- 0.6)	81
214.2	8.8% (+/- 0.5)	4	29.4% (+/- 0.9)		1.7	28.2% (+/- 1.0)	84
395.4	8.9% (+/- 0.5)	40		28.2% (+/- 0.9)	7.6	23.2% (+/- 0.8)	199
174.5	7.3% (+/- 0.5)	0		23.0% (+/- 0.9)	0.7	20.9% (+/- 0.9)	16
390.3	7.4% (+/- 0.5)	10	25.8% (+/- 0.8)		5.4	18.7% (+/- 0.8)	253
240.6	6.1% (+/- 0.3)	6		19.8% (+/- 0.7)	1.9	18.1% (+/- 0.7)	259
363.1	8.3% (+/- 0.4)	13		26.8% (+/- 0.8)	1.2	22.5% (+/- 0.8)	221
252.0	5.5% (+/- 0.4)	101	22.1% (+/- 0.9)		0.9	19.7% (+/- 1.0)	217
650.5	10.1% (+/- 0.5)	129		30.6% (+/- 0.9)	2.9	24.4% (+/- 0.9)	116
396.2	7.5% (+/- 0.5)	76		26.3% (+/- 1.0)	2.9	23.6% (+/- 1.0)	104
283.2	6.0% (+/- 0.4)	201		20.7% (+/- 0.8)	0.1	19.5% (+/- 0.8)	13
308.6	7.0% (+/- 0.4)	144		25.4% (+/- 0.8)	0.4	20.1% (+/- 0.7)	25
347.8	7.0% (+/- 0.7)	12	24.6% (+/- 1.4)		5.7	22.8% (+/- 1.3)	99
152.4	6.8% (+/- 0.4)	0	22.9% (+/- 0.8)		1.0	20.3% (+/- 0.8)	17
231.6	7.3% (+/- 0.3)			22.2% (+/- 0.6)	2.0	18.3% (+/- 0.6)	508
509.7	7.1% (+/- 0.4)	60	21.4% (+/- 0.8)		4.1	20.6% (+/- 0.8)	48
356.9	7.8% (+/- 0.5)	21	25.6% (+/- 0.8)		3.8	19.5% (+/- 0.7)	1,274
387.1	8.7% (+/- 0.3)	6	28.4% (+/- 0.8)		3.6	22.6% (+/- 0.5)	374
285.9	6.4% (+/- 0.5)	369		25.1% (+/- 1.0)	0.2	19.8% (+/- 0.9)	9
349.8	7.4% (+/- 0.6)	23	26.7% (+/- 1.0)	26.0% (+/- 1.2)	1.6	23.5% (+/- 1.2)	239
366.2	9.0% (+/- 0.4)	101	28.8% (+/- 0.8)	26.8% (+/-0.8)	2.0	25.4% (+/- 0.8)	144
263.0	6.7% (+/- 0.4)	26	24.2% (+/- 0.8)	23.3% (+/- 0.8)	0.8	19.0% (+/- 0.7)	81
317.7	8.2% (+/- 0.4)	9		24.5% (+/- 0.7)	2.1	22.6% (+/- 0.8)	338
292.0	7.0% (+/- 0.5)		26.9% (+/- 0.9)	20.5% (+/- 0.9)	1.3	20.1% (+/- 1.0)	26
525.3	9.4% (+/- 0.4)	5	29.7% (+/- 0.8)	27.8% (+/- 0.7)	1.6	23.0% (+/- 0.7)	222
339.3	6.5% (+/- 0.4)	207	24.7% (+/- 0.7)	24.9% (+/- 0.8)	1.7	20.2% (+/- 0.8)	14
424.6	9.4% (+/- 0.6)	10		27.8% (+/- 1.2)	4.2	25.1% (+/- 1.1)	279
330.5	7.8% (+/- 0.5)	219		26.3% (+/- 0.9)	4.7	19.4% (+/- 0.8)	1,585
206.2	5.4% (+/- 0.4)	68	19.8% (+/- 0.9)	21.1% (+/- 0.8)	0.9	10.6% (+/- 0.6)	34
191.2	5.8% (+/- 0.3)	0	22.8% (+/- 0.7)	20.0% (+/- 0.6)	0.5	19.1% (+/- 0.7)	9
318.3	7.1% (+/- 0.5)	5		24.5% (+/- 1.0)	2.5	20.3% (+/- 0.9)	331
283.4	6.6% (+/- 0.2)	0	24.1% (+/- 0.6)		2.9	17.9% (+/- 0.4)	262
160.2	11.1% (+/- 0.6)	0	32.5% (+/- 1.0)		0.6	26.4% (+/- 1.0)	22
364.7	6.2% (+/- 0.4)	11		24.8% (+/- 0.9)	1.2	21.1% (+/- 0.9)	75
279.2	6.3% (+/- 0.4)	181		22.8% (+/- 0.8)	0.0	21.5% (+/- 0.8)	4
347.8	N/A*	3,510	N/A*	N/A*	3.3	N/A*	13,767

Appendix C:

	STATE-BY-S	TATE HEAL	TH INDICATO	RS CHILD	
State	2007 Census Population Estimate	% Uninsured, 18 and Under (2006)	AIDS Cummulative Cases Under Age I3 2005 Yr End	Asthma 2005 High School Students (95% CI)	Immunization Gap % of Childen Aged 19 to 35 Months Without All Immunizations
Al I	4 (27 05)	7.40/	7/	24.00((+/ 2.5)	20.00/
Alabama	4,627,851	7.4%	76	24.0% (+/- 2.5)	20.9%
Alaska	683,478	10.3%	7	N/A	32.7%
Arizona	6,338,755	17.0%	45	21.8% (+/- 1.5)	29.4%
Arkansas	2,834,797	9.3%	36	21.5% (+/- 2.2)	27.1%
California	36,553,215	12.8%	658	N/A	21.4%
Colorado	4,861,515	14.6%	31	18.6% (+/- 2.6)	24.1%
Connecticut	3,502,309	6.0%	183	27.3% (+/- 2.4)	18.0%
Delaware	864,764	11.7%	25	N/A	19.7%
D.C.	588,292	8.7%	185	N/A	21.6%
Florida	18,251,243	18.9%	1519	17.5% (+/- 1.3)	19.8%
Georgia	9,544,750	12.8%	226	20.3% (+/- 2.1)	18.6%
Hawaii	1,283,388	6.3%	17	30.4% (+/- 2.8)	21.2%
Idaho	1,499,402	13.0%	2	18.2% (+/- 2.5)	31.2%
Illinois	12,852,548	9.5%	281	N/A	25.9%
Indiana	6,345,289	7.8%	55	22.2% (+/- 2.2)	24.1%
lowa	2,988,046	6.3%	14	16.6% (+/- 2.3)	21.0%
Kansas	2,775,997	7.3%	14	20.7% (+/- 2.1)	29.9%
Kentucky	4,241,474	9.7%	29	22.1% (+/- 2.6)	21.0%
Louisiana	4,293,204	15.9%	131	N/A	30.4%
Maine	1,317,207	6.4%	8	23.1% (+/- 2.4)	24.3%
Maryland	5,618,344	9.9%	312	22.3% (+/- 3.2)	21.7%
Massachusetts	6,449,755	7.0%	213	N/A	16.4%
Michigan	10,071,822	4.7%	112	19.6% (+/- 2.1)	22.1%
Minnesota	5,197,621	8.3%	27	N/A	22.4%
Mississippi	2,918,785	18.9%	57	N/A	26.7%
Missouri	5,878,415	9.1%	61	19.6% (+/- 3.9)	19.3%
Montana	957,861	14.5%	3	18.9% (+/- 1.4)	34.4%
Nebraska	1,774,571	10.1%	11	19.2% (+/- 1.8)	25.1%
Nevada	2,565,382	18.8%	29	N/A	40.5%
New Hampshire	1,315,828	7.5%	10	N/A	23.7%
New Jersey	8,685,920	13.3%	772	20.1% (+/- 2.0)	23.9%
New Mexico	1,969,915	17.9%	8	22.0% (+/- 1.5)	28.4%
New York	19,297,729	8.4%	2,342	20.5% (+/- 2.0)	21.3%
North Carolina	9,061,032	14.0%	118	20.1% (+/- 2.1)	18.5%
North Dakota	639,715	10.3%	1	19/1% (+/- 2.2)	19.9%
Ohio	11,466,917	5.7%	135	18.4% (+/- 3.1)	25.0%
Oklahoma	3,617,316	12.5%	25	19.6% (+/- 2.3)	22.4%
Oregon	3,747,455	13.1%	19	N/A	26.8%
Pennsylvania	12,432,792	7.3%	358	N/A	19.2%
Rhode Island	1,057,832	4.1%	27	20.1% (+/- 2.5)	19.4%
South Carolina	4,407,709	10.7%	101	19.0% (+/- 3.3)	20.4%
South Dakota	796,214	9.2%	5	16.2% (+/- 2.4)	25.6%
Tennessee	6,156,719	6.4%	57	18.9% (+/- 2.1)	23.2%
Texas	23,904,380	21.2%	391	18.2% (+/- 2.2)	25.3%
Utah	2,645,330	15.0%	20	17.2% (+/- 3.0)	22.0%
Vermont	621,254	8.0%	6	N/A	24.8%
Virginia	7,712,091	10.1%	176	N/A	22.6%
Washington	6,468,424	6.9%	34	N/A	28.6%
West Virginia	1,812,035	8.5%	11	23.7% (+/- 3.3)	31.6%
		4.9%	32		19.5%
Wisconsin	5,601,640			19.9% (+/- 1.6)	
Wyoming U.S. Total	522,830 301,621,157	8.2% II. 7 %	9, 025	18.5% (+/- 1.9) N/A**	36.5% 23.0 %

^{**}Note: YBRSS data is not an accurate source of national-level data.

AND AD	OLESCENT	HEALTH INDI	CATORS		
Infant Mortality - 2005 Per 1,000 Live Births	Low Birthweight Babies 2006	Overweight 2005 High School Students (95% CI)	Overweight: % of 10 to 17 Year Olds (2003-2004)	Pre-Term Births % of live births 2005	Tobacco: Current Smokers High School Students 2006 (95% CI)
0.1	10.50/	1 (00 (() () 1 =)	1.4 = 2.4	14.704	2 (((((2 2 2)
9.4	10.5%	14.8% (+/- 1.7)	16.7%	16.7%	24.4% (+/- 3.8)
5.9	6.0%	N/A	11.1%	10.6%	N/A
6.9	7.1%	11.9% (+/- 2.0)	12.2%	13.2%	21.4% (+/- 1.8)
7.9	9.2%	15.4% (+/- 1.9)	16.4%	13.4%	25.9% (+/- 3.3)
5.3	6.8%	N/A	13.2%	10.7%	N/A
6.4	8.9%	9.8% (+/- 2.8)	9.9%	12.3%	18.7% (+/- 5.5)
5.8	8.1%	11.2% (+/- 2.4)	12.3%	10.4%	18.1% (+/- 2.5)
9.0	9.3%	14.1% (+/- 1.4)	14.8%	14.0%	21.2% (+/- 2.1)
14.0	11.5%	10.6% (+/- 1.5)	22.8%	15.9%	N/A
7.2 8.2	8.7%	10.9% (+/- 1.0)	14.4%	13.8%	17.2% (+/- 1.6) 17.2% (+/- 3.1)
6.5	9.6%	12.4% (+/- 2.1)	16.4%	13.6%	
- 11	21.72	13.5% (+/- 1.9)		12.2%	16.4% (+/- 2.3)
6.I 7.4	6.9%	7.2% (+/- 1.6)	10.1%	11.4%	15.8% (+/- 2.5)
	8.6% 8.2%	N/A 15.0% (+/- 2.5)	15.6%	13.1%	N/A
8.0				11.8%	21.9% (+/- 4.0)
5.3 7.4	6.9%	12.2% (+/- 2.8)	12.5%		22.2% (+/- 3.1) 21.0% (+/- 4.0)
6.6	7.2% 9.1%	11.9% (+/- 2.0) 15.6% (+/- 1.5)	14.0% 20.6%	12.2% 15.2%	26.2% (+/- 2.8)
6.9	6.8%	N/A 10.9% (+/- 1.7)	17.2%	16.5%	N/A 16.2% (+/- 3.7)
7.3	9.4%		13.3%	13.3%	
		12.6% (+/- 2.1)		2 1 2 2 2	16.5% (+/- 3.4)
5.2 7.9	7.9% 8.3%	11.2% (+/- 2.0)	13.6%	11.3%	20.5% (+/- 1.8) 17.0% (+/- 2.5)
5.1	6.5%	N/A	10.1%	10.7%	N/A
11.4	12.4%	N/A	17.8%	18.8%	N/A
7.5	8.1%	13.9% (+/- 2.4)	15.6%	13.3%	21.3% (+/- 3.5)
7.0	7.3%	9.3% (+/- 1.3)	11.1%	11.4%	20.1% (+/- 2.3)
5.6	7.1%	11.0% (+/- 1.2)	11.1%	12.2%	21.8% (+/- 2.5)
5.8	8.3%	N/A	12.4%	13.9%	18.3% (+/- 2.6)
5.3	6.9%	11.4% (+/- 2.2)	12.1%	10.5%	20.5% (+/- 3.2)
5.2	8.6%	11.4% (+/- 2.7)	13.7%	12.5%	19.8% (+/- 2.8)
6.1	8.9%	12.0% (+/- 2.2)	16.8%	13.1%	25.7% (+/- 3.4)
5.8	8.3%	10.5% (+/- 1.4)	15.3%	12.1%	16.2% (+/- 2.2)
8.8	9.1%	13.5% (+/- 2.5)	19.3%	13.7%	24.9% (+/- 3.3)
6.0	6.7%	11.2% (+/- 2.4)	12.1%	11.5%	22.1% (+/- 3.1)
8.3	8.8%	12.7% (+/- 2.7)	14.2%	13.0%	24.4% (+/- 3.9)
8.1	8.3%	15.2% (+/- 2.0)	15.4%	13.1%	28.6% (+/- 3.4)
5.9	6.1%	N/A	14.1%	10.2%	N/A
7.3	8.4%	N/A	13.3%	11.9%	N/A
6.5	8.0%	12.9% (+/- 1.7)	11.9%	12.1%	15.9% (+/- 2.9)
9.4	10.1%	12.7% (+/- 2.9)	18.9%	15.6%	23.5% (+/- 3.9)
7.2	7.0%	10.4% (+/- 2.1)	12.1%	11.5%	28.2% (+/- 7.6)
8.9	9.6%	14.6% (+/- 2.6)	20.0%	14.7%	26.3% (+/- 3.4)
6.6	8.4%	13.9% (+/- 1.6)	19.1%	13.6%	24.2% (+/- 2.9)
4.5	6.9%	5.6% (+/- 1.7)	8.5%	11.4%	7.4% (+/- 2.9)
6.7	6.9%	9.5% (+/- 2.1)	11.3%	9.0%	17.9% (+/- 3.8)
7.5	8.3%	N/A	13.8%	12.3%	N/A
5.1	6.5%	N/A	10.8%	10.6%	N/A
8.1	9.7%	14.5% (+/- 2.2)	20.9%	14.4%	25.3% (+/- 3.3)
6.6	6.9%	9.9% (+/- 1.6)	13.5%	11.4%	22.8% (+/- 2.5)
6.8	8.9%	8.4% (+/- 1.1)	8.7%	13.1%	22.5% (+/- 2.0)
6.9	8.3%	N/A**	N/A**	12.7%	N/A**

Appendix D:

		STATE-BY-S	TATE HEALTH	INDICATOR	S
		ОТ	HER PUBLIC HEA	LTH INDICATORS	;
State	2007 Census Population Estimates	Primary Care Health Professions Shortage Areas (As of 01/04/08)	Mental Health Health Professions Shortage Areas (As of 01/04/08)	Dental Health Health Professions Shortage Areas (As of 01/04/08)	Nursing Shortage Estimates (2010)
A1.1	4 (07 05)	0.5	20	40	200
Alabama	4,627,851	85	38	62	-200
Alaska	683,478	71	52	48	-2,300
Arizona Arkansas	6,338,755 2,834,797	81	46 37	75 36	-12,500 -2,700
California	36,553,215	500	227	261	-47,600
Colorado	4,861,515	108	33	55	-10,900
Connecticut	3,502,309	41	19	39	-11,100
Delaware	864,764	12	6	8	-1,300
D.C.	588,292	14	8	8	-3,000
Florida	18,251,243	238	127	195	-32,700
Georgia	9,544,750	183	56	126	-16,400
Hawaii	1,283,388	31	24	23	-4,500
Idaho	1,499,402	65	18	54	-800
Illinois	12,852,548	267	111	163	-9,300
Indiana	6,345,289	93	39	36	-8,200
lowa	2,988,046	81	28	82	-3,400
Kansas	2,775,997	124	38	108	-1,000
Kentucky	4,241,474	133	67	40	1,200
Louisiana	4,293,204	122 74	60 30	77 59	100
Maine Maryland	1,317,207 5,618,344	47	28	32	-2,500 -7,000
Massachusetts	6,449,755	66	43	61	-16,100
Michigan	10,071,822	191	77	113	-3,100
Minnesota	5,197,621	119	42	61	-4,400
Mississippi	2,918,785	109	38	100	-500
Missouri	5,878,415	173	48	124	-12,900
Montana	957,861	91	49	55	-500
Nebraska	1,774,571	72	18	31	-2,400
Nevada	2,565,382	55	18	20	-4,100
New Hampshire	1,315,828	23	14	18	-3,300
New Jersey	8,685,920	35	26	29	-19,600
New Mexico	1,969,915	91	41	61	-3,100
New York	19,297,729	171	121	101	-21,500
North Carolina	9,061,032	114	44	95	-8,100
North Dakota	639,715	76	41 49	27	-900 -12,100
Ohio	11,466,917	111	35	86 34	-500
Oklahoma Oregon	3,617,316 3,747,455	91	39	54	-5,300
Pennsylvania	12,432,792	171	81	128	-21,100
Rhode Island	1,057,832	19	16	16	-3,000
South Carolina	4,407,709	87	41	65	-5,200
South Dakota	796,214	80	34	40	-200
Tennessee	6,156,719	120	46	125	-18,500
Texas	23,904,380	405	225	208	-41,900
Utah	2,645,330	53	26	41	-1,500
Vermont	621,254	22	10	12	-600
Virginia	7,712,091	109	65	78	-11,000
Washington	6,468,424	120	70	72	-8,800
West Virginia	1,812,035	96	46	57	700
Wisconsin	5,601,640	96	89	57	500
Wyoming	522,830	35	19	19	-1,200
U.S. Total	301,621,157	5,596	2,601	3,547	-405,800

	PANDEMIC PREF	PAREDNESS KEY F	ACTS
Potential # of	Potential #	Potential	Potential
Deaths During	of Sick During	Financial Loss	Financial Loss
a Severe	a Severe	During a	During a
Pandemic	Pandemic	Severe Pandemic,	Severe Pandemic,
		% of GDP	\$ amount
27.222		T 4504	
37,000	1,350,000	5.45%	\$8.3 Billion
 4,000	192,000	6.59%	\$2.6 Billion
38,000	1,766,000 823,000	5.52%	\$12.0 Billion \$5.0 Billion
22,000 253,000	10,713,000	5.81% 5.36%	\$86.9 Billion
 30,000	1,381,000	5.40%	\$11.7 Billion
29,000	1,039,000	5.23%	\$10.1 Billion
6,000	250,000	5.32%	\$3.0 Billion
5,000	162,000	4.62%	\$3.8 Billion
149,000	5,254,000	5.74%	\$38.7 Billion
57,000	2,688,000	5.46%	\$19.8 Billion
10,000	365,000	6.60%	\$3.6 Billion
9,000	425,000	5.42%	\$2.6 Billion
99,000	3,787,000	5.60%	\$31.3 Billion
49,000	1,863,000	5.87%	\$14.0 Billion
26,000	878,000	5.90%	\$6.7 Billion
22,000	810,000	5.58%	\$5.9 Billion
33,000	1,232,000	5.87%	\$8.2 Billion
35,000	1,339,000	6.03%	\$10.1 Billion
11,000	391,000	5.38%	\$2.4 Billion
41,000	1,656,000	5.09%	\$12.5 Billion
55,000	1,895,000	5.20%	\$16.9 Billion
82,000	3,003,000	5.39%	\$20.3 Billion
39,000	1,526,000	5.44%	\$12.8 Billion
 22,000	864,000	5.99%	\$4.9 Billion
47,000	1,717,000	5.74%	\$12.4 Billion
7,000	277,000	5.86%	\$1.8 Billion
 14,000	520,000	6.22%	\$4.4 Billion
13,000	720,000	8.08%	\$9.0 Billion
10,000	389,000	5.30% 5.42%	\$2.9 Billion \$23.4 Billion
71,000 13,000	2,585,000 571,000	5.42%	\$3.7 Billion
157,000	5,706,000	5.20%	\$49.8 Billion
62,000	2,556,000	5.48%	\$19.0 Billion
6,000	186,000	5.71%	\$1.4 Billion
96,000	3,396,000	5.54%	\$24.4 Billion
28,000	1,046,000	5.55%	\$6.7 Billion
28,000	1,082,000	5.46%	\$7.9 Billion
113,000	3,675,000	5.50%	\$26.9 Billion
9,000	318,000	5.29%	\$2.3 Billion
31,000	1,256,000	5.62%	\$ 7.9 Billion
6,000	229,000	5.71%	\$1.8 Billion
45,000	1,767,000	5.98%	\$13.7 Billion
146,000	6,789,000	5.57%	\$55.1 Billion
14,000	737,000	5.49%	\$5.0 Billion
5,000	185,000	5.65%	\$1.3 Billion
54,000	2,208,000	5.13%	\$18.1 Billion
45,000	1,853,000	5.36%	\$14.3 Billion
17,000	537,000	5.69%	\$3.0 Billion
44,000	1,643,000	5.56%	\$12.0 Billion
4,000	150,000	6.40%	\$1.7 Billion
2,250,000	87,750,000	5.51%	\$683 Billion

Appendix E:

S	TATE-B	Y-STATE	FUNDING	G CHAR	Γ FY 2	2007 CD	C F <u>unds</u>	for State	e/Local H	eal <u>th D</u> e	epartments
State	Agency for Toxic Substances and Disease Registry (ATSDR)	Birth Defects and Developmental Disabilities	Cancer	Chronic Disease Prevention/ Health Promotion	Diabetes	Environmental Health	Heart Disease	HIV/AIDS	Immunization (Section 317 & Vaccines for Children)	Infectious Disease	Injury & Violence Prevention
Alabama	\$152,284	\$448,983	\$5,918,853	\$3,386,193	\$581,712	\$149,692	\$382,770	\$2,556,982	\$50,747,309	\$215,271	\$1,668,784
Alaska	\$162,347	\$142,500	\$7,700,833	\$1,168,330	\$477,405	\$121,827	\$370,000	\$1,696,739	\$13,706,236	\$518,020	\$676,061
Arizona	\$403,844	\$1,180,000	\$4,234,086	\$1,141,483	\$0	\$128,236	\$325,000	\$5,223,661	\$57,872,415	\$214,155	\$888,808
Arkansas	\$174,338	\$1,016,754	\$3,956,459	\$604,037	\$500,316	\$0	\$1,233,034	\$1,947,471	\$28,408,626	\$116,378	\$604,460
California	\$695,103	\$3,681,182	\$12,993,319	\$8,138,631	\$999,045	\$5,135,216	\$527,948	\$54,721,262	\$323,434,242	\$4,246,999	\$10,799,878
Colorado	\$224,889	\$3,248,179	\$5,994,486	\$4,813,186	\$1,128,966	\$490,672	\$738,774	\$6,589,470	\$30,462,671	\$1,308,718	\$2,653,532
Connecticut	\$428,990	\$0	\$2,719,719	\$2,205,793	\$630,190	\$2,027,889	\$0	\$7,670,234	\$30,761,429	\$2,049,692	\$1,009,162
Delaware	\$0	\$147,238	\$169,686	\$235,485	\$424,204	\$144,375	\$0	\$2,108,022	\$7,834,089	\$243,279	\$281,785
D.C.	\$1,285,000	\$8,487,309	\$2,258,473	\$96,017,709	\$1,836,261	\$5,616,704	\$1,548,236	\$18,610,206	\$8,907,851	\$1,886,722	\$892,053
Florida	\$591,904	\$1,327,457	\$6,655,547	\$4,566,740	\$786,432	\$1,888,734	\$1,055,704	\$30,378,122	\$135,899,742		\$2,781,663
Georgia	\$1,825,697 \$0	\$852,149 \$0	\$8,551,014 \$2,022,392	\$9,203,657 \$2,019,763	\$736,456 \$1,037,296	\$1,431,203 \$447,703	\$4,220,144 \$77,537	\$14,039,376 \$2,455,037	\$100,697,736 \$13,889,326	\$72,126	\$3,564,808 \$1,292,691
Hawaii Idaho	\$226,688	\$0	\$2,022,392	\$412,699	\$362,682	\$307,563	\$0	\$900,769	\$13,069,326	\$26,334	\$181,166
Illinois	\$700,456	\$2,287,499	\$9,895,561	\$6,428,608	\$1,038,849	\$3,601,275	\$665,692	\$17,020,539	\$72,046,272	\$1,065,103	\$3,868,633
Indiana	\$0	\$170,591	\$2,890,479	\$918,779	\$907,250	\$1,364,264	\$0	\$3,028,913	\$48,114,779	\$139,627	\$842,236
lowa	\$258,531	\$3,003,400	\$3,681,257	\$873,793	\$193,617	\$1,198,814	\$229,401	\$1,717,284	\$19,805,894	\$361,033	\$1,835,479
Kansas	\$0	\$230,625	\$3,636,757	\$239,943	\$748,667	\$357,479	\$537,088	\$1,690,502	\$15,391,876	\$294,664	\$875,405
Kentucky	\$0	\$0	\$3,812,695	\$899,312	\$733,452	\$592,575	\$340,000	\$2,439,298	\$25,609,923	\$61,160	\$1,332,881
Louisiana	\$389,826	\$535,328	\$2,899,198	\$2,672,903	\$167,940	\$661,443	\$293,628	\$8,660,408	\$54,438,677	\$456,063	\$671,354
Maine	\$0	\$172,040	\$2,753,409	\$193,952	\$363,438	\$1,555,787	\$0	\$1,801,553	\$14,417,019	\$226,300	\$265,747
Maryland	\$0	\$5,232,934	\$6,379,566	\$5,081,073	\$786,112	\$2,761,508	\$0	\$17,598,571	\$47,063,327	\$2,173,251	\$5,744,544
Massachusetts	\$428,181	\$1,848,348	\$6,565,751	\$7,773,103	\$1,166,466	\$2,715,713	\$1,764,341	\$14,866,034		\$1,472,238	\$3,546,824
Michigan	\$538,477	\$2,588,967	\$11,274,726	\$5,494,160	\$820,880	\$2,915,788	\$1,170,415	\$9,743,278	\$71,971,872	\$1,001,801	\$2,289,724
Minnesota	\$812,072	\$918,029	\$7,105,941	\$4,015,849	\$1,103,533	\$2,175,746	\$963,587	\$422,115	\$24,139,349	\$3,190,725	\$1,521,112
Mississippi	\$0	\$0	\$2,834,429	\$245,706	\$530,071	\$607,268	\$394,991	\$4,233,916	\$33,886,611	\$58,329	\$540,227
Missouri	\$291,809	\$1,519,004	\$5,861,686	\$1,479,869	\$475,948	\$2,760,959	\$1,225,000	\$5,093,082	\$39,992,547	\$563,884	\$1,118,627
Montana	\$305,000	\$588,056	\$2,769,965	\$10,000	\$752,911	\$31,991	\$1,339,000	\$1,594,817	\$7,317,667	\$170,491	\$347,763
Nebraska Nevada	\$0 \$0	\$155,850 \$0	\$5,146,212 \$3,396,530	\$867,319 \$891,101	\$413,173 \$581,712	\$25,750 \$149,692	\$382,770 \$382,770	\$467,373 \$2,556,982	\$14,737,766 \$28,871,371	\$393,436 \$215,271	\$369,679 \$1,668,784
New Hampshire		\$618,175	\$2,399,869	\$1,086,246	\$2,399,869	\$1,459,716	\$0	\$1,619,129	\$13,065,275	\$272,902	\$472,955
New Jersey	\$565,316	\$6,386,191	\$4,330,957	\$196,886	\$1,340,312	\$2,306,607	\$0	\$21,228,621	\$55,018,209	\$442,700	\$1,376,050
New Mexico	\$0	\$0	\$3,900,430	\$2,265,962	\$0	\$1,775,719	\$0	\$2,339,213	\$37,893,571	\$553,232	\$562,743
New York		\$6,367,281		, , ,					\$76,944,398		
North Carolina	\$315,229	\$2,528,131	\$7,889,230	\$4,326,726	\$74,616	\$1,128,547		\$8,109,004	\$89,594,781	\$449,135	\$3,706,593
North Dakota	\$50,000	\$300,675	\$1,930,237	\$14,883	\$277,585	\$22,637	\$0	\$672,678	\$8,016,373	\$131,752	\$357,743
Ohio	\$369,424	\$1,097,464	\$5,838,603	\$2,796,266	\$1,388,875	\$1,749,915	\$969,341	\$6,714,197	\$68,472,058	\$1,072,704	\$3,052,586
Oklahoma	\$0	\$459,456	\$4,423,935	\$3,354,364	\$533,634	\$512,450	\$749,751	\$2,697,622	\$41,537,033	\$100,402	\$1,498,172
Oregon	\$410,919	\$1,109,882	\$4,426,859	\$1,886,030	\$822,353	\$2,074,657	\$342,102	\$3,795,647	\$24,285,224	\$1,405,565	\$2,210,149
Pennsylvania	\$411,752	\$2,038,732	\$4,012,529	\$5,519,292	\$564,951	\$4,372,539	\$0	\$16,065,978	\$60,880,087	\$1,105,402	\$7,060,939
Rhode Island	\$0	\$319,897	\$1,338,253	\$665,607	\$822,597	\$1,442,697	\$282,969	\$2,371,976	\$15,506,813	\$246,386	\$925,777
South Carolina	\$0	\$912,502	\$4,408,044	\$2,715,247	\$1,410,684	\$180,000	\$1,100,000	\$6,930,187	\$45,708,135	\$310,217	\$2,263,146
South Dakota	\$0	\$534,474	\$2,075,254	\$141,803	\$291,260	\$0	\$162,831	\$726,375	\$11,460,036	\$59,959	\$106,574
Tennessee	\$184,792	\$1,928,900	\$1,889,499	\$490,818	\$321,265	\$414,358	\$350,000	\$5,427,436	\$49,733,275		\$2,002,395
Texas	\$302,072	\$1,760,098	\$11,648,067	\$5,650,681	\$410,000	\$1,297,604	\$516,950	\$28,346,438	\$270,467,057		
Utah Vermont	\$228,713 \$0	\$774,947 \$265,547	\$2,817,585	\$600,458	\$48,000	\$1,131,653	\$948,335 \$0	\$1,071,870	\$15,492,385 \$9,202,457	\$599,815	\$699,016
Vermont Virginia	\$0	\$265,547	\$2,283,694	\$313,495	\$272,336	\$765,020	\$1,000,000	\$1,472,695	\$9,202,457	\$271,265 \$782,441	\$218,156
Virginia Washington	\$60,000 \$657,668	\$829,291 \$529,483	\$4,405,946 \$7,362,097	\$2,061,032 \$6,865,740	\$371,242 \$1,694,555	\$2,018,686 \$1,383,891	\$1,000,000 \$1,601,993	\$7,195,286 \$4,259,528	\$40,045,184 \$71,474,553	\$782,441 \$382,458	\$3,083,717 \$3,159,094
West Virginia	\$222,350	\$0	\$5,551,932	\$1,394,688	\$1,018,540	\$424,101	\$72,500	\$1,739,787	\$14,560,369	\$330,128	\$1,121,637
Wisconsin	\$454,629	\$1,551,075	\$4,709,415	\$1,394,000	\$891,759	\$2,769,318	\$528,000	\$3,497,475	\$35,913,257	\$394,084	\$3,041,586
Wyoming	\$0	\$157,000	\$1,571,663	\$406,808	\$291,746	\$0	\$0	\$913,670	\$5,099,889	\$130,345	\$70,601
U.S. TOTAL	\$14,927,125	\$73,293,640	\$208,323,862	\$215,189,095	\$38,164,691	\$64,572,567	\$29,682,402	\$408,575,314	\$1,972,274,177	\$49,690,051	\$86,699,644

*Note: D.C. was not included in per capita rankings because it receives different funding levels than the 50 states.

Univ	ersities 8	Cother F	Public/Pr	ivate Ag	encies (S	elected	Categorie	s)			
Nutrition/ Physical Activity	Occupational Safety & Health	Pandemic Flu	Preventive Health & Health Services Block	School Health	Sexually Transmitted Diseases (STD)	Tobacco	Terrorism Preparedness & Emergency Response	Tuberculosis Elimination	CDC Total (All Categories)	CDC Per Capita Total	CDC Per Capita Ranking
\$2,634	\$862,951	\$2,802,032	Grant \$297.049	\$404 EE1	\$4,378,040	\$1,458,150	\$11,210,640	\$1,053,386	\$102 720 779	\$22.20	26
\$2,634			\$397,048	\$404,551					\$102,720,778		26
\$398,831	\$90,813 \$0	\$938,947 \$3,515,670	\$557,182 \$309,166	\$230,750 \$29,036	\$435,671 \$1,445,941	\$1,543,312 \$488,160	\$5,000,000 \$14,648,717	\$460,801 \$1,022,374	\$47,682,335 \$122,851,259	\$69.76 \$19.38	36
\$193,651 \$400,232	\$0 \$3,439,480	\$1,958,951 \$20,070,058	\$473,450 \$1,732,231	\$446,638 \$2,716,982	\$1,167,046 \$12,645,650	\$1,025,606 \$2,069,909	\$7,533,982 \$79,458,396	\$688,682 \$16,170,374	\$52,547,839 \$646,088,699	\$18.54 \$17.68	37 39
\$1,230,797	\$1,161,224	\$4,098,757	\$331,000	\$802,803	\$2,208,946	\$1,607,486	\$11,323,680	\$474,937	\$99,526,614	\$20.47	29
			\$577,466								30
\$0 \$0	\$477,103 \$0	\$2,856,380 \$1,034,499	\$185,012	\$252,500 \$228,367	\$911,285 \$376,338	\$1,080,790 \$735,794	\$9,820,660 \$4,966,126	\$621,075 \$305,386	\$71,516,324	\$20.42 \$25.23	17
\$705,169	\$2,234,101	\$2,840,176	\$237,854	\$2,492,494	\$2,588,340	\$879,275	\$17,901,153	\$1,069,006	\$21,820,150 \$377,628,059	N/A*	N/A*
	\$449,340									\$14.06	48
\$424,254		\$9,349,737	\$906,476	\$2,210,866	\$3,839,685	\$941,153	\$33,301,244	\$6,889,070	\$256,647,620		
\$793,903	\$408,600	\$8,011,198	\$2,988,429	\$324,950	\$3,861,960	\$1,458,931	\$19,120,694	\$1,754,039	\$501,684,197	\$52.56	2
\$0	\$0	\$1,581,461	\$765,904	\$345,443	\$354,341	\$1,018,083	\$5,307,076	\$861,286	\$33,944,183	\$26.45	13
\$0	\$0	\$1,297,375	\$92,890	\$225,067	\$406,587	\$1,254,328	\$5,306,541	\$169,452	\$31,674,656	\$21.12	28
\$428,630	\$961,822	\$7,476,305	\$846,765	\$548,724	\$4,392,463	\$1,297,303	\$33,191,656	\$2,851,005	\$198,736,545	\$15.46	42
\$50,000	\$265,180	\$3,676,108	\$421,653	\$944,261	\$1,866,928	\$1,140,165	\$13,190,408	\$693,046	\$86,873,860	\$13.69	49
\$444,965	\$1,183,761	\$2,502,282	\$274,562	\$243,337	\$718,099	\$1,111,681	\$8,929,207	\$465,283	\$60,990,707	\$20.41	31
\$0	\$0	\$1,849,518	\$235,050	\$637,463	\$784,223	\$1,368,571	\$7,779,812	\$365,657	\$37,769,383	\$13.61	50
\$332,011	\$1,297,713	\$2,616,698	\$335,556	\$738,133	\$1,007,342	\$1,133,322	\$11,560,409	\$945,386	\$98,316,534	\$23.18	22
\$0	\$165,213	\$2,793,250	\$722,083	\$247,412	\$1,893,596	\$1,210,563	\$11,560,409	\$1,053,386	\$105,192,584	\$24.50	19
\$450,000	\$0	\$1,276,160	\$453,514	\$631,070	\$310,433	\$1,059,957	\$5,070,458	\$172,943	\$31,461,972	\$23.89	20
\$447,077	\$6,279,418	\$4,586,620	\$550,764	\$600,250	\$3,638,221	\$1,324,522	\$17,777,926	\$1,744,544	\$277,270,371	\$49.35	3
\$849,988	\$3,587,139	\$5,591,219	\$677,218	\$401,708	\$1,797,120	\$2,012,656	\$18,146,534	\$1,199,576	\$163,922,309	\$25.42	14
\$460,715	\$1,606,739	\$6,726,393	\$3,800,312	\$813,717	\$2,754,645	\$1,833,000	\$22,318,492	\$1,058,050	\$185,306,899	\$18.40	38
\$19,184	\$869,449	\$4,651,757	\$629,182	\$388,215	\$1,107,858	\$1,403,934	\$14,967,584	\$820,866	\$75,943,264	\$14.61	47
\$0	\$0	\$2,016,373	\$1,429,999	\$227,176	\$1,293,651	\$545,992	\$7,403,792	\$831,700	\$57,697,681	\$19.77	33
\$1,171,445	\$59,400	\$3,447,111	\$756,072	\$207,802	\$2,468,049	\$1,271,089	\$14,566,135	\$506,349	\$95,214,121	\$16.20	41
\$449,995	\$59,450	\$1,046,672	\$164,193	\$251,849	\$310,383	\$1,058,500	\$4,840,368	\$172,286	\$24,155,309	\$25.22	18
\$0	\$340,000	\$1,457,985	\$1,606,491	\$143,584	\$451,852	\$1,363,673	\$5,966,406	\$202,954	\$34,988,576	\$19.72	34
\$2,634	\$862,951	\$2,802,032	\$397,048	\$404,551	\$4,378,040	\$942,762	\$7,732,442	\$1,053,386	\$57,533,560	\$22.43	25
\$0	\$363,328	\$1,214,689	\$821,018	\$231,395	\$266,001	\$1,144,746	\$5,076,961	\$275,374	\$35,019,561	\$26.61	12
\$0	\$373,315	\$4,922,328	\$914,667	\$261,221	\$2,876,816	\$1,400,915	\$18,595,960	\$3,882,138	\$205,980,790	\$23.71	21
\$389,512	\$120,381	\$1,689,362	\$473,033	\$596,583	\$762,492	\$942,762	\$7,018,086	\$388,787	\$64,520,792	\$32.75	8
\$1,043,286	\$1,681,901	\$13,387,190	\$1,923,935	\$1,363,582	\$8,685,011	\$2,037,958	\$48,486,234	\$12,626,269	\$520,101,882	\$26.95	- 11
\$1,377,981	\$1,147,556	\$5,904,434	\$755,954	\$442,814	\$3,974,198		\$18,677,008	\$1,626,097	\$204,168,869	\$22.53	24
\$0	\$0	\$926,521	\$63,739	\$643,441	\$846,300	\$1,363,673	\$4,850,719	\$264,085	\$20,957,249	\$32.76	7
\$50,460	\$1,303,432	\$6,497,316	\$950,156	\$303,000	\$3,639,356		\$23,786,236	\$975,813	\$172,898,332	\$15.08	44
\$433,437	\$176,403	\$2,324,471	\$930,136	\$364,370	\$1,199,715		\$9,882,271	\$748,653	\$83,220,349	\$23.01	23
\$986,362	\$410,438	\$2,523,962	\$735,018	\$662,221		\$1,908,030	\$8,857,814	\$693,118	\$62,864,566	\$16.78	40
\$1,343,387	\$1,378,637	\$7,426,700	\$1,191,371	\$682,583		\$1,417,245	\$26,987,768	\$1,386,590	\$190,255,436	\$15.30	43
\$418,622	\$0	\$1,110,191	\$467,425	\$827,111		\$1,266,207	\$5,048,931	\$473,779	\$35,543,328	\$33.60	6
\$960,261	\$66,419	\$2,682,112	\$307,746	\$831,405		\$1,307,963	\$10,806,007	\$1,162,145	\$87,439,287	\$19.84	32
\$424,384	\$0	\$936,596	\$230,274	\$642,173	\$1,705,295	\$1,307,963	\$4,865,611	\$237,906	\$24,523,465	\$30.80	10
\$0	\$0	\$3,884,041	\$1,609,489	\$949,630	\$2,721,244	\$760,111	\$12,842,736	\$1,371,538	\$155,991,446	\$25.34	16
\$1,244,087	\$1,059,805	\$11,897,086	\$4,059,879	\$959,044	\$6,424,857	\$1,015,622	\$43,757,527	\$8,782,773	\$470,146,799	\$19.67	35
\$0	\$701,238	\$1,825,559	\$300,730	\$0	\$483,114	\$1,195,981	\$8,744,574	\$360,081	\$39,174,021	\$14.81	46
\$449,988	\$0	\$859,436	\$267,188	\$642,949		\$1,252,996	\$4,909,089	\$125,976	\$24,239,383	\$39.02	5
\$0	\$850,410	\$5,910,206	\$760,625	\$2,102,352	\$1,962,990	\$1,030,116	\$18,062,715	\$858,919	\$348,608,534	\$45.20	4
\$1,291,100	\$2,433,911	\$4,102,116	\$255,823	\$849,407	\$3,330,303	\$1,550,973	\$14,861,107	\$1,336,175	\$137,169,586	\$21.21	27
\$447,769	\$405,900	\$1,527,544	\$223,396	\$1,031,008	\$671,936	\$1,270,153	\$6,009,114	\$340,454	\$46,033,678	\$25.40	15
\$433,206	\$840,377	\$5,157,650	\$488,937	\$998,299		\$1,308,942	\$12,250,374	\$362,604	\$83,703,345	\$14.94	45
\$0	\$0	\$883,764	\$223,514	\$243,621	\$253,886	\$1,139,998 \$57,503,707	\$4,863,250	\$0	\$16,544,795	\$31.64	9
\$16,738,627		\$207,000,302	\$36,879,917	\$27,788,680			\$641,999,022		\$5,198,394,796		N/A

^{**} Total includes funds for Washington, D.C., U.S. Territories, such as Puerto Rico and Guam, and the Freely Associated States of the Pacific, such as the Marshall Islands.

Appendix F:

STATE-BY-STATE FUNDING CHART												
FY 2007 HRSA GRANTS TO STATES BY KEY PROGRAM AREA (SELECTED PROGRAMS) State Health HIV/AIDS Maternal & Primary HRSA Total HRSA Per- HRSA Pe												
State	Professions	HIV/AIDS	Child Health	Primary Health Care	(All Programs)		Capita Ranking					
Alabama	\$11,782,003	\$26,598,995	\$16,618,644	\$40,088,673	\$100,237,201	\$21.66	14					
Alaska	\$2,794,751	\$1,995,967	\$1,980,480	\$29,567,943	\$39,347,616	\$57.57	1					
Arizona	\$3,354,981	\$23,192,985	\$10,527,822	\$36,304,635	\$77,422,919	\$12.21	42					
Arkansas	\$2,058,852	\$9,578,919	\$8,278,234	\$24,731,619	\$46,822,630	\$16.52	26					
California	\$19,966,656	\$247,294,697	\$58,395,874	\$195,100,485	\$527,466,991	\$14.43	33					
Colorado	\$4,117,125	\$25,257,637	\$10,905,305	\$52,239,513	\$95,908,615	\$19.73	16					
Connecticut	\$1,303,347	\$29,426,947	\$6,935,485	\$20,653,217	\$58,601,808	\$16.73	25					
Delaware	\$520,456	\$6,251,525	\$2,883,108	\$5,906,679	\$16,465,503	\$19.04	17					
D.C.	\$4,811,642	\$69,091,657	\$21,935,606	\$10,868,810	\$108,962,785	*N/A	*N/A					
Florida	\$8,558,804	\$207,670,841	\$26,679,724	\$87,601,931	\$335,729,144	\$18.39	18					
Georgia	\$7,662,073	\$70,010,349	\$22,823,436	\$41,863,437	\$146,970,294	\$15.40	29					
Hawaii	\$3,905,353	\$3,481,098	\$5,788,979	\$26,162,577	\$41,751,386	\$32.53	3					
Idaho	\$662,656	\$1,847,215	\$3,983,080	\$17,397,062	\$25,323,900	\$16.89	23					
Illinois	\$8,205,987	\$74,379,336	\$37,348,992	\$79,471,983	\$207,933,050	\$16.18	27					
Indiana	\$3,406,106	\$17,360,194	\$15,807,591	\$20,774,511	\$61,385,145	\$9.67	49					
lowa	\$2,878,549	\$4,419,150	\$9,279,246	\$17,368,695	\$36,292,761	\$12.15	43					
Kansas	\$1,763,296	\$4,248,658	\$6,684,365	\$9,230,607	\$24,244,299	\$8.73	50					
Kentucky	\$3,663,304	\$10,511,391	\$14,412,624	\$25,408,359	\$56,992,741	\$13.44	36					
Louisiana	\$5,546,784	\$38,622,464	\$18,403,616	\$30,800,724	\$98,021,431	\$22.83	11					
Maine	\$675,387	\$2,138,222	\$5,874,640	\$11,554,753	\$22,554,763	\$17.12	22					
Maryland	\$5,590,317	\$151,548,760	\$20,606,982	\$31,175,778	\$211,869,188	\$37.71	2					
Massachusetts	\$10,263,720	\$106,104,393	\$21,730,586	\$50,166,454	\$189,749,655	\$29.42	4					
Michigan	\$6,742,547	\$29,381,057	\$28,456,210	\$46,041,722	\$117,802,614	\$11.70	45					
Minnesota Mississippi	\$5,077,695	\$12,755,479	\$12,742,880 \$11,193,799	\$17,431,206 \$39,372,543	\$55,054,498 \$75,228,458	\$10.59 \$25.77	46 8					
Missouri	\$3,186,759 \$3,477,159	\$18,044,591 \$27,449,091	\$17,351,280	\$42,112,348	\$94,813,079	\$16.13	28					
Montana	\$2,472,201	\$1,440,533	\$2,972,567	\$15,193,159	\$25,194,691	\$26.30	7					
Nebraska	\$3,143,900	\$3,011,737	\$6,919,285	\$6,077,145	\$23,629,971	\$13.32	37					
Nevada	\$1,565,351	\$14,432,185	\$2,281,223	\$9,385,809	\$30,326,924	\$13.32	44					
New Hampshire	\$708,107	\$2,187,211	\$4,153,041	\$8,010,323	\$16,371,384	\$11.02	40					
New Jersey	\$6,585,430	\$79,444,588	\$15,323,777	\$31,525,657	\$133,674,550	\$15.39	30					
New Mexico	\$2,626,615	\$5,782,260	\$8,671,883	\$34,721,727	\$53,679,214	\$27.25	5					
New York	\$23,129,048	\$333,582,373	\$54,790,331	\$100,336,722	\$518,231,073	\$26.85	6					
North Carolina	\$10,921,404	\$46,485,346	\$24,603,096	\$48,248,275	\$133,890,703	\$14.78	32					
North Dakota	\$1,226,805	\$343,556	\$2,551,579	\$3,760,247	\$11,688,682	\$18.27	19					
Ohio	\$5,956,961	\$32,066,387	\$28,851,802	\$45,348,256	\$116,712,671	\$10.18	47					
Oklahoma	\$3,256,584	\$11,025,992	\$10,361,834	\$16,452,721	\$44,310,900	\$12.25	41					
Oregon	\$2,626,526	\$11,655,603	\$10,283,606	\$37,404,255	\$66,149,631	\$17.65	21					
Pennsylvania	\$13,153,776	\$68,975,069	\$34,470,940	\$49,890,366	\$169,656,302	\$13.65	34					
Rhode Island	\$2,095,777	\$5,677,108	\$2,849,252	\$11,534,315	\$22,995,789	\$21.74	13					
South Carolina	\$4,439,003	\$35,074,331	\$15,793,402	\$43,877,089	\$101,988,488	\$23.14	10					
South Dakota	\$1,328,915	\$1,179,730	\$4,412,431	\$8,304,190	\$17,529,729	\$22.02	12					
Tennessee	\$16,630,209	\$23,135,328	\$14,547,496	\$35,169,129	\$92,932,687	\$15.09	31					
Texas	\$13,921,421	\$147,157,769	\$43,115,648	\$111,845,993	\$322,281,473	\$13.48	35					
Utah	\$2,004,280	\$5,108,944	\$11,318,104	\$12,797,024	\$33,176,776	\$12.54	39					
Vermont	\$700,644	\$1,404,236	\$2,672,725	\$5,657,458	\$11,061,965	\$17.81	20					
Virginia	\$4,151,349	\$36,685,915	\$15,857,267	\$37,177,611	\$98,800,738	\$12.81	38					
Washington	\$8,297,015	\$55,979,598	\$12,783,927	\$47,006,744	\$130,398,465	\$20.16	15					
West Virginia	\$2,641,045	\$3,190,113	\$8,229,530	\$26,589,281	\$43,008,714	\$23.74	9					
Wisconsin	\$5,301,538	\$12,846,576	\$16,406,345	\$17,923,328	\$56,599,402	\$10.10	48					
Wyoming	\$713,442	\$923,938	\$1,849,545	\$4,340,240	\$8,820,397	\$16.87	24					
U.S. TOTAL	\$271,573,655	\$2,153,976,946	\$773,699,224	\$1,777,973,328	\$5,156,063,793	N/A*	N/A*					

^{*}D.C. was not included in the per capita rankings because total funding for D.C. includes funds for a number of national organizations.

^{**} The U.S. total reflects HRSA grants to all 50 states and D.C.

Appendix G:

METHODOLOGY FOR STATE PUBLIC HEALTH BUDGET CALCULATIONS

TFAH conducted an analysis of state spending on public health for the last 2 budget cycles, fiscal years 2005-2006 and 2006-2007. For those states which only report their budgets in biennium cycles, the 2007-2009 period (or the 2006-2008 and 2007-2008 period for Virginia and Wyoming respectively) was used, and the percent change was calculated from the last biennium, 2005-2007 (or 2004-2006 and 2005-2006 for Virginia and Wyoming respectively).

This analysis was conducted from August to October of 2007 using publicly available budget documents through state government Websites. Based on what was made publicly available, budget documents used included either executive budget documents that listed actual expenditures, estimated expenditures, or final appropriations; appropriations bills enacted by the state's legislature; or documents from legislative analysis offices.

In response to comments received regarding previous work, TFAH defined "public health" to broadly include all health spending with the exception of Medicaid, State Children's Health Insurance Program (S-CHIP), or comparable health coverage programs for low-income residents. Federal funds, mental health funds, addiction or

substance abuse-related funds, Special Supplemental Nutrition Program for Women, Infants, and Children (WIC Program) funds, services related to developmental disabilities or severely disabled persons, and state-sponsored pharmaceutical programs also were not included. In a few cases, state budget documents did not allow these programs - or other similar human services - to be disaggregated; these exceptions are noted. For most states, all state funding - regardless of general revenue or other state funds (e.g., dedicated revenue, fee revenue, etc.) - was used. In some cases, only general revenue funds were used in order to separate out federal funds; these exceptions are also noted.

Since each state allocates and reports its budget in a unique way, comparisons across states are obviously difficult. This methodology may include or not include programs in some cases that the state may consider a public health function, but the methodology used was selected to maximize the ability to be consistent across states. Therefore, there may be programs or items states may wish to be considered as "public health" that may not be included in order to maintain the comparative value of the data.

Endnotes

- 1 C. Aaron, et al. "National Health Spending in 2005: The Slowdown Continues," *Health Affairs* 26, no. 1 (2007): 142-153.
- 2 U.S. Centers for Disease Control and Prevention. "FY 2009 Budget Request Information: Funding by Functional Area Table." U.S. Department of Health and Human Services. <u>http://www.cdc.gov/fmo/ PDFs/FY07-09 Functional Table.pdf</u> (accessed February 5, 2008).
- 3 U.S. Centers for Disease Control and Prevention. "FY 2008 Budget Request Information: FY 2008 Detail Table." U.S. Department of Health and Human Services. http://www.cdc.gov/fmo/PDFs/FY 2008 Presidents Budget Detail Table.pdf (accessed February 5, 2008).
- 4 E. Toner, et al. "Meeting Report: Hospital Preparedness for Pandemic Influenza." *Biosecurity and Bioterrorism* 4, no. 2 (2006): 1-11.
- 5 Ibid.
- 6 U.S. Department of Health and Human Services. Health Resources and Services Administration Justification of Estimates for Appropriations Committees. Washington, D.C.: U.S. Department of Health and Human Services, 2008. pp. 7-9.
- 7 The Commonwealth Fund. "Health Care Spending per Capita in 2004." The Commonwealth Fund. http://www.commonwealthfund.org/chart-cartcharts/chartcartcharts/show.htm?doc_id=482539&cat_id=1713_(accessed June 22, 2007).
- 8 E.M. Kennedy. "Public Health: An Essential Commitment to the Nation." *Journal of Public Health Management and Practice* 13 no. 2 (March-April 2007): 93-94.
- 9 P.A. Honore, et al. "Creating Financial Transparency in Public Health: Examining Best Practices of System Partners." *Journal of Public Health Management and Practice* 13, no. 2 (March-April 2007): 121-129.
- 10 P.A. Honore and B.W. Amy. "Public Health Finance: Fundamental Theories, Concepts, and Definitions." *Journal of Public Health Management and Practice* 13, no. 2 (March-April 2007): 89-92.
- 11 P.A. Honore, et al. "Creating Financial Transparency in Public Health: Examining Best Practices of System Partners." *Journal of Public Health Management and Practice* 13, no. 2 (March-April 2007): 121-129.
- 12 U.S. Centers for Disease Control and Prevention. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives 2004. Atlanta, GA: U.S. Department of Health and Human Services; 2004. http://o-www.cdc.gov.mill1.sjlibrary.org:80/nccd-php/burdenbook2004 (accessed May 7, 2007).
- 13 American Cancer Society. Cancer Facts and Figures 2007. Atlanta, GA: American Cancer Society, 2007. http://www.cancer.org/downloads/STT/CAFF2007 PWSecured.pdf (accessed May 8, 2007).
- 14 W. Rosamond, et al. "Heart Disease and Stroke Statistics-2007 Update: A Report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee." Circulation 115, no. 5 (2007):69-171. http://circ.ahajournals.org/cgi/content/full/115/5/e69 (accessed May 8, 2007).

- 15 National Center for Health Statistics. Health, United States, 2006 with Chartbook on Trends in the Health of Americans. Hyattsville, MD: 2006. http://www.cdc.gov/nchs/data/hus/hus06.pdf#chartbookontrends (accessed May 8, 2007).
- 16 American Lung Association. "Key Facts about Asthma." http://www.lungusa.org/atf/cf /%7B7A8D42C2-FCCA-4604-8ADE-7F5D5E762256%7D/key asthma.pdf (accessed May 8, 2007).
- 17 American Diabetes Association. "Total Prevalence of Diabetes & Pre-diabetes." http://diabetes.org/dia-betes-statistics/prevalence.jsp (accessed May 8, 2007).
- 18 Alzheimer's Association. Alzheimer's Disease Facts and Figures 2007. Chicago, IL: Alzheimer's Association, 2007. http://www.alz.org/national/documents/Report 2007FactsAndFigures.pdf (accessed May 8, 2007).
- 19 B.J. Soldo, et al. "Cross-Cohort Differences in Health on the Verge of Retirement: NBER Working Paper No. 12762, December 2006." New York, NY: National Bureau of Economic Research, 2006. http://www.nber.org/papers/w12762 (accessed May 14, 2007).
- 20 National Center for Health Statistics. "National Health and Nutrition Examination Survey (NHANES) Data Sets and Related Documentation." U.S. Centers for Disease Control and Prevention. http://www.cdc.gov/nchs/about/major/nhanes/datalink.htm (accessed May 7, 2007).
- 21 Health Resources and Services Administration. "About HRSA." U.S. Department of Health and Human Services. http://www.hrsa.gov/about/default.htm. (accessed January 23, 2008).
- 22 U.S. Department of Health and Human Services. 2009 Budget in Brief. Washington, D.C.: U.S. Department of Health and Human Services, 2008. pp. 111. http://www.hhs.gov/budget/09budget/2009BudgetInBrief.pdf (accessed February 5, 2008).
- 23 Trust for America's Health. Public Health Leadership Initiative An Action Plan for Healthy People in Healthy Communities in the 21st Century. Washington, D.C.: Trust for America's Health, March 22, 2006. http://healthyamericans.org/policy/files/ActionPla n.pdf The "Action Plan" has been signed onto by a range of public health experts, including Rachel Block, United Hospital Fund; Dr. Georges Benjamin, American Public Health Association; Dr. Jo Ivey Boufford, New York University Wagner; Shannon Brownlee, New America Foundation; Maureen Byrnes, Human Rights Fund (formerly with The Pew Charitable Trusts); Dr. Lawrence Devton, Veterans Health Administration; Dr. Jonathan Fielding, Los Angeles County Department of Health Services; Dr. David Fleming, The Bill & Melinda Gates Foundation; Dr. C. Earl Fox, University of Miami; Dr. Lawrence Gostin, Georgetown Law Center; Dr. Peggy Hamburg, NTI; Dr. James J. James, American Medical Association; Dr. James Marks, Robert Wood Johnson Foundation; Dr. Dennis O'Leary, Joint Commission on Accreditation of Healthcare Organizations; Dr. Alonzo Plough, The California Endowment; Dr. Kathleen Toomey, Emory University; Dr. Kenneth Warner, University of Michigan.

- 24 U.S. Centers for Disease Control and Prevention. "Vision, Mission, Core Values, and Pledge." U.S. Department of Health and Human Services. http://www.cdc.gov/about/organization/mission.htm (accessed January 25, 2008).
- 25 Health Resources and Services Administration. "About HRSA." U.S. Department of Health and Human Services. http://www.hrsa.gov/about/default.htm. (accessed January 23, 2008).
- 26 Assistant Secretary for Preparedness and Response. "Office of the Assistant Secretary for Preparedness and Response (ASPR)." U.S. Department of Health and Human Services. http://www.hhs.gov/aspr/index.html (accessed January 25, 2008).
- 27 B. Frist. "Public Health and National Security: The Critical Role of Increased Federal Support." *Health Affairs* 21, no. 6 (November/December 2002): 117-130.
- 28 Milbank Memorial Fund, the National Association of State Budget Officers, and the Reforming States Group. 2002-2003 State Health Expenditure Report. New York, NY: Milbank Memorial Fund, 2005.
- 29 Trust for America's Health. Public Health Leadership Initiative An Action Plan for Healthy People in Healthy Communities in the 21st Century. Washington, D.C.: Trust for America's Health, March 22, 2006. http://healthyamericans.org/policy/files/ ActionPlan.pdf.
- 30 R. Hurley, et al. Relief, Restoration and Reform: Economic Upturn Yields Modest and Uneven Health Returns – Issue Brief no. 117. Washington, D.C.: Center for Studying Health System Change, January 2008.
- 31 E.C. McNichol and I.J. Lav. 20 States Face Total Budget Shortfall Of At Least \$35 Billion In 2009; 8 Others Expect Budget Problems. Washington, D.C.: Center on Budget and Policy Priorities, 2007. http://www.cbpp.org/1-15-08sfp.pdf (accessed February 15, 2008).
- 32 C. Eckl. State Budget Actions: FY 2006 and FY 2007.
 Denver, CO: National Conference of State
 Legislatures, February 2007 and U.S. Census
 Bureau, National and State Population Estimates.
 "Annual Estimates of the Population for the United
 States, Regions, States, and Puerto Rico: April 1,
 2000 to July 1, 2007." Washington, D.C.: U.S.
 Government, December 27, 2007. http://www.census.gov/popest/states/NST-ann-est.html. (accessed
 January 9, 2008).
- 33 Massachusetts Budget and Policy Center and Massachusetts Taxpayers Foundation. *Creating a Transparent Budget for Massachusetts*. Boston, MA: University of Massachusetts, October 2006. http://www.massbudget.org/Creating_a_Transparen_t_Budget.pdf. (accessed January 25, 2008).
- 34 State of Arkansas. Summary Budget Manual FY 2007-2009, Division of Health. Little Rock, AR: Arkansas Department of Health and Human Services, 2007. http://www.arkleg.state.ar.us/data/BudgetSummaries2007/Vol7/DivofHealth.pdf.
- 35 State of Connecticut. FY2006 FY2007 Biennium Governor's Recommended Budget. Hartford, CT: Office of Policy and Management, 2007. http://www.ct.gov/opm/LIB/opm/Budget/2006_2 007Books/bigbook/BigBookAppropriationAct.pdf.

- 36 State of Indiana. FY 2005-2007 As-Passed Budget. Indianapolis, IN: Indiana State Budget Agency, 2005. http://www.in.gov/sba/budget/2005_budget/as_passed/index.html.
- 37 M. Barry and R. Bialek. "Tracking Our Investments in Public Health: What Have We Learned?" *Journal of Public Health Management Practice* 10, no. 5 (2004): 383-392.
- 38 Virginia Department of Health. Virginia Department Of Health, Office Of Public Health Organization Chart, January 2008. Richmond, VA: State of Virginia, 2008. http://www.vdh.state.va.us/Administration/OrgChart/pdfs/PHP%20Chart.pdf
- 39 Maryland Department of the Environment. "Environmental Programs." State of Maryland. <u>http://www.mde.state.md.us/Programs/index.asp</u> (accessed January 31, 2008).
- 40 Maryland Department of Agriculture. "Food Quality Assurance." State of Maryland. http://www.mda.state.md.us/feed-food_safety-grading/food_qual_assur/index.php (accessed January 31, 2008).
- 41 National Association of County & City Health Officials. 2005 National Profile of Local Health Departments. Washington, D.C.: NACCHO, July 2006. http://www.naccho.org/topics/infrastructure/documents/NACCHO report final 000.pdf.
- 42 Ibid.
- 43 Ibid.
- 44 Ibid.
- 45 Robert Wood Johnson Foundation. Press Release: Public Health Leaders Recommend Voluntary National Accreditation Program. Washington, D.C.: RWJF, 2006.
- 46 U.S. Centers for Disease Control and Prevention.

 "About Us: Vision, Mission, Core Values, and
 Pledge." U.S. Department of Health and Human
 Services. http://www.cdc.gov/about/organization/mission.htm
- 47 Ibid.
- 48 N. Darling, et al. "National, State, and Urban Area Vaccination Coverage Among Children Aged 19–35 Months United States, 2005." *Morbidity and Mortality Weekly Report* 55, no. 36 (September 15, 2006): 988-993. http://www.cdc.gov/mmwr/pre-view/mmwrhtml/mm5536a2.htm#tab2 (accessed January 17, 2008).
- 49 U.S. Department of Health and Human Services. Healthy People 2010. 2nd ed. With Understanding and Improving Health and Objectives for Improving Health. 2 vols. Washington, D.C.: U.S. Government Printing Office, November 2000. http://www.healthypeople.gov/document/html/objectives/14-24.htm (accessed January 17, 2008).
- 50 U.S. Centers for Disease Control and Prevention. FluAid. Vol. 2.0. Atlanta, GA: 2000.



1730 M Street, NW, Suite 900 Washington, DC 20036 (t) 202-223-9870

(f) 202-223-9871