

# CHILDREN IN BROOME COUNTY WITH CO-OCCURRING MENTAL HEALTH AND DEVELOPMENTAL DISABILITY CONDITIONS

**NUMBERS AND SERVICE GAPS** 

## Prepared for: Broome County Children's Mental Health Task Force

Donald E. Pryor Project Director

One South Washington Street Suite 400 Rochester, NY 14614 Phone: (585) 325-6360 Fax: (585) 325-2612 100 State Street Suite 930 Albany, NY 12207 Phone: (518) 432-9428 Fax: (518) 432-9489

www.cgr.org

November, 2005

© Copyright CGR Inc. 2005 All Rights Reserved

## CHILDREN IN BROOME COUNTY WITH CO-OCCURRING MENTAL HEALTH AND DEVELOPMENTAL DISABILITY CONDITIONS

#### **NUMBERS AND SERVICE GAPS**

November, 2005

#### **SUMMARY**

The Broome County Children's Mental Health Task Force is a coalition of local agencies and individuals concerned about the lack of adequate mental health services for children and adolescents with mental health needs who also have or are considered likely to have developmental disabilities. The Task Force requested CGR (Center for Governmental Research Inc.) to conduct a needs assessment to determine the numbers of such children with co-occurring mental health (MH) and developmental disability (DD) conditions and the extent of gaps in services for this population.

The study's primary findings, conclusions and implications are:

- ❖ Based on imprecise national estimates, there may be between about 3,600 and as many as about 13,500 children and adolescents in Broome County with some level of mental health needs/ emotional disturbances, and between about 1,400 and as many as about 10,400 with a developmental disability. More than 5,350 children have been classified as having special educational needs and/or disabilities within the county's 12 school districts.
- ❖ During 2004, almost 3,000 children with mental health needs and almost 900 with developmental disabilities were reportedly served by the county's Mental Health and Mental Retardation/

Developmental Disability (MRDD) community-based service providers.

- ❖ Of those children and adolescents, about 500 county children with co-occurring MH and DD conditions have reportedly been identified and are currently being served by the MH and MRDD service providers in the county.
- ❖ Of those, approximately 300 county children with co-occurring MH and DD conditions reportedly had service needs which could not be met by MH and MRDD providers during 2004 and early 2005. This includes:
- an estimated 122 children with developmental disabilities who required MH services that could not be provided;
- an estimated 151 children with mental health needs who required DD services that could not be provided; and
- an estimated 41 children with co-occurring conditions who were on waiting lists to access services (mostly within MH agencies).
- ❖ It is significant that despite different independent approaches to identification of needs, both community-based service providers and special education school officials are consistent in estimating that about 300 county children with co-occurring MH and DD conditions have unmet needs due to service gaps and difficulty accessing needed services. The actual number could be somewhat higher, but CGR believes this number is realistic for community planning purposes.
- ❖ These approximately 300 children, while a relatively small and manageable number to engage and serve, represent a substantial concern in the context of the current and historical inability of the MH and MRDD service systems to be able to come together to develop service plans, practices and policies to meet the needs of these children with co-occurring conditions. As such, they represent a significant challenge for both service systems at both local and State levels.
- Consensus among major service provider groups in the county suggests the following major Highest Priority unmet service needs for children and adolescents with co-occurring MH and DD conditions:

- Child and adolescent psychiatric (and psychological) evaluations;
- Counseling for children and family members;
- Emergency and ongoing respite care;
- Crisis intervention; and
- Medication management.
- ❖ Most consistently cited as the major barriers to providing needed services for children with co-occurring conditions were:
- Poor coordination between agencies and particularly between the MH and MRDD service systems;
- Insufficient availability of psychiatric services;
- Problems with Medicaid and other insurance coverage; and
- Lack of sufficient providers and access to needed services.
- ❖ Too often, children with co-occurring MH/DD conditions do not receive the services they need, get bounced between systems or "fall through the cracks," and are placed in higher levels of care than is appropriate, with negative consequences both for them and for taxpayers. Often they cannot obtain needed services, or even evaluations, because of specific mental health or developmental disability conditions.
- \*Broome County is in one sense no different from counties throughout New York regarding difficulties in addressing the needs of children and adolescents with co-occurring MH and DD conditions. The main difference is that Broome has begun to address the issue by beginning to define the magnitude of the problem and the scope of the needs. There are actions that local officials and service providers can begin to take, and indeed seem willing to consider, as suggested in recommendations that conclude the report. Comprehensive, full-scale solutions, including adequate funding, will require actions not only by the county, but also by the State at the OMH and OMRDD levels.
- ❖ More than a dozen recommendations to both State and local officials conclude the report. They focus on ways to build bridges between the MH and MRDD service systems; strengthen psychological testing to more effectively diagnose and assess service needs of youth thought to have co-occurring mental

health and developmental disability conditions; track the progress of children and adolescents identified with co-occurring conditions; close gaps in key services; cross-train staff; and improve access to needed services in both community and school-based settings. A pilot project is recommended to develop and test specific implementation plans, strategies, staffing and funding mechanisms designed to break down funding and service system barriers and strengthen holistic services for children with co-occurring conditions and their families. New York State, through OMH and OMRDD, is urged to become a partner with Broome County in helping to fund and implement the proposed pilot project, which could become a model for other areas across the state.

## **TABLE OF CONTENTS**

Summary	i
Table of Contents	v
Acknowledgments	viii
I. Introduction	1
Background and Context	
A Word about Broome County	
Methodology	
Additional Analyses	
Key Definitions	
Survey Limitations	6
II. The Service Providers: Who Provides Mental Health and	_
Developmental Disability Services	
Mental Health Providers	
III. Numbers of Children Served by MH and MRDD Service Provide	
Mental Health Providers	
MRDD Providers	
Combined MH and MRDD Provider Totals	
IV. Numbers of Children Not Receiving Services and Numbers on	
Waiting Lists	16
Mental Health Providers	
MRDD Providers	
Combined MH and MRDD Provider Totals	
V. School Survey Responses	
CSE Surveys (School-Aged Children)	
Students with Co-Occurring Conditions and Service Needs	
CPSE Surveys (Pre-School Children)	23
Comparing School District and Service Provider Data	25
VI. Significance of Numbers of County Children with Co-occurring	
Conditions with Unmet Needs	
Potential Prevalence of Children with Mental Illness in County	
Potential Prevalence of Children with	
POTOIONITIOITUI PIJUNIITUJ III OUMITT IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	0

School Estimates	
Summary  VII. Service Coordinator Data	
Services Provided	
Those Denied Services	
VIII. Types of Services Offered and Specific Service Gaps	
Services Offered by MH Providers	
Services Offered by MRDD Providers	
Comparison of MH and MRDD Service Availability	
24-Hour Crisis Services	
Numbers of DD Children Receiving Various Services on Service Coordinator Caseloa	
Services Received	
Services Requiring Waiting Lists	
Services Not Available	-
Types of Services Accessed by Children with Co-Occurring Conditions on Medicaid . Difficulty Obtaining Services for Different Age Groups	44
IX. Service Gap Priority Ratings	
Overall Priority Ratings	
MH Providers	
MRDD Providers	
Service Coordinators	50
CPSE Chairpersons	
CSE Chairpersons	50
X. Major Barriers and Unmet Needs	<b>52</b>
Barriers to Serving Children with Co-Occurring Conditions	52
Barriers to Meeting Needs of Families	
XI. What Happens to Children Who Can't Access Services?	55
What Happens to Children Denied OMRDD Eligibility?	55
XII. Parent Surveys	57
Services Received	57
Services Wanted but Unavailable	58
Services with Waiting Lists	
Additional Services Needed	
Services Needed by Family Members	
Summary	
XIII. Best Practices Working with Children with Co-Occurring Mental	
Health And Developmental Disability Conditions	60

Assessment	60
Basic Evaluation	
Problems in Diagnosing Mental Illness	61
Functional Analysis	
Ongoing Assessment	
Eligibility Determinations	
Therapies	
General Principles	
Verbal Therapies  Parental Consultation	
Behavior Modification	
Psychopharmacology	
Conclusion	
XIV. Conclusions, Implications and Recommendations	
Conclusions	
Recommendations	
Appendix A: Surveys Used in Study	
Appendix B: Mental Health and MRDD Programs and Agenci	
Completed Surveys	
Mental Health Providers	
MRDD Providers	
Appendix C: Additional Description of MH and MRDD Service	
	113
Mental Health Providers	
Services Provided and Groups Excluded	
MRDD Providers	
Services Provided and Groups Excluded	114
Appendix D: Data Tables	116
Appendix E: Mental Health/Developmental Disabilities Prev	alence
Rates	126
Mental Illness Prevalence	126
Serious Emotional Disturbance (SED)	128
Developmental Disabilities	128
Appendix F: The Problem of Defining Specific "Best practice	s" in
MH/DD	
Helpful Resources for Providers and Families	12/

#### **ACKNOWLEDGMENTS**

CGR is grateful for the vision, support and leadership of the Broome County Children's Mental Health Task Force, which understood the issues prompting the need for this study, and the value of research to help quantify the scope of the problem as the first step in developing solutions. Special thanks to Maria Dibble, Executive Director of the Southern Tier Independence Center, for her leadership of the Task Force and for her commitment and support throughout the project.

Special thanks also to the Broome County Department of Mental Health and its Commissioner, Arthur R. Johnson, for also underscoring the importance of the project and for the financial support that made it possible. The Commissioner is also providing leadership to address issues raised by this report.

Dr. Robert Russell, Psychologist with the Department of Mental Health, was especially helpful in designing and critiquing study approaches, and in reviews of drafts of the report. He also wrote the Best Practices chapter. We are grateful for his contributions. Also, two interns in the Department worked with Dr. Russell to conduct research and draft helpful materials included in the Appendix: Oliver Fassler and Zachary Collins.

Several members of the Mental Health Task Force served as an informal project steering committee, which was especially helpful in reviewing drafts of the various surveys and an early draft of the report. In addition to Maria Dibble, Art Johnson and Rob Russell, that group included Tom Creagh, Chip Houser, JoAnne Novicky, Nikki French, Bette Gifford, Casey Truillo, and Connie Kinch. We appreciate their guidance, which is reflected in the surveys that were ultimately approved for use in the study.

Thanks also to the many individuals who helped craft and review drafts of the school surveys, and who provided helpful advice concerning the best ways of obtaining information needed from the county's 12 school districts. We appreciate the cooperation and insights of: Sue Tiffany, Maggie Kosik, Jeff DeAngelo, Tim

Kane, Maggie Nugent and the various CSE and CPSE chairs who provided useful suggestions during the process.

Several people provided valuable data which supplemented the information obtained via surveys. Special thanks to Tom Creagh and Jack McKissick of the Broome Developmental Disabilities Service Office (DDSO), to Glenn Gravino and Anne Wilder of Coordinated Care Services Inc. (CCSI), and to Roberta Krager of the County Health Department for their ideas and data generated in response to particular requests for this study.

We are also very appreciative of the logistics support we received at various key stages in the project from Marilyn Banks in the County Mental Health Department and Jennifer Handy and Cynthia Meredith in the Southern Tier Independence Center.

And, last but certainly not least, this study could not have been completed without the cooperation and thoughtful responses of the more than 130 program/service providers, service coordinators, school special education coordinators and parents who completed extensive surveys that served as the basis for much of the information presented in this report. We are grateful for their time and their thorough responses to the questions we raised.

#### **Staff Team**

This report was the product of excellent staff work from several key people at CGR, in addition to the cooperative efforts noted above. Vicki Brown was instrumental in orchestrating numerous aspects of the study, helping to keep the study on track, helping to develop the key conclusions and recommendations, and providing expert editing and content revisions of the final report. Geoff Bakken was superb in his initial analyses of the data, and wrote an excellent initial draft of sections of the report. Kate McCloskey was very helpful in carrying out selective analyses and technical support in making the final report a reality. Their composite contributions were essential to the completion of this report.

#### I. INTRODUCTION

## Background and Context

The Broome County Children's Mental Health Task Force is a coalition of local agencies and individuals concerned about the lack of adequate mental health services for children and adolescents with mental health needs (including in particular Serious Emotional Disturbances) who also have or are considered likely to have developmental disabilities. The Task Force requested CGR (Center for Governmental Research Inc.) to conduct a needs assessment to determine the numbers of such children and the extent of gaps in services for this population.

In a July 2002 "Visioning Project" report for the Broome County Mental Health Department, CGR concluded that "There are many cross-systems children with mental health issues not being adequately addressed (their own or, in many cases, their family's)." More specifically, the report noted rough estimates from some mental health (MH) and mental retardation/developmental disabilities (MRDD) officials that 25-30% of the children and adolescents in the MRDD system may also have mental health issues, and "some estimate that perhaps a couple hundred MRDD children and adolescents need crisis care and support during a year, but don't receive mental health services." Moreover, the report added that many family-related problems caused by the stresses often don't get addressed. However, beyond those broad estimates, no one at that time had reliable data on the true magnitude of the numbers of co-occurring MH/MRDD children and families affected, or the gaps in services for this population.<sup>1</sup>

The Broome Visioning report went on to discuss various disconnects between the mental health and MRDD systems, with the MRDD system often perceived as unwilling or unable to serve a child or adolescent with a primary mental health diagnosis, and vice versa for the Mental Health system. Officially dually-diagnosed youth, and those considered likely to have co-occurring MH and MRDD conditions, often are caught in the middle, receiving inadequate services, and many "fall through the cracks or

CD D C

<sup>&</sup>lt;sup>1</sup> See CGR, Broome County Visioning Project for Children and Adolescents: An Assessment of What Exists and Service Gaps, July 2002. See especially pp. 82-84.

wind up being served in both systems, without much coordination of services between the systems." <sup>2</sup>

The subsequent priority recommendations and action plan developed by the Broome County Visioning Project's Steering Committee listed the need for expanding services for various specialized populations, including dually-diagnosed MH and MRDD youth, as the group's top priority. As stated in the 2002 action plan, "A key first step in this process would be to obtain better empirical estimates of the numbers" of dually-diagnosed cross-systems youth.<sup>3</sup>

Thus, in mid-2004, the Children's Mental Health Task Force put this issue of youth with co-occurring mental health and developmental disability conditions squarely on the table for consideration. In order to move the issue forward, the Task Force requested CGR to quantify the numbers of affected youth and any service gaps more precisely than anyone had been able to do previously. This report presents CGR's findings and suggested implications.

## A Word about Broome County

To put the report's findings in context, a brief word about Broome County's population: As of the 2000 Census, the County officially had 200,536 residents, of whom 61,121 were ages 21 and younger (the ages of interest in this study). The Census identified 45,506 of those children and adolescents as between the ages of 5 and 20 living in households. Of those, an estimated 4,068 (8.9%) reportedly had some type of disability that limited some aspect(s) of daily living activities, and/or learning, remembering or concentrating.

#### Methodology

Most of the data-gathering for this project was done via a series of surveys, supplemented by analyses of various existing databases. The overall study methodology was developed in consultation with the Children's Mental Health Task Force, which also reviewed and approved drafts of the various survey instruments (the drafts were developed in consultation with small survey steering committees established by the overall Task Force).

**CGR** 

CR Rroome

<sup>&</sup>lt;sup>2</sup> CGR, Broome County Visioning Project, p.83.

<sup>&</sup>lt;sup>3</sup> See Broome County Visioning Project: Steering Committee's Vision, Priorities and Recommendations to Strengthen Services for Children and Families, October 2002.

This report is based on findings from the following key research components:

Surveys

- \* Five separate surveys provided most of the data presented in this report. They, along with an "Information Sheet and Definitions" explaining terms used in the surveys, are included in Appendix A, and each is briefly described below:
- A survey of all known providers of children's mental health and mental retardation/developmental disability services in Broome County. The programs/service providers from which surveys were received are listed in Appendix B.
- A survey of Service Coordinators who provide case management support to many of the children and adolescents served by the MRDD service system.
- ◆ Two separate surveys of the chairpersons of special education services in each of the county's 12 school districts— Chairpersons of Special Education (CSEs) and of Preschool Special Education (CPSEs).
- A survey was designed for completion by parents of children with developmental disabilities and/or with mental health needs.

Completed surveys were received from the following:

Type of Survey	<u>Surveys Distributed</u> *	<u>Surveys Completed</u>
Providers	59	58
Svc. Coordinators	32	31
CSE Chairpersons	12	12
CPSE Chairperson	is 12	12
Parents	na	20

<sup>\*</sup> Note that some additional surveys were distributed to providers who subsequently informed us that they did not serve the study's target population. They are not included in the totals. Surveys were also distributed to Service Coordinators who serve at least some children. Service Coordinators were responsible for distributing surveys to parents. It is not known how many were actually distributed to parents; 20 were completed and returned. Other than the parent surveys, 98% of the distributed surveys were completed and analyzed.

Additional Analyses

❖ A special analysis was undertaken by Coordinated Care Services Inc. (CCSI) of Medicaid recipients 21 and under with dual MH

and MRDD diagnoses who accessed services over a two-year period.

- ❖ A special analysis was undertaken by the Broome Developmental Disabilities Service Office (DDSO) of all children receiving services in the MRDD service system during the summer of 2005.
- ❖ Data were obtained from the 12 school districts and from the NYS Education Department indicating the numbers of children classified in each district with various classifications of special educational needs.
- Selected data were reviewed from the Broome County SPOA (Single Point of Accountability/Access).
- ❖ A literature/internet survey was undertaken of best practices in place throughout the country for addressing the needs of children and adolescents with co-occurring MH and MRDD conditions.
- Estimates were obtained from national research of proportions of children in the country with mental health needs and developmental disabilities.

The research components are explained in more detail as needed in the various chapters of the report.

Several terms are used frequently throughout the report, and were key to the completion of the project's various surveys and data analyses. Among the study's key definitions are the following (for a more complete list, see the "Information Sheet and Definitions" as part of the surveys in Appendix A):

**Children:** Children, adolescents, young adults from birth through age 21.

**Diagnosed:** An <u>official</u> diagnosis of a specific mental health need or developmental disability.

**Dually-Diagnosed:** A child age 0-21 who has been <u>officially diagnosed</u> with <u>both</u> a mental health need and a developmental disability.

Co-occurring Developmental Disability/Mental Health Conditions: A child has some combination of either officially-

Key Definitions

diagnosed or program/agency judgment of <u>likely</u> developmental disability plus mental health need(s).

**Developmental Disability (DD):** A condition that qualifies (or if diagnosed would qualify) a child 0-21 for access to developmental disability services. More specifically, a disability that originates before age 22, has continued or is likely to continue indefinitely, and constitutes a substantial handicap to a person's ability to function normally in society. A developmental disability is attributable to:

- (a) mental retardation, cerebral palsy, epilepsy, neurological impairment or autism; or
- (b) any other condition closely related to mental retardation because such condition results in similar impairment of general intellectual functioning or adaptive behavior or requires treatment of services similar to those required for mentally retarded persons.

Mental Health (MH) Need/Emotional Disturbance: A condition that qualifies (or if diagnosed would qualify) a child 0-21 for access to mental health services. Such conditions are often, but not necessarily, defined in the DSM-IV as Axis I or Axis II mental health disorders.

**SED** (Serious Emotional Disturbance): This is a subset within the overall Mental Health Need definition. To be considered SED, a child 0-21 must meet certain criteria (see Appendix A "Information Sheet and Definitions").

Mental Retardation/Developmental Disability (MRDD): Refers to the broad MRDD service system, as well as to a condition that qualifies a person for access to developmental disability services. For purposes of this study, CGR and the Children's Mental Health Task Force chose to use the broader term Developmental Disability (DD), including mental retardation as a subset within the DD classification.

Professional Judgment of Likely Mental Health Need and/or Developmental Disability: No official diagnosis, but

professional's best judgment is that a child has a mental health need and/or developmental disability.

#### Survey Limitations

The project sponsors were aware from the beginning of the research that most of the key data would be obtained from surveys, and that some of the information obtained would be based on the perceptions and judgments of those responding to the questions. Some of the numbers presented in the report were based on estimates involving the best judgments of those completing the surveys, and not necessarily always on a professional comprehensive formal assessment of mental health or developmental disability conditions.

So some of the data presented in the report are subject to inherent limitations of surveys, which cannot always provide definitive data. In some cases the data are more suggestive than providing definitive, final answers. But surveys can be useful in providing data, even if only best estimates, where no other reliable sources of the data of interest exist, and that was the case in this project. In such cases, survey data can be useful in pointing to potential issues where further exploration is needed, even if "absolute truth" is not possible from the survey findings.

These limitations having been noted, it is also important to state that there were many similarities and consistencies in the findings across the various data components that lend strength to the validity and value of the survey data. These will be noted where appropriate throughout the report. Perhaps of greatest importance to the major conclusions of the study is the fact that both mental health/MRDD providers and school-based special education officials—approaching data questions from different classification perspectives—wound up with very similar estimates of the numbers of children with co-occurring mental health and developmental disability conditions and unmet service needs. Thus we believe it is fair to conclude that, limitations notwithstanding, the data presented in the report meet the test of being sufficiently consistent and accurate to provide a reasonable basis for making recommendations to guide future planning and decision-making, as addressed in the final chapter of the report.

## II. THE SERVICE PROVIDERS: WHO PROVIDES MENTAL HEALTH AND DEVELOPMENTAL DISABILITY SERVICES

The survey process identified 41 Mental Health (MH) programs and 17 Mental Retardation/Developmental Disability (MRDD) programs which provide services to children and adolescents living in Broome County. The programs are summarized briefly below, with some additional information provided in Appendix C.

#### Mental Health **Providers**

Eleven agencies identified 41 separate mental health programs serving Broome County children and adolescents. They are listed in Appendix B. These represent three more agencies and nine more programs than were identified in the 2002 Visioning project referenced in Chapter I. Some of these additional programs have been added as new providers/services in response to that study; some were described as separate and distinct programs by providers in this study that were listed as combined programs in 2002; and at least three programs surfaced in this project that may or may not have existed in 2002.

For a grouping of the 2002 programs by types of services provided, see the Visioning report, page 7.4 The programs identified in this 2005 survey could be classified broadly within the same five project types determined in the earlier study: case management services, clinics, treatment, group home/residential, and counseling/other.

Cumulatively, the MH programs have the following characteristics:

❖ In addition to providing services to children and adolescents with mental health needs, 29 of the 41 MH programs (71%) indicated that they also provide services to DD children. Only four MH service providers indicated that their programs specifically exclude serving children with developmental disabilities.

<sup>&</sup>lt;sup>4</sup> Broome County Visioning Project, p. 7 plus Appendix listing.

- ❖ All MH programs serve at least some children between the ages of 11 and 18; only 15 serve adolescents older than 18.
- Overall, an estimated 87% of the children served by the 41 programs live in Broome County. More than half of the providers (21) reported that their services are provided exclusively to Broome County children, while the others serve at least some youth from other counties as well.

#### **MRDD Providers**

The survey identified 17 separate MRDD programs, provided by 15 different agencies, as listed in Appendix B. Technically, only 16 provide direct Developmental Disability services, as the Department of Social Services is listed even though it does not provide specific services, because it completed a survey indicating a number of DD children who also receive regular DSS services. Note that the Southern Tier Independence Center (STIC) is not listed, because most of its services are provided through Service Coordinators. Data reflecting Service Coordinator services are described in a section later in the report.

Cumulatively, the MRDD programs have the following characteristics:

- None of the MRDD providers specifically exclude serving children who have mental health needs, although fewer than half (7) indicated that they actually were currently providing mental health services to children between the ages of 0 and 21.
- Most of the MRDD providers serve at least some children and adolescents in all age ranges, with the age group 11-18 the most commonly served.
- ❖ Overall, an estimated 84% of the children served by the programs live in Broome County. Six of the providers reported that their services are provided exclusively to Broome County children, and another six reported that at least 90% of the children receiving their services live in the county.

## III. NUMBERS OF CHILDREN SERVED BY MH AND MRDD SERVICE PROVIDERS

Providers were asked to report the capacity of their programs—with capacity defined as the number of children ages 0-21 that a program could serve at one time—and the numbers of children with various characteristics who were being served at the time of the survey.

#### Mental Health Providers

Respondents were asked to report the number of children with different types of needs who were being served by their programs at one point in time: as of April 15, 2005. Table 1 on the next page summarizes the total numbers of children reportedly served by the providers in each category of service needs, as well as estimates of the total numbers of children from each category who were living in Broome County. (See Appendix Table D-1 for more detailed data, reflecting minimum, maximum and median numbers of children served by various programs in each category.)

As of April 15, the MH programs were providing services to the following children:

- ❖ More than 1,500 children were officially diagnosed with or judged by their programs as likely to have a mental health need/emotional disturbance. This number is within the range of 1,435-1,545 who were served at two points in time during the 2002 Visioning Project. This represents about 91% of the system's program capacity of 1,663, as reported by the programs. It should also be noted that the stated capacity of the MH providers as of 2005 is virtually identical to the 1,653 capacity documented in the 2002 visioning project, ⁵ not counting seven programs for which no capacity numbers were reported and which typically indicated that they simply respond to needs as they arise, with no specified number of designated program slots (e.g., programs such as SPOA, Children and Youth Mobile Mental Health Team, CPEP, etc.)
- ❖ Of the total of 1,514 children estimated to have mental health needs, an estimated 1,390 were Broome County residents.

\_

<sup>&</sup>lt;sup>5</sup> Broome County Visioning Project, p.7.

Table 1.

Numbers of children with various characteristics being April 15, 2005	served by M	H providers as of
	Total # of children	Estimated number living in Broome County
# diagnosed with or likely to have a mental health need of any type	1514	1390
# diagnosed with or likely to have a serious emotional disturbance	1051	956
# diagnosed with or likely to have a developmental disability	244	225
# dually-diagnosed with both an MH need and DD	177	162
# with a mental health need who are likely to have a DD	48	45
# with a DD who are likely to have a mental health need	2	2
# with a DD who are likely to have SED	151	137
# with both MH and DD conditions but w/o official diagnosis for either	15	15

N = 38 programs providing data, not including SPOA, CPEP and Our Lady of Lourdes Hospital Student Assistant Program, which do not maintain active cases.

Almost 1,400 Broome
County children with
mental health needs
were collectively
served by all the MH
providers on April 15.
Factoring out those
served by more than
one program at a time,
an estimated 1,158
separate children with
MH needs were served
at that time.

- ❖ Of those with mental health needs, 69% were identified by providers as being diagnosed with, or likely to have, a serious emotional disturbance—956 Broome County children. This proportion is comparable to the estimate of 70% or more in 2002.6
- ❖ It should be noted that the previous CGR report found that a number of children were served by more than one program at the same time, and that the unduplicated count of individual children receiving services was about 83% of the total number of children who reportedly received services from individual programs.<sup>7</sup> Applying this ratio to the present data would mean that the 41 MH providers were serving a total of 1,262 unique, unduplicated children as of April 15th, 2005—approximately 1,158 of whom would have been Broome County residents, including about 800 defined as SED.

<sup>6</sup> Ibid., p12.

<sup>&</sup>lt;sup>7</sup> *Ibid.*, p.11.

- ❖ Mental Health service providers were also providing services to 225 Broome County children with developmental disabilities, over 60% of whom (137) were identified as having a Serious Emotional Disturbance.
- ❖ Table 1 also indicates that 162 Broome County children were identified as having dually-diagnosed mental health and developmental disability conditions—11.65% of all children with MH needs reportedly being served and 72% of those identified with developmental disabilities.
- \* Factoring in those 162 officially diagnosed children with DD and MH conditions—plus 45 children with mental health needs who were reported by the programs as being likely to have (but not officially diagnosed with) a developmental disability, two DD children who were likely to have (but not diagnosed with) mental health needs, and 15 children who were considered to have co-occurring MH and DD conditions (but without an official diagnosis for either)— the total estimated number of children with co-occurring MH and DD conditions receiving services from MH providers equaled 224 on April 15. Factoring in an unduplicated count estimate of about 83% of that total, the actual number of individual children with co-occurring MH and DD conditions served by the MH programs was likely to be between 187 and 224.

At least 187, and as many as 224 children with co-occurring MH and DD conditions, were served by MH providers in April 2005.

#### **MRDD Providers**

Table 2 summarizes the responses of 16 MRDD service providers to questions regarding the numbers of children from each category receiving services as of April 15th, 2005. (A more detailed version of this table appears as Table D-2 in Appendix D.)

Table 2.

April 15, 2005		
<u></u>	Total # of children	Estimated number living in Broome County
# diagnosed with or likely to have a mental health need of any type	298	225
# diagnosed with or likely to have a serious emotional disturbance	90	63
# diagnosed with or likely to have a developmental disability	741	567
# dually-diagnosed with both an MH need and DD	140	108
# with a mental health need who are likely to have a DD	39	39
# with a DD who are likely to have a mental health need	173	132
# with a DD who are likely to have SED	56	43
# with both MH and DD conditions but w/o official diagnosis for either	13	13

N = 16 programs providing data.

#### Table 2 shows that:

- \* The MRDD programs were serving 741 children officially diagnosed with, or judged by their programs as likely to have, a developmental disability of some type. Eight programs did not provide a numerical capacity, indicating either that their programs do not have limits on the number of children they serve or that their program's capacity depends on staffing levels. If numbers served are compared with capacity for only those programs that provided precise numbers both for program capacity and for numbers served, the numbers served represented 91% of program capacity—identical to the proportion within the MH programs.
- ❖ Of the 741 DD children served by the MRDD providers, an estimated 567 live in Broome County. This may be a conservative estimate of the number of children with disabilities served in the county, as an independent analysis of children in the Developmental Disabilities Service Organization (DDSO) data base indicates an unduplicated count of 667 children.
- As of April 15th, 2005, MRDD programs were also reportedly providing services to 225 Broome County children with mental

Between 567 and 667
Broome County
children with
developmental
disabilities were
reportedly being
served in the spring of
2005 by MRDD service
providers.

Almost 300 Broome County children with co-occurring DD and MH conditions were reportedly served by MRDD providers in the spring of 2005. This represents a higher proportion of children served in the

MRDD system with

co-occurring

conditions than is true among MH service

providers.

# Combined MH and MRDD Provider Totals

health needs, including 63 SED children (28% of those with MH needs receiving services through MRDD providers were estimated to be SED, compared with 69% of those receiving services through MH providers).

- ❖ MRDD programs reported 108 Broome County residents officially diagnosed with both mental health needs and developmental disabilities whom they were serving as of April 15th, 2005—48% of all children with MH needs reportedly being served and 19% of those with DDs.
- ❖ A total of 292 Broome County children with co-occurring mental health and developmental disability conditions were estimated to be receiving services from MRDD providers on April 15: the 108 officially dually-diagnosed children, plus 39 children with mental health needs who were reported by the providers as also likely to have (but not officially diagnosed with) a developmental disability, 132 developmentally disabled children who were likely to have (but not diagnosed with) mental health needs, and 13 children considered to have co-occurring mental health and developmental disability service needs, but without a diagnosis for either condition.
- ❖ In short, a higher proportion of children served in the MRDD service system are identified as having co-occurring MH and DD conditions than is true of children served by MH service providers.

Based on the above discussions of data in Tables 1 and 2, Table 3 summarizes the combined totals for MH and MRDD service providers regarding the number of children with different needs who were receiving services within the two service systems as of April 15th, 2005.

Table 3.

Numbers of children with various characteristics being served by MH and MRDD			
providers as of	April 15, 2005 Combined Total # of children	Estimated number living in Broome County	
# diagnosed with or likely to have a mental health need of any type	1812	1615	
# diagnosed with or likely to have a serious emotional disturbance	1141	1019	
# diagnosed with or likely to have a developmental disability	985	792	
# dually-diagnosed with both an MH need and DD	317	270	
# with a mental health need who are likely to have a DD	87	84	
# with a DD diagnosis who are likely to have a mental health need	175	134	
# with a DD who are likely to have SED	207	180	
# with both MH and DD conditions but w/o official diagnosis for either	28	28	

N = 54 programs providing data.

Service providers were serving more than 1,600 Broome County children with mental health needs (including more than 1,000 with an SED), and nearly 800 children with developmental disabilities. Of these, an estimated 516 were either officially dually-diagnosed with both mental health and developmental disability conditions or were thought likely by service providers to have co-occurring MH and DD conditions. Factoring in both MH unduplicated count estimates and higher indications from DDSO data of numbers served, estimates of numbers of children with co-occurring conditions could fall within ranges slightly lower or slightly higher than the 516 total. However, it seems reasonable to conclude that these upper and lower estimates may cancel each other out, so that for planning purposes, we believe it is reasonable to use an estimate of about 500 children with co-occurring Mental Health/ Developmental Disability conditions currently living in the county and being served at a given point in time by MH and/or MRDD programs.

About 500 Broome
County children with
co-occurring mental
health and
developmental
disability conditions
were reportedly being
served by MH and
MRDD service
providers this spring.
Roughly 20% of those
were receiving services
paid for by Medicaid.

❖ Analyses by Coordinated Care Services Inc. (CCSI) of Broome County data indicate that during 2002 and 2003, 99 county children and adolescents made at least one Medicaid claim with a mental health diagnosis and at least one Medicaid claim with an MRDD diagnosis. Although the cases may not be identical to those identified in the 2005 survey, it seems reasonable from these data to conclude that roughly 20% of children with co-occurring conditions use services paid for by Medicaid. (See further analyses of these Medicaid cases in Chapter VIII.)

## IV. Numbers of Children Not Receiving Services and Numbers on Waiting Lists

Another set of survey questions focused on the numbers of children with co-occurring MH and DD conditions who were not able to receive all of the services they required during the year 2004. In contrast to the data in the previous chapter that concentrated on those served at a single point in time, the focus of most of the data in this chapter is on *numbers served at any point during all of the 2004 year*. In addition, respondents were also asked about the number of children on waiting lists for their programs as of April 15, 2005 and the number of children on those waiting lists who were likely to have co-occurring MH and DD conditions.

#### Mental Health Providers

The responses of the MH service providers to these questions are summarized in Table 4 below, with more detailed information included in Appendix Table D-3.

Table 4.

Numbers of children with various characteristics served by MH providers in 2004 and or waiting lists as of April 15, 2005		
	Total # of children	Estimated number living in Broome County
# with a DD served in 2004	306	278
# with a DD who had unmet MH service needs	27	26
# with MH needs served in 2004	3074	2744
# with MH needs who had unmet DD service needs	147	136
As of April 15, # of children 0-21 on waiting list	303	286
Of those on waiting list, # with both DD & MH		
conditions	35	34

N = 35 programs providing data, except N = 37 for waiting list data. See text for indication of relative lack of significance of missing program data.

At least 162 Broome
County children served
in 2004 by MH service
providers reportedly
had some co-occurring
MH and DD needs
that could not be met.
In addition, an
estimated 34 children
with co-occurring
conditions were on
MH waiting lists in
April 2005.

- ❖ The table shows that at some point during 2004, the 35 MH programs providing this information served an estimated 278 Broome County children with developmental disabilities. An estimated 26 of those (9.4%) were in need of mental health services that could not be provided. (These and other numbers in the table might have been slightly higher had all 41 programs responded to these questions, but it is not likely that the numbers would have been significantly different because providers not answering these questions were those without regular caseloads such as SPOA and CPEP and those serving relatively few children.)
- ❖ Of an estimated 2,744 Broome County children with mental health needs served by MH programs in 2004, an estimated 136 (5.0%) were in need of developmental disability services that could not be provided.
- ❖ An estimated 286 Broome County children were on program waiting lists for MH service providers as of April 15<sup>th</sup>, 2005. Of those, based on preliminary evaluations by program officials, an estimated 34 (11.9%) were children with co-occurring mental health and developmental disability conditions.<sup>8</sup> These waits were typically for two months or more.

#### **MRDD Providers**

Table 5 below summarizes the responses of MRDD service providers to similar questions, with more detailed information provided in Appendix Table D-4.

<sup>&</sup>lt;sup>8</sup> Questions can be raised concerning how program officials can know if a child has co-occurring conditions when only on a waiting list for services and therefore not fully evaluated. However, many of the children had received preliminary evaluations. Based on those evaluations, the numbers of children on waiting lists to access program services who were estimated by program officials to have co-occurring conditions is generally consistent with the numbers of children case managed by Service Coordinators and identified as needing to be wait-listed for a wide range of services (see Chapter VIII). This footnote also applies to children wait-listed by MRDD programs, as described below.

Table 5.

Numbers of children with various characteristics served by MRDD providers in 2004		
and on waiting lists as of April 15, 2005		
	75 . 14 . 6	Estimated number
	Total # of children	living in Broome County
# with a DD served in 2004	822	607
# with a DD who had unmet MH service needs	103	96
# with MH needs served in 2004	249	218
# with MH needs who had unmet DD service needs	15	15
As of April 15, # of children 0-21 on waiting list	44	41
Of those on waiting list, # with both DD & MH		
conditions	7	7

 $\overline{N}$  = 16 programs providing data.

An estimated 111
Broome County
children served in 2004
by MRDD providers
reportedly had some
co-occurring DD and
MH needs that could
not be met. In
addition, an estimated
7 children with cooccurring conditions
were on MRDD
waiting lists in April
2005.

# Combined MH and MRDD Provider Totals

- ❖ At some point during 2004, MRDD providers reportedly served 607 Broome County children with developmental disabilities. Of those, an estimated 96 (15.8%) had mental health service needs that could not be provided.
- ❖ During 2004, the MRDD providers also served 218 Broome County children with mental health needs, of whom 15 (6.9%) reportedly had developmental disability service needs that could not be met.
- ❖ In addition, there were 41 Broome County children on program waiting lists for MRDD agencies as of April 15th, 2005, of whom an estimated 7 (17.1%) had co-occurring mental health and developmental disability conditions, based on preliminary evaluations by program officials. These waits were typically for four to five months or more.

Based on the discussions above of data in Tables 4 and 5, Table 6 summarizes the combined totals for MH and MRDD providers regarding the total reported numbers of children served during 2004, the numbers of those children who had unmet service needs, and the number of children estimated to have co-occurring conditions on waiting lists as of April 15th, 2005.

Table 6.

Numbers of children with various characteristics served by MH and MRDD providers i 2004 and on waiting lists as of April 15, 2005		
	Combined Total # of Children	Estimated # Living in Broome County
# with DD served in 2004	1128	885
# with DD who had unmet MH service needs	130	122
# with MH needs served in 2004	3323	2962
# with MH needs who had unmet DD service needs	162	151
As of April 15, # of children 0-21 on waiting list	347	327
Of those on list, # with both DD & MH conditions	42	41

N = 51 programs providing data, except N = 53 providing waiting list data.

In 2004, an estimated
122 children with
developmental
disabilities, mostly
served in MRDD
programs, required
MH services that
could not be provided.

An estimated 151
children with mental
health needs, mostly
served by MH
providers, required
DD services that could
not be provided in
2004.

- ❖ All MH and MRDD service providers together reportedly served nearly 900 Broome County children with developmental disabilities at some point during 2004. Of those, an estimated 122, or 13.8%, had mental health needs that were not being met during 2004. It should be noted that 79% of the 122 DD children with unmet mental health needs were being served by MRDD service providers.
- ❖ All MH and MRDD service providers together reportedly served at some point during 2004 just under 3,000 Broome County children with mental health needs (many for relatively short periods of time, with about 1,600 served at a single point in time, as indicated in the previous chapter). Of those 2,962 children, 151 (5.1%) were reported to have developmental disability service needs that were not met in 2004. Most of the children with mental health needs/emotional disturbances who also had unmet developmental disability needs were served by MH providers (90%).
- \* Although a higher proportion of DD children being served in 2004 had unmet MH service needs (13.8%) than was true of MH children who had unmet DD service needs (5.1%), in terms of absolute numbers—given that more children have defined mental health

Approximately 300 county children with co-occurring MH and DD conditions reportedly had service needs which could not be met by MH and MRDD providers during 2004 and early 2005.

- needs than developmental disabilities—higher numbers of children with MH needs also had unmet DD service needs (151 to 122).
- ❖ In addition to the reported 273 children with co-occurring mental health and developmental disability conditions who had identified unmet service needs in 2004, an estimated 41 Broome County children who were wait-listed by programs had co-occurring mental health and developmental disability service needs, based on preliminary evaluations by program officials (83% of those were on waiting lists in the MH service system). Adding these totals together suggests that there were more than 300 children in the county during 2004 and early 2005 with co-occurring MH and DD conditions who were unable during that time to access needed services. 9

\_

<sup>&</sup>lt;sup>9</sup> Adjusting for unduplicated counts, the total numbers may be somewhat smaller than the total of 314. On the other hand, six providers didn't respond to these questions, so that their numbers would likely have increased the totals somewhat. Taking all factors into consideration, CGR believes that for planning purposes it is reasonable to conclude that about 300 or more children exist in Broome County with co-occurring DD and MH conditions who have unmet service needs in one or both service systems. These numbers are also consistent with school data presented later in Chapter VII.

#### V. SCHOOL SURVEY RESPONSES


As part of this project, Committee on Special Education (CSE) and Committee on Preschool Special Education (CPSE) chairpersons from each of the 12 Broome County school districts completed surveys.

#### CSE Surveys (School-Aged Children)

CSE chairpersons provided information on the number of children ages 5-21 identified by their districts with various disabilities, and the numbers with co-occurring MH needs and unmet service gaps, during the 2004-05 school year.

Students by Disability Category Of the 13 official classifications used by NY school districts to define students with special educational needs (see full list in Chapter VI), six were deemed by local educational experts, consulted as part of this study, to be most comparable to the developmental disability definition used in the service provider surveys. Chart 1 below summarizes the number of children ages 5-21 with each of the six different classifications of disabilities across the county's 12 school districts. (For more information, see Appendix Table D-5.)

Chart 1: Numbers of Children within Key Disability Categories for School Children Ages 5-21 in Broome County



The total number of children officially classified by the 12 districts with the six disabilities was 1,900 during the 2004-05 school year. Each student can only be counted once. The largest category of disability was "Other Health Impaired," which included 698 children. The next largest category was "Multiply Handicapped," which included 496 children.

It should be noted that these categories are not as "neat and distinct" as they may appear to be. School districts may differ in the categories to which students with similar disabilities may be classified. For example, some students who are mentally retarded may be included in other categories by some districts, depending on other characteristics of the individual. Some of the children in certain classifications may have more mental health needs than DD conditions. Thus these numbers should be treated with some caution. However, the process identified below for determining students with co-occurring conditions and unmet needs was designed to correct for such deficiencies in the category numbers.

Students with Co-Occurring Conditions and Service Needs Table 7 on the next page (and Appendix Table D-6) summarizes the information provided by CSE chairpersons concerning the numbers of children with co-occurring mental health and developmental disability conditions in the 2004-05 school year, as well as the numbers of those identified with unmet service needs.

- Of the 1,900 students in the six disability classifications, 972, or 51%, met the survey definition of having a developmental disability, in the opinion of the CSE chairpersons and those with whom they consulted in their respective districts (e.g., school psychologists, social workers, etc.).
- ❖ More relevant for purposes of this study, 408 of the classified students were deemed by their districts to have co-occurring mental health and developmental disability conditions. Beyond those, CSE chairpersons and those with whom they consulted estimated that there were an additional 335 children in Broome County school districts with co-occurring MH and DD conditions, who were included in the other seven special education classification categories. Thus the districts estimated the total number of children with co-occurring conditions to be 743. Of these 743 children, 131 (18%) were considered to have a Serious Emotional Disturbance.

743 students were identified in the 12 school districts with co-occurring MH and DD conditions. Of those, an estimated 295 had unmet needs due to service gaps in the community.

❖ CSE chairpersons estimated that 295 children, 40% of the 743 students estimated to have co-occurring mental health and developmental disability conditions, had unmet needs due to service gaps in the community. In addition, CSE chairpersons identified 109 children (15% of those children with co-occurring needs), as being in need of additional educational programs that would better meet their emotional and educational needs.

Table 7.

Numbers of children in need of services for Developmental Disabilities and Mental Health conditions in 12 Broome County school districts – CSE	
Chairpersons	T
	Total
Total All Six Categories of Disabilities	1900
# that met the definition for DD	972
# of those with DD that also had MH needs	408
Estimated # of additional children with both DD and MH	
conditions	335
Total estimated # of children with both DD and MH conditions	743
Of those with co-occurring conditions, # with unmet needs due to	
service gaps	295
Of those with co-occurring conditions, # in need of educational	
programs that would better meet emotional/educational needs	109
Of those with co-occurring needs, # with SED	131

Based on data from all 12 CSE Chairs.

CPSE Surveys (Pre-School Children) To supplement the data provided for children ages 5-21 by CSE chairpersons, CPSE chairpersons from each district (often the same person as the CSE chairperson) provided data for children ages 3-5 who received Special Education programs and services within their districts during the 2003-2004 school year.

Table 8.

Number of pre-school children in need of services for Developmental Disabilities and Mental Health conditions in 12 Broome County school districts – CPSE Chairpersons

	Total
# of children ages 3-5 in Special Education programs	563
# that met the definition for DD	111
# of those with DD that also had MH needs	37
Of those with co-occurring conditions, # with unmet needs due to service gaps	15
Of those with co-occurring conditions, # in need of educational programs that would better meet emotional/educational needs	16
Of those with co-occurring needs, # with SED	11

Based on data from all 12 CPSE Chairs.

Table 8 above shows that there were a total of 563 children ages 3-5 who were officially reported to NYS as receiving Special Education programs and services in the county's 12 school districts during the 2003-2004 school year. One district served as many as 110 pre-school aged children, while another district served as few as 16. Of the 563 total preschool children served in Special Education programs, 111 (20%) met the survey definition of having a developmental disability, in the opinion of the CPSE chairpersons.

- ❖ Fewer than 7% (37 children) of the 563 children in Special Education preschool programs were identified as having co-occurring mental health needs. Of these 37, 11 (30%) were identified as having a Serious Emotional Disturbance.
- CPSE chairpersons reported that 15 of the 37 children with cooccurring conditions had unmet needs due to service gaps in the community—2.7% of those in the Special Education preschool programs.
- In addition, CPSE chairpersons identified 16 children with cooccurring conditions who were in need of additional educational

There are relatively small numbers of preschool children with co-occurring conditions and unmet service needs.

<sup>&</sup>lt;sup>10</sup> These students all received services from school districts. Additional children ages 3-5 received services, and received evaluations/assessments, from the county's Preschool (3-5) Program.

### Comparing School District and Service Provider

Data

Both communitybased service providers and school data are consistent in estimating that about 300 county children with co-occurring MH and DD conditions have unmet needs due to service gaps/ difficulty accessing services. programs that would better meet their emotional and educational needs.

The CSE and CPSE chairperson data on children with developmental disabilities and co-occurring mental health problems can be compared with the information provided by MH and MRDD service providers to see how well the data from these two sources fit together.

MH and MRDD providers reported that during 2004, there were an estimated 273 children with co-occurring MH and DD conditions who had unmet service needs. In addition, 41 county children estimated to have co-occurring conditions were on waiting lists for services, often for lengthy periods of time, in early 2005. By comparison, CSE and CPSE chairpersons reported (combining data in Tables 7 and 8) that there were 310 children in Broome County school districts with co-occurring conditions who had unmet mental health or developmental disability needs due to service gaps in the community.

Thus the data from the community-based service providers and from school officials are rather consistent: both independently suggest that approximately 300 children in the county with co-occurring MH and DD conditions have needs that are not being met due to service gaps and/or difficulty accessing needed services.

It should be noted that it is not possible from our survey data to say conclusively that the children and adolescents in each count of roughly 300 are identical. Since CGR appropriately had no access to names of individuals, it was not possible to determine precisely how much overlap there was between those counted in each total. It is certainly possible and indeed likely that there are some children included in one total but not the other. In the most extreme example, the two totals could be made up of entirely different children, in which case, combining the two, there could be as many as 600 youth with co-occurring conditions and unmet needs in the county. But based on the consistency of various data analyzed in the study and observations made by knowledgeable experts and service providers during the course of the study, CGR believes that it is far more likely that there is a high degree of overlap in the two totals. Thus, the actual number of children with co-occurring conditions and unmet service needs is probably

somewhat higher than 300, but we suspect not much higher, and for planning purposes we have opted to use the most conservative estimate of roughly 300 separate and distinct children and adolescents.

## VI. SIGNIFICANCE OF NUMBERS OF COUNTY CHILDREN WITH CO-OCCURRING CONDITIONS WITH UNMET NEEDS

Out of an estimated 500 Broome County children with co-occurring MH/DD conditions, about 300 (60%) have unmet service needs. These in turn represent about one-third of all DD children served by the service system in 2004 and about 10% of those with MH needs who were served.

The number of children and adolescents in Broome County with co-occurring MH and DD conditions who have unmet service needs in one or both service systems represents the top of a pyramid—the proportion of a much larger number of children with various types of mental health disorders or developmental disabilities who are and are not known to their respective service systems.

Based on the data presented in the earlier chapters, it is estimated that there are about 500 children and adolescent residents of Broome County with co-occurring MH and DD conditions. Of those 500, about 60% are estimated to have unmet service needs in one or both of the MH and MRDD service systems. This total of about 300 children with unmet service needs represents about one-third of the total number of DD children estimated to have been served by these service systems in 2004, and about 10% of those served with MH needs.

To put these service system numbers into further perspective, ranges of estimates are provided below of the numbers of total children in the <u>overall county youth population</u>, whether served by programs or not, with mental health disorders and developmental disabilities.

Potential
Prevalence of
Children with
Mental Illness in
County

Unfortunately, although a number of national studies have been done concerning the prevalence of mental health/emotional disturbances among children in the United States, the reported data and conclusions are inconsistent and ambiguous. Different definitions of mental disorders, different measurement standards and different age ranges have been used in various studies, thus making it almost impossible to settle on a definitive proportion to use even for population estimation purposes. What appear to be the most-frequently-cited studies on the prevalence of mental health/emotional disorders within the youth population report ranges of between 5.9% and 22% of the population with some

Using imperfect national prevalence figures to estimate Broome County numbers, between about 3,500 and as many as roughly 13,500 children and adolescents may be experiencing some level of mental health/emotional disturbances within the county within a year.

# Potential Prevalence of Children with Developmental Disabilities in County

Depending on definitions, there could be between about 1,400 and as many as about 10,400 developmentally disabled children and adolescents in Broome County.

degree of mental health needs within a given period of time (typically within a year). General consensus of the most methodologically-rigorous studies suggests that roughly 20% of the youth population, at least within school ages, is the most reliable proportion to use for overall prevalence estimation purposes. (For further background, see a broader discussion of prevalence rates in Appendix E.)

As imperfect as these estimates are, they provide the basis for a rough range of estimates of the numbers of children and adolescents experiencing mental health/emotional disorders in Broome County. Based on the 2000 Census, Broome County had 61,121 residents 21 and younger. Applying the 5.9% to 22% estimates to that number would suggest an estimated range of between 3,606 and 13,446 children and adolescents with some level of mental health disorders. Our review of the national literature suggests that the county number is probably toward the higher end of that range—perhaps around 12,000.

A national study in 1994 estimated that as many as 17% of the youth population may be developmentally disabled, though it appears as if that estimate may have also included some emotional and behavioral problems not necessarily connected to DD as defined in this study (see Appendix E). As a lower range, two standard deviations below the average standard IQ score (persons with an IQ of 70 or lower) is often used to define the onset of Mental Retardation. This would include an estimated 2.275% of the population.

Using these imperfect and imprecise markers as a rough range of estimates, there could be between about 1,400 and as many as about 10,400 developmentally disabled children and adolescents in Broome County at this time.

#### **School Estimates**

National estimates suggest that relatively small proportions of those with mental health disorders actually seek or receive treatment at any given time from a mental health professional. On the other hand, those with developmental disabilities may be more likely to surface in the service system, particularly in schools. Thus school data on numbers of students classified with special Using school data to estimate the "prevalence" of students with disabilities, almost 4,800 students 5-21 were classified as having special educational needs, plus 563 preschool students ages 3-5.

#### Summary

educational needs may be as close as we can get to determining the "prevalence" of DD children in the county at any given time.

Using 13 classifications of students with disabilities, as defined by Section 4401(1) of the State Education Law, the 12 school districts based in Broome County identified 4,798 students between the ages of 5 and 21 as requiring special education services during the 2004-05 school year.<sup>11</sup> In addition, 563 preschool children (ages 3-5) were identified by school districts with disabilities in 2003-04.<sup>12</sup>

The Broome County Early Intervention Program also reported serving 662 children between birth and age 2 last year. These children should be considered as being developmentally delayed, though historically only about 17% transition into preschool programs for children with disabilities.

The chart on the next page summarizes the "funneling" of children and adolescents in the county, from the potential overall population prevalence of youth with various mental health or developmental disability conditions to the numbers known to the service system, and of those, how many have co-occurring MH/DD conditions and how many of those have unmet service needs. Out of several thousand youth estimated to have some type of mental health disorder or developmental disability, about 500 have been diagnosed with, or have been judged by programs as likely to have, co-occurring MH and DD conditions, with about 300 of those estimated to have unmet service needs in one or both service systems.

<sup>&</sup>lt;sup>11</sup> The 13 special education classifications include: autism, deafness, deaf-blindness, emotional disturbance, hearing impairment, learning disability, mental retardation, multiple disabilities, orthopedic impairment, other health impairment, speech or language impairment, traumatic brain injury, and visual impairment including blindness. Districts are not necessarily consistent in how students are classified. For example, in the 15 school districts in the Broome-Tioga BOCES, the proportion of district enrollments classified as special education students (i.e., into one of these 13 classes) ranged from 7% to 19%.

<sup>&</sup>lt;sup>12</sup> Numbers for the Broome County preschool (3-5) program are higher (891 instead of 563), but those higher numbers include those who receive evaluations as well as direct services. The more conservative number of 563 represents those receiving direct services from school districts.

Categories of Children	Numbers of Broome County Children Birth-21 in Each Category			
Estimated Children with Co-Occurring Conditions and Unmet Service Needs	300			
Estimated Children with Co-Occurring Conditions	500 (Schoo	ol estimates = 780)		
Estimated Children with DD and MH Needs Served by MH/MRDD Programs in 2004	2,962 MH	885 DD		
Estimated Ranges of Children with DD and MH Conditions in County Population	MH: Between 3,606 & 13,466	DD: Between 1,390 & 10,390; Census: 4,085 (ages 5 – 20); Schools: About 5,400 special needs children		

A relatively small proportion of children in the county have co-occurring MH and DD conditions. However, they represent a significant challenge for the MH and MRDD service systems.

These approximately 300 children at the top of the pyramid can be viewed as representing a relatively small proportion of the MH/DD population in the county—and appear to be a small enough, manageable number for the service providers to be able to engage and ensure that their needs are met. On the other hand, it is a sufficiently large number to significantly challenge the MH and MRDD service systems to come together to develop service plans, practices and policies to meet the unmet service needs of these children with co-occurring conditions.

#### VII. Service Coordinator Data

In addition to the surveys completed by Mental Retardation/Developmental Disability service providers, 31 surveys were filled out by Service Coordinators who serve mentally retarded and developmentally disabled children and adults. All but one of the known Service Coordinators who serve children completed the survey. Table 9 on the next page summarizes information regarding the number of children on the caseloads of Service Coordinators in 2004 and on the ability of DD children who also had co-occurring mental health needs to receive mental health evaluations and access the MH services they needed. (See also Appendix Table D-7 for more detailed data.)

#### **Services Provided**

Service Coordinators
provided
coordination/case
management services
for about half of all
children reportedly
served by the MRDD
system in 2004.

Service Coordinators are part of the MRDD service system, coordinating service provision for children who qualify for services within the MRDD/DDSO service system. In 2004, they coordinated services for 311 Broome County mentally retarded and developmentally disabled children—representing 51% of the 607 developmentally disabled Broome County children MRDD providers said they served that year. The Service Coordinators had as few as two and as many as 23 children on their respective caseloads, in addition to any adults for whom they were also responsible.

Table 9.

Numbers of children served by Service Coordinators in 2004 who had Mental Health diagnoses, needs and services			
diagnoses, needs and services	T		
Types of Children	Total # of Children		
# of children ages 0-21 on caseloads in 2004	311		
Of those on caseloads, # with suspected MH needs	107		
Of those suspected, # for whom MH diagnosis was sought	71		
# unable to obtain MH evaluations or diagnosis	25		
Of those evaluated, # diagnosed with an MH need	46		
Of those diagnosed with an MH need, # able to access MH service	41		
Of those with suspected MH needs, # told they could not access			
MH services due to their DD	21		
Of those on caseloads, # with an official dual diagnosis	58		

Based on data from 31 Service Coordinators.

- Service Coordinators indicated that, in their opinions, just over one-third (107) of the 311 children on their caseloads in 2004 had co-occurring mental health needs.
- ❖ Formal mental health diagnoses were sought for two-thirds (71) of those 107 children.
- \* Twenty-five (35%) of the children for whom mental health evaluations were sought were unable to obtain an evaluation or diagnosis, while 46 were formally diagnosed with a mental health need/illness. (Service Coordinators identified a total of 58 children on their 2004 caseloads with official dual diagnoses; this total presumably includes the 46 children who were diagnosed with mental health needs during 2004 as well as any children who had previously been diagnosed and therefore did not need to seek a diagnosis during 2004.)
- ❖ Once diagnosed with mental health needs, most children with co-occurring mental health and developmental disability conditions were able to obtain mental health services: 41 of the 46 diagnosed with a mental health need during 2004 (89%). For those unable to obtain access to mental health services, and the 25 children unable to even receive an evaluation, the primary obstacle to receiving mental health services appears to have been the simple

Service Coordinators
were able to access
MH services for most
children officially
diagnosed with cooccurring MH and DD
conditions. However,
many other children
could not obtain
needed MH services,
or even receive MH
evaluations, because
they had a
developmental
disability.

fact that they had a developmental disability or were mentally retarded. For at least 21 of the children who Service Coordinators identified as having mental health needs, they were explicitly told that they could not receive services because of their developmental disability.

#### Characteristics of Those Served

Table 10 below summarizes additional characteristics of the children on the caseloads of Service Coordinators during 2004. Of the 107 children suspected of having mental health needs, the Service Coordinators considered that 33 had a Serious Emotional Disturbance. Furthermore, 90 of the 311 children on their caseloads (29%) were on psychotropic medications. Four-fifths of the children had individual education plans (IEPs) in school, and just over 90% were on Medicaid.

Table 10.

Numbers of children with various characteristics being served by Service Coordinators in 2004			
Characteristics	Total # of Children		
Of those on caseload, how many were considered to be SED?	33		
Of those on caseload, how many were on psychotropic medications:	90		
Of those on caseload, how many had an IEP in school?	249		
Of those on caseload, how many were on Medicaid?	281		

Based on data from 31 Service Coordinators.

## Those Denied Services

Table 11 below depicts the number of children referred by Service Coordinators to OMRDD during 2004 and denied eligibility for various reasons. A total of 93 children were referred during the year, an average of three children per Coordinator. Ten Coordinators did not refer any children to OMRDD during 2004.

Table 11.

Numbers of children referred by Service Coordinators to OMRDD and denied eligibility for various reasons			
	Total # of children		
In 2004, # of children referred to OMRDD to determine their			
eligibility for services	93		
Of those referred, # denied because their IQ was too high	3		
Of those referred, # denied because their physical disability was			
not serious enough	2		
Of those referred, # denied because their adaptive skills were too			
high	5		
Of those referred, # denied for an unknown reason	2		

Based on data from 30 Service Coordinators.

12 of 93 children referred by Service Coordinators to OMRDD for services were denied eligibility for various reasons. Relatively few children were referred and denied services: All told, 12 children (13%) who were referred to OMRDD during 2004 were denied eligibility for various reasons.

## VIII. Types of Services Offered and Specific Service Gaps

In order to identify the extent to which various services are offered in Broome County, Mental Health and Mental Retardation/Developmental Disability service providers were asked to indicate whether or not they offered a given service to (a) children with mental health needs; (b) Seriously Emotionally Disturbed children; and (c) children with developmental disabilities.

Not surprisingly, MH providers typically offer fewer services to DD children than to those with MH needs. Conversely, MRDD providers typically offer fewer services to children with MH needs than to DD children.

To supplement these service provider data, Service Coordinator and Medicaid data are presented later in this chapter to provide additional insights into services available to children with cooccurring mental health and developmental disability conditions.

## Services Offered by MH Providers

Table 12 on the next page summarizes the number of MH service providers offering a variety of services (school-based services are not included).

Table 12.

Number of MH programs offering service to each population				
Services	Children with MH needs	SED Children	DD Children	
Psychological testing *	12	12	10	
Child and adolescent psychiatric evaluations *	13	13	10	
Medication management	15	15	11	
Developmental pediatrician/assessment*	7	7	7	
Behavior management	28	27	20	
Counseling services for children	27	26	20	
Counseling services for family members	27	26	20	
Neuropsychological evaluations	0	0	0	
Residential treatment	8	8	6	
Ongoing respite care	8	8	7	
Emergency respite care	8	8	7	
Case management	25	25	18	
Day treatment	4	4	1	
Parent support	31	30	23	
Advocacy services	24	24	18	
Crisis intervention	23	23	17	
Other	8	8	6	

Data in this table are based on 38 programs. \* The numbers of programs offering these services can be misleading. Even though participants in those programs have access to such testing and evaluation services, these programs are all located in a small handful of agencies offering the services, so access to such services is much more restricted than the numbers suggest, as indicated in more detail in the text.

Listed below are the six services offered by the <u>fewest MH</u> programs to children with mental health needs:

- ♦ Neuropsychological evaluations 0 programs
- ♦ Day treatment 4
- ◆ Developmental pediatrician/assessment 7

- ◆ Residential treatment 8 <sup>13</sup>
- ◆ Ongoing respite care 8
- ♦ Emergency respite care 8

Outside of schools, few opportunities exist for psychological testing and for child and adolescent psychiatric evaluations in the county. It should also be noted that even though psychological testing and child and adolescent psychiatric evaluations appear to be offered by a dozen or so total programs, and developmental pediatrician/assessment by seven, these data are misleading: The practical effect is that these services are actually offered by only about three different agencies that provide the services to those children served in their various multiple programs. Data in Table 12 should therefore be interpreted with caution—to assume, for example, not that 12 different opportunities exist for accessing psychological testing, but that only a handful of psychologists exist in the county. Aside from school psychologists, few opportunities exist for psychological testing and for child and adolescent psychiatric evaluations in the county.

Seven different services are each offered to children with MH needs and not to those with developmental disabilities by at least six MH service providers. It is also clear from Table 12 that the number of MH providers offering a service to children with mental health needs is often greater than the number offering the same service to children they serve with developmental disabilities. In many cases, services offered by the most programs to those with mental health needs are offered less frequently to those with DD conditions. For instance, 28 MH programs offer Behavior management services to children with mental health needs, but only 20 programs offer such services to children with developmental disabilities. Parent support, Counseling services for children, Counseling services for family members, Case management, Advocacy services and Crisis intervention are other services for which the number of programs offering the service to children with mental health needs is at least 6 more than the number of programs offering the same service to children with developmental disabilities.

#### Services Offered by MRDD Providers

Table 13 below summarizes the number of MRDD service providers offering a variety of services.

<sup>&</sup>lt;sup>13</sup> The term residential treatment may have been understood differently by different people responding to the surveys. Some may have interpreted this possible response as a group home, while others may have thought in terms of a residential psychiatric facility. Thus data in the report concerning residential treatment services and potential service gaps should be treated with caution.

Four different services are each offered to children with developmental disabilities and not to those with MH needs by at least four MRDD providers. Just as a greater number of MH providers offer certain services to children with mental health needs than to children in their agencies with developmental disabilities, a number of MRDD providers offer certain services to children with developmental disabilities more often than to children they serve with mental health needs. For instance, *Case management* services are offered to children with developmental disabilities by nine MRDD providers, but offered to children with mental health needs and serious emotional disturbances by only three of these providers. *Parent support*, *Advocacy services*, and *Ongoing respite care* are other services for which the number of providers offering the service to children with developmental disabilities is at least four more than the number of providers offering the service to children with mental health needs.

Table 13.

Number of MRDD providers offering service to each population				
Services	Children with MH needs	SED Children	DD Children	
Psychological testing *	4	3	7	
Child and adolescent psychiatric evaluations *	1	1	1	
Medication management	1	1	2	
Developmental pediatrician/assessment*	1	1	1	
Behavior management	4	3	6	
Counseling services for children	2	2	4	
Counseling services for family members	1	1	4	
Neuropsychological evaluations	1	1	2	
Residential treatment	2	2 1		
Ongoing respite care	2	1	6	
Emergency respite care	2	1	5	
Case management	3	3	9	
Day treatment	2	2	4	
Parent support	4	3	9	
Advocacy services	1	1	6	
Crisis intervention	2	1	1	
Other	3	2	6	

Note that data are based on 17 programs. \* For these services, the number of actual programs in which the services are available is misleading, as the number of actual <u>agencies</u> offering the services is much smaller, as noted in the text.

As with MH providers, the number of MRDD programs offering psychological testing is deceptive: seven programs, but only three or four separate agencies. Accessing testing services is especially difficult for older children outside the school setting.

Listed below are the six services offered <u>least often</u> by MRDD programs to children with developmental disabilities:

- ◆ Child and adolescent psychiatric evaluations 1 program
- ◆ Developmental pediatrician/assessment 1

- ◆ Crisis intervention 1 (2 programs for children with mental health needs)
- ◆ Medication management 2
- ◆ Neuropsychological evaluations 2
- ◆ Residential treatment 3

### Comparison of MH and MRDD Service Availability

Four services appear among the <u>most</u> frequently offered services for <u>both</u> MH and MRDD providers:

- Behavior management
- Case management
- Parent support
- Advocacy services

MH and MRDD providers also share three of the <u>least</u> commonly offered services:

- Developmental pediatrician/assessment
- Neuropsychological evaluations
- Residential treatment

The service *Crisis intervention* is among the most frequently offered by MH providers, but among the least frequently offered by MRDD providers. *Ongoing respite care* and *Emergency respite care* are among the most frequently offered services by MRDD providers, but proportionately among the least frequently offered by MH providers. All three of these services show up later in Chapter IX among the perceived highest priority unmet service needs, based on ratings from five groups of service providers.

## 24-Hour Crisis Services

MH and MRDD service providers were also asked whether or not their programs provide 24-hour crisis services. Not surprisingly, a higher percentage of MH service providers offer 24-hour crisis service than do MRDD providers. Only two (12%) of the 17 MRDD providers offer 24-hour crisis service, compared to 13 (32%) of the 41 MH providers. This finding is in line with the fact that *Crisis intervention* was among the least-frequently-provided services by MRDD providers and a relatively frequently-provided service among MH providers.

Numbers of DD Children Receiving Various Services on Service Coordinator Caseloads In order to identify the numbers of developmentally disabled children on Service Coordinator caseloads who were receiving or waiting to receive various services, Service Coordinators were asked to indicate how many children on their caseloads in 2004 (a) received a service; (b) were on a waitlist for the service; or (c) needed the service, but found it was unavailable.

Table 14 below summarizes the numbers of children receiving (or not receiving) various services, out of the total of the 311 children on the Coordinator caseloads. As such, the numbers refer to all children with developmental disabilities on their caseloads, and not just those with co-occurring MH and DD conditions.

21

2

21

0

0

9

0

18

9

Table 14.

members

Neuropsychological evaluations

Residential treatment

Ongoing respite care

Case management

Day treatment

Parent support

Other

Advocacy services

Crisis intervention

Emergency respite care

various services in 2004 Number Number wait Needed but receiving listed Services unavailable service Psychological testing in schools 101 2 1 22 9 24 Psychological testing in the community 32 21 Child and adolescent psychiatric evaluations Medication management 89 6 12 17 Developmental 21 4 pediatrician/assessment 56 3 31 Behavior management 38 1 24 Counseling services for children Counseling services for family 23 0 24

11

21

79

5

157

3

98

203

11

10

Number of DD children served by Service Coordinators receiving and not receiving

Based on total number served by Service Coordinators = 311.

#### Services Received

In addition to the data in the table showing numbers of children on Service Coordinator caseloads receiving services, using different ways of categorizing services to persons with disabilities, the Broome DDSO indicated the following use of services in the MRDD system by program type:

1

12

16

1

0

1

0

0

0

 Home and Community-Based Services Waiver (304 children 21 and under)

- Medicaid Service Coordination (MSC) services (296, including all of those in Waiver services)
- Family Support Services (FSS) (211)
- ◆ Clinic (204)
- Residential (not including Developmental Center) (32)

### Services Requiring Waiting Lists

The five services with the highest number of children served by Service Coordinators who were on waiting lists are listed below. Only *Ongoing respite care* and *Residential treatment* had more than 10 children on waiting lists during 2004.

- Ongoing respite care (16 children)
- Residential treatment (12)
- Psychological testing in the community (9)
- Child and adolescent psychiatric evaluations (7)
- Medication management (6)

The five services listed below had no DD children served by Service Coordinators on waiting lists:

- Counseling services for family members
- Case management
- Parent support
- Advocacy services
- Crisis intervention

#### Services Not Available

The four services with the <u>highest</u> number of DD children needing them but finding them unavailable are listed below:

- Behavior management (31 children, even though it is also among the most frequently-offered services)
- Psychological testing in the community (24)
- Counseling services for children (24)
- Counseling services for family members (24)

There are five services for which the number of children who needed the service but found it unavailable during 2004 was greater than the number of children who actually received the service. These services are listed below in descending order based on the difference between the number of

children who could not access the service during 2004 and the number receiving the service during the year.

- Neuropsychological evaluations
- Crisis intervention
- Psychological testing in the community
- ♦ Emergency respite care
- Counseling services for family members

Conversely, the following services had the highest ratio of children receiving the service compared with the number of children who needed but couldn't access the service:

- ♦ Advocacy services
- Case management
- Psychological testing in schools
- ◆ Parent support
- Medication management

One additional way to determine what services are provided to children specifically diagnosed with both MH and DD conditions is to examine Medicaid claims for such children 21 and under. As noted earlier, CCSI, which tracks Medicaid claims for Broome County, was able to supply such information for those for whom at least one claim with an MH diagnosis and at least one with an MRDD diagnosis were filed during 2002 and 2003. A total of 99 such children and adolescents with co-occurring conditions surfaced during that period—about 20% of the number of children identified by service providers as having co-occurring conditions. Even though the Medicaid data preceded our survey data by two years, it is worth noting that the 99 Medicaid children with co-occurring conditions accessing services is very similar to the 107 children on Service Coordinator caseloads (nearly all of whom are on Medicaid) judged to have co-occurring conditions.

Table 15 summarizes the numbers of the 99 children receiving various selected types of services, and the costs of their claims for those services.

Types of Services Accessed by Children with Co-Occurring Conditions on Medicaid

Table 15.

Children with Co-occurring MH and DD Conditions Using Various Services Paid for by Medicaid			
Services	# Using Services	Costs of Claims	
Mental Health (selected services)	35	\$122,534	
Psychiatric Inpatient	5	61,997	
CPEP Emergency	14	8,962	
Alcohol/Substance Abuse	12	4,639	
MRDD Services (selected)	73	2,595,483	

Note: Numbers refer to children using various services out of total of 99 with co-occurring conditions who used both MH and MRDD services during two-year period.

99 Broome County children with cooccurring MH and DD conditions accessed services via Medicaid in 2002 and 2003. About \$123,000 was spent for selected MH services for 35 of those children, while nearly \$2.6 million was spent to access selected MRDD services (mostly clinic rehab and residential treatment) for 73 children.

Recognizing that the data apply only to the subset of children with cooccurring conditions who were receiving Medicaid, and therefore cannot necessarily be generalized beyond that subgroup, the following statements can be made about services received by the Medicaid children:

- ❖ A total of 35 of the 99 children and adolescents with cooccurring conditions accessed selected Medicaid-covered mental health services (including inpatient, emergency, outpatient and case management). The total related claims accounted for \$122,534—2.9% of the total of \$4,248,719 in Medicaid claims processed for this co-occurring population during the two-year period.
- ❖ Five of the 99 (including one between the ages of 19 and 21) used psychiatric inpatient care at Article 28 or 31 facilities, including none from state facilities.
- ❖ Fourteen received emergency evaluation services from CPEP (by way of context, 661 youth accessed CPEP intake services during 2001).
- Twelve accessed alcohol/substance abuse services in clinic or other outpatient settings.
- ❖ A total of 73 of the 99 accessed various selected types of MRDD services, mostly in various clinic rehabilitation and residential treatment settings. Together, the claims for these 73 amounted to \$2,595,483—61.1% of all claims for the 99 individuals.

## Difficulty Obtaining Services for Different Age Groups

As part of the effort to identify those children for whom mental health and developmental disability services are most difficult to obtain, CPSE chairpersons, CSE chairpersons, and Service Coordinators were asked whether services were particularly difficult to obtain for certain age groups.

Generally, 75% or more of all groups agreed that services for children with co-occurring conditions are difficult to access across all age groups.

#### IX. Service Gap Priority Ratings

All respondents—MH and MRDD service providers, Service Coordinators, CSE and CPSE chairpersons—were asked to rate services based on the level of unmet needs and service gaps for children with co-occurring mental health and developmental disability conditions. A rating of "Highest Priority" indicates that the service is perceived to be among the highest unmet needs for children with co-occurring MH and DD conditions, compared to "Moderate Priority," and a rating of "Low Priority," which indicates that a service is not an urgent unmet need at this time. Respondents were asked to assign one of the three rating categories for each of a wide variety of services. Thus each rating was used multiple times by each survey respondent.

#### Overall Priority Ratings

Table 16 below summarizes the average ratings for each service across each of the five survey groups. There was typically a relatively high level of agreement in ratings across groups, particularly in terms of the highest priority unmet needs, and those services least in need of immediate attention for children with cooccurring MH and DD conditions.

Appendix Tables D-8 through D-12 provide more detailed analyses of the proportions of respondents in each of the five survey groups who rated each service as Highest, Moderate or Low Priority.

It should be noted that these ratings of service gaps may not always agree with unmet needs outlined by Service Coordinators in previous Chapter VIII. That discussion was focused on DD children in general, whereas the unmet priority need focus in the ratings below was on the more specific subset of children with cooccurring MH and DD conditions. Thus, although some of the specified service gaps can be found in both lists, for purposes of assessing perceived service gaps for the co-occurring population, what follows is more pertinent.

Table 16.

Respondents groups' average priority ratings of unmet service needs among children						
with co-occurring MH and DD conditions (in rank order by weighted average)						
	Wtd.Avg.	MH	MRDD	Svc.Cdrs.	CPSE	CSE
Service	(N=113)	(N=41)	(N=17)	(N=31)	(N=12)	(N=12)
Child/adol.						
psychiatric eval'ns.	2.58	2.5	2.2	2.8	2.5	2.6
Cnslg. svcs/children	2.26	2.0	2.0	2.8	2.0	2.4
Emergency respite	2.24	2.0	2.2	2.6	1.9	2.4
Ongoing respite	2.24	2.1	2.0	2.6	1.7	2.3
Crisis intervention	2.21	2.0	1.9	2.5	2.0	2.8
Medication mgmt.	2.19	2.1	1.9	2.5	1.9	2.6
Cnslg. svcs/family	2.18	2.0	1.8	2.4	2.2	2.5
Behavior mgmt.	2.11	1.8	1.9	2.6	1.9	2.4
Neuropsychol. evals.	2.07	2.1	1.9	2.2	1.7	2.0
Developmental						
pediatrician/ass'mt.	2.04	1.7	2.0	2.5	2.1	1.9
Parent support	2.01	2.0	2.1	1.9	1.9	2.2
Psychological						
testing/community	2.01	2.0	2.0	2.6	1.1	1.4
Residential trtment.	1.91	2.0	1.6	2.0	1.4	2.2
Day treatment	1.72	1.8	1.5	1.4	1.6	2.7
Case management	1.69	1.8	1.8	1.5	1.7	1.8
Advocacy services	1.68	1.7	2.0	1.5	1.3	1.9
Psychological						
testing/schools	1.47	1.6	1.5	1.7	0.8	1.0
Educational services	1.08	-	_	-	0.7	1.2

Note: Averages based on average priority rating for each service for each respondent group (3 points assigned for each Highest Priority rating, 2 for each Moderate Priority, 1 for each Low Priority). Weighted average = average rating for each service across all 113 respondents. For detailed ratings, see Appendix Tables D-8 through D-12.

\* The priority ratings of all groups make it clear that *Child and adolescent psychiatric evaluations* is the service with the greatest perceived unmet demand to address the needs of children with co-occurring mental health and developmental disability conditions: As shown in the Appendix tables, 65% or more of all five groups listed this within the Highest Priority unmet needs. In fact, in four of the five groups, it was the single service that received the greatest number of Highest Priority votes.

Consensus among the five survey groups suggests the following major unmet service needs for children with co-occurring MH and DD conditions: child and adolescent psychiatric evaluations, emergency and crisis respite care, crisis intervention, medication management, and counseling for children and family members.

- Six other services each received average overall ratings of 2.2 or higher across all five groups, and received Highest Priority ratings from one-third or more of the respondents in at least four of the five survey groups: Counseling services for children, Emergency respite care, Ongoing respite care, Crisis intervention, Medication management, and Counseling services for family members (only MRDD providers viewed the latter as a lower priority, with only 12% rating it among the Highest Priority service gaps).
- \* General consensus was that the following are not among the most urgent needs for immediate attention: General educational services, Psychological testing in schools, Advocacy services, Case management, and Day treatment (except for CSE chairs, who saw the latter as the Highest Priority need).

More detailed findings for each survey group are briefly summarized below.

#### **MH Providers**

As shown in more detail in Appendix Table D-8, *Child and adolescent psychiatric evaluations* was by far the service most frequently identified as Highest Priority unmet need for children with cooccurring mental health and developmental disability conditions. Nearly three-quarters (73%) of MH providers identified this service as Highest Priority. No other service was rated as Highest Priority by more than 50% of the MH respondents. For the most part, the services seen as the lowest priority gaps were typically the same as those in the consensus overall survey findings shown in Table 16.

#### **MRDD Providers**

Child and adolescent psychiatric evaluations was most frequently identified as the Highest Priority service gap, with 65% of MRDD providers considering it an urgent unmet service need. Emergency respite care and Ongoing respite care were both rated Highest Priority by more than half of the respondents. Parent support was also among the services receiving strong support at both Highest and Moderate priority levels. As noted above, MRDD providers were the only group indicating little support for Counseling services for family members as a Highest Priority service gap. (See Appendix Table D-9 for more details.)

#### Service Coordinators

As shown in Appendix Table D-10, Service Coordinators gave more ratings of Highest Priority to more services than did any other surveyed group. Ten services were rated as Highest Priority by at least 50% of Service Coordinators, compared to just one service for MH providers, three services for MRDD providers, three for CPSE and six for CSE coordinators. Service Coordinators also identified *Child and adolescent psychiatric evaluations* as the most important service gap for children with co-occurring mental health and developmental disability needs. This service was rated as Highest Priority by 84% of all Service Coordinators. *Counseling services for children* was also rated Highest Priority by 81% of all Service Coordinators. In addition, several services—*Ongoing and emergency respite care, behavior management, psychological testing in the community, and crisis intervention*—each received Highest Priority ratings from about two-thirds of all Service Coordinators.

Service Coordinators gave the lowest priority ratings to *Case management, Advocacy services*, and *Day treatment*, all of which received more than 50% Low Priority ratings.

#### **CPSE Chairpersons**

CPSE chairpersons agreed with MH and MRDD service providers and Service Coordinators that *Child and adolescent psychiatric evaluations* represents the greatest unmet need for children with cooccurring mental health and developmental disability conditions. Three-quarters of CPSE chairpersons rated this service gap as Highest Priority, while 50% considered *Counseling services for family members* and *Crisis intervention* also to be Highest Priority.

No CPSE chairpersons indicated that *Psychological testing in schools* or *Advocacy services* are Highest Priority service gaps, and only 8% indicated that *Psychological testing in the community* is an urgent unmet need. In fact, half or more of this group specifically gave each of those three services a Low Priority rating. (See Appendix Table D-11 for more details.)

#### **CSE Chairpersons**

As shown in Appendix Table D-12, CSE chairpersons are the only group that did not select *Child and adolescent psychiatric evaluations* as the highest priority service gap. Instead, *Crisis intervention* was a Highest Priority need in the opinion of 83% of CSE chairpersons, while *Day treatment* and *Child and adolescent psychiatric evaluations* were each rated as Highest Priority by 75%. This was also the only

survey group in which *Day treatment* received Highest Priority ratings from more than 25% of group respondents.

All of the CSE chairs considered *Psychological testing in schools* to be the lowest priority service, and two-thirds also rated *Psychological testing in the community* as a Low Priority.

#### X. MAJOR BARRIERS AND UNMET NEEDS

In addition to the priority service gaps/unmet needs identified in the previous chapter, all groups of respondents were asked to identify up to five major barriers or unmet needs in Broome County's efforts to provide service to children with co-occurring mental health and developmental disability conditions. In addition, Service Coordinators were asked to identify the three most important unmet needs for families of children with co-occurring conditions.

#### Barriers to Serving Children with Co-Occurring Conditions

The written comments of the respondents were coded in order to identify common themes touched upon by service providers, Service Coordinators, and CSE-CPSE chairpersons. Other than the perceived priority service gaps summarized in Table 16 in the previous chapter, the following major themes emerged as the major barriers to meeting the service needs of the county's children with co-occurring MH and DD conditions:

❖ The barriers identified most frequently across the survey groups could be classified under the overall category of *Coordination with or between agencies*. Almost 60% of all Mental Health providers, 45% of the Service Coordinators, and between a quarter and a third of MRDD providers and SCE and CPSE chairs all referenced problems and frustrations with the lack of adequate coordination between the OMH and OMRDD service systems.

service providers, and significant proportions of all survey groups, noted poor coordination with and between agencies, and typically between the MH and MRDD service systems, as the greatest barrier to improved services to children with cooccurring conditions.

Almost 60% of all MH

Coordination with or between agencies includes responses that refer to the systematic problems faced by children with co-occurring conditions as they try to obtain an array of services to meet their needs. For instance, one respondent wrote: "OMRDD passes the buck – if any mental health issues – not their problem." This response argues that the Office of Mental Retardation and Developmental Disabilities is unwilling or unable to confront mental health issues faced by children with developmental disabilities, indicating that a comprehensive set of services is difficult to coordinate with this organization. A number of similar comments were offered by both MH and MRDD respondents about problems with both systems.

Insufficient availability of psychiatric services was consistently noted as the second most significant barrier to serving children with co-occurring conditions.

Problems with
Medicaid and other
insurance coverage,
including doctors and
other providers who
will not accept
Medicaid, was
identified as a major
barrier to needed
services.

#### Barriers to Meeting Needs of Families

- \* Availability of psychiatric services was consistently the second most frequently-identified barrier. Between a quarter and a half of the respondents in each of the survey groups referenced lack of sufficient psychiatric services as a major barrier to serving children with co-occurring conditions. This finding is consistent with the earlier finding that Child and adolescent psychiatric evaluations was the service most often rated as a Highest Priority service gap. Given the opportunity to enter written responses, many service providers expressed a desire not only for expanded psychiatric evaluations but also for expanded psychiatric treatment in general for children in the county.
- A third frequently-selected barrier was a series of frustrations grouped under the category of *Insurance coverage/Medicaid*, which was identified as a major barrier by 48% of the Service Coordinators, and by about one-fourth of the MH and MRDD providers. Written comments in this category focused around the difficulty of finding local service providers who accept children with Medicaid insurance. Given the fact that 281 of the 311 children (90%) on the caseloads of Service Coordinators during 2004 were on Medicaid, the dearth of providers accepting Medicaid insurance is a problem that potentially affects a very high percentage of children with co-occurring mental health and developmental disability conditions. Survey respondents also frequently mentioned related issues of lack of sufficient financial resources to pay for or develop needed services.
- A fourth major category of barriers referenced services that were not sufficiently available or accessible: grouped into a *Lack of providers or access to services* category. A third of the Service Coordinators and CPSE chairs, and two-thirds of CSE chairs, noted broad concerns with lack of providers or access to services—which was often related to the larger issue of coordination between agencies and service systems.

Service Coordinators also identified what they considered to be the three most important barriers to meeting needs of families with children with co-occurring conditions. The issues selected by the greatest percentage were: Respite care (selected by about a third of the Coordinators) and Lack of providers or access to services (identified by 29%). The next most common responses were Availability of psychiatric services and Insurance coverage/Medicaid (each selected by about a fifth of all Coordinators), and Coordination with

or between agencies and Knowledge of available services (between 15% and 20% each).

## XI. WHAT HAPPENS TO CHILDREN WHO CAN'T ACCESS SERVICES?

MH and MRDD providers were asked to provide written responses to the following question: What typically occurs with any children with co-occurring mental health and developmental disability conditions whom you were unable to serve in the past year?

Mental Health service providers frequently reported that such

Children are often placed in higher levels of care than needed due to lack of appropriate services for children with cooccurring conditions.

children are referred to other programs so that at least some of the service needs of the child can be met. However, as a result of these referrals, children are often placed in programs that are inappropriate for their conditions. For instance, several MH providers indicated that children with co-occurring mental health and developmental disability conditions are often hospitalized in mental health centers until more appropriate levels of care become available. Others may be placed in juvenile detention centers. Thus, children are often placed in higher levels of care than necessary due to the lack of services available for children with co-occurring conditions. A number of MH service providers wrote that they had difficulty in accessing OMRDD services for such children.

Children with cooccurring conditions
often do not receive
the services they need,
receive higher levels of
care than needed, or
may be bounced
between systems.

The responses of MRDD service providers echo the MH provider responses. Children are referred to different agencies, but face the potential of being bounced around between mental health and developmental disability systems, with some eventually winding up in higher levels of care than necessary.

## What Happens to Children Denied OMRDD Eligibility?

Service Coordinators were asked to provide written responses to a related question: What typically happens with children who are denied OMRDD eligibility?

Children denied MRDD eligibility often do not receive needed services from either the MRDD or the MH service system.

The responses centered around three common outcomes. The first is that children go through Second Step Review, an additional layer of review that involves one additional psychologist and the director of DDSO. The second common outcome is that children are referred to other organizations, such as the Office of Mental Health, in hopes of finding services that can manage at least some of the child's service needs. The third common outcome described by Service Coordinators is that children denied OMRDD eligibility simply "fall through the cracks" of both systems and can go months or years before receiving appropriate services.

#### XII. PARENT SURVEYS

In order to ascertain the experiences of the parents of children in need of developmental disability services, surveys were distributed to families through Service Coordinators. It could not be determined how many families were asked to complete the survey, but in all, 20 surveys were completed by the parents of children with developmental disability and/or mental health conditions concerning the services their children had received and what services they believe their children may still need. Fifteen of these surveys were returned by parents working with Service Coordinators affiliated with the Southern Tier Independence Center, four through the Handicapped Children's Association, and through Catholic Charities. Since only three service coordinating agencies are represented among the parent surveys, and since we do not know how many parents were asked to complete a survey, it cannot be determined how representative the comments of these parents are of the experiences of all parents who receive service coordination in Broome County. Thus the parental responses should be reviewed with caution, in light of these caveats.

#### Services Received

Parents were first asked to list the services that their child with a developmental disability received during 2004. Services identified by multiple respondents include:

- ❖ Medicaid service coordination at least 10 families
- Special Education/BOCES (including Speech therapy, Physical therapy, and Occupational therapy) 10
- ❖ Counseling 8
- ❖ Respite 8
- ❖ Residential treatment 6
- ❖ Medication management 5
- ❖ Financial assistance/Waivers 5
- ❖ Miscellaneous medical care 4

### Services Wanted but Unavailable

When parents were asked which services they wanted their children to receive but found unavailable, the following services were identified most often:

- ❖ Psychiatric treatment/evaluations 4
- ❖ Respite 3
- ❖ Mental health services 3
- ❖ Behavior management 3
- ❖ Music/Art therapy 3
- ❖ More accessible local doctor or developmental pediatrician − 3

## Services with Waiting Lists

Parents were also asked to identify the services for which their children had been on waiting lists. The services on the list below each appeared in the responses of at least three parents:

- ❖ Respite 5
- ❖ Mental health/Psychiatric services 4

#### Additional Services Needed

The following services appeared in the responses of at least three parents when parents were asked what additional services their children needed. Many of these services were previously identified in the question regarding services that were wanted, but not available.

- ❖ Psychiatric services 4
- ❖ Counseling 4
- ❖ Behavior management 3
- ❖ Respite 3
- ❖ Social skills training − 3
- ❖ Occupational/speech/physical therapy − 3

#### Services Needed by Family Members

Finally, parents were asked to identify services that were needed by the members of their family as a result of their child's developmental disability and/or mental health needs. Most frequently-mentioned were:

- ❖ Parent support/training in specific ways of helping child with disabilities − 7
- ❖ Respite 5
- ❖ Family Counseling/therapy 4
- ❖ Assistance/Behavior management in home 3

From the responses of those parents who completed surveys, it is clear that various types of parent support and training, respite and counseling services are in demand both for children with developmental disabilities and/or mental health needs and for their parents and siblings. The surveyed parents also expressed a desire for greater access to psychiatric and behavior management services for their children. Whether these surveys reflected a representative sample of parents or not, the responses were generally consistent with those of the various provider groups.

#### **Summary**

Parents expressed a need for various types of support respite and counseling services for both children and their parents and siblings.

## XIII. BEST PRACTICES WORKING WITH CHILDREN WITH CO-OCCURRING MENTAL HEALTH AND DEVELOPMENTAL DISABILITY CONDITIONS

(Written by Robert Russell, Ed.D., Licensed Psychologist, Broome County Mental Health Department)

This psychologist was asked to write a summary of Best Practice methods for assessment and treatment of youth with co-occurring mental health and developmental disability conditions. As noted in a discussion of best practice literature in Appendix F, because this topic is so diverse—with significant variability across diagnoses, settings and treatment providers—trying to paraphrase the Best Practice literature in a brief review has its limitations. In light of this, the following is based upon the Best Practice and Expert Consensus literature that I have read along with my own personal experience of many years working in the field.

#### **Assessment**

Basic Evaluation

Every child with a suspected developmental disability should receive a psychological workup including intelligence testing. A complete assessment should include a thorough psychosocial evaluation involving the gathering of information from multiple sources. Looking at the entire child—including family, developmental, educational, medical, and social history—is important. A focus should be placed on documenting behavioral deficits and excesses, sources of stress and availability of supports and resources and personal strengths.

An assessment of the child's achievement level and adaptive functioning is highly desirable depending upon the purpose of the evaluation. Achievement testing is used to assess the nature of a learning disorder while adaptive functioning is used to look at strengths and weaknesses in the child's overall maturity and level of independence. Other tests are available to assess for certain clinical syndromes. Speech, occupational and physical therapy evaluations are also very useful when examining the nature and extent of developmental impairment. One needs to weigh the costs and benefits of doing a more comprehensive

neuropsychological battery. Although recommended in cases of Traumatic Brain Injury, the additional information gathered in such lengthy evaluations does not always justify the cost involved. Finally, keep in mind that behavior, motivation, language or motor difficulties can sometimes make test interpretation more difficult in the developmentally disabled child.

#### Problems in Diagnosing Mental Illness

The literature suggests that there is a higher co-morbidity (coincidence) of mental illness among those with developmental disabilities than among the general population. There are difficulties, however, in assessing mental illness with the developmentally disabled. The lower one's intellectual level is, the harder it is to reliably diagnose the presence of a mental illness. Communication difficulties or poor comprehension can all interfere with gathering reliable information. For instance, someone with low intellect may answer in the affirmative when asked if they "hear voices" and be falsely perceived as psychotic. Also symptoms which might be consistent with a specific clinical syndrome may be explained better by the disability rather than the syndrome. For example, it is not uncommon for developmentally disabled youth to be perceived as having Attention Deficit Hyperactivity Disorder. Their inattention and distraction might be better understood, however, by their developmental disability rather than ADHD. When there is a co-occurring mental illness and a developmental disability, the evaluator looks for and tries to explain how a child's developmental disability can sometimes influence or exacerbate his/her mental illness.

#### Functional Analysis

Just as important as arriving at a diagnostic classification, a "functional analysis" can be very helpful when examining specific problematic behaviors. This type of evaluation focuses on assessing the antecedents, behavior and consequences (ABCs) that define the problem and lead directly to effective interventions targeting the variables which trigger and reinforce, or maintain a problem behavior.

#### Ongoing Assessment

Ongoing assessment is helpful to assess the effectiveness of a treatment intervention, whether pharmacological or behavioral. Too often treatment interventions are implemented with little or no evidence of their efficacy other than anecdotal reports, which can be biased. Target symptoms are identified and daily monitoring of these symptoms is conducted. Baseline data is compared with data collected as an intervention begins or changes.

Daily monitoring of symptoms, and the contexts in which they arise, can also be useful in better understanding the nature of the problem and arriving at suitable interventions.

#### Eligibility Determinations

A common use of evaluations is for documentation of eligibility for certain services such as Special Education services, Social Security Disability or Office of Mental Retardation Developmental Disabilities services. Unfortunately, information needs are often different for each of these and an evaluation which is used in one context is not always sufficient or helpful in another context. Still, obtaining these evaluations is important since it has long term consequences for services and benefits.

#### **Therapies**

General Principles

There is a range of clinical interventions which can be used when working with MH/DD youth, with some being more effective than others depending upon the child or adolescent's developmental level as well as the specific nature of the problems being targeted. It would be beyond the scope of this section to list all of the possible treatment interventions or techniques used with children. Instead a few general principles and some of the more common modalities will be discussed.

Usually, there are multiple presenting problems that need to be addressed with the MH/DD child. These can generally be classed into behavioral "excesses" and "deficits". One example of a behavioral excess might be a child's tantrum and a corresponding behavioral deficit might include the child's lack of self calming or coping strategies. One goal of treatment is to discourage or inhibit these maladaptive behavior excesses and a second goal is to replace behavior deficits in adaptive functioning with age appropriate skills. In fact, the long term goal of raising a developmentally disabled child, whether with a mental illness or not, is to expose him/her to learning opportunities which will teach the daily living skills needed for maturation and independence.

Low adaptive functioning contributes to stress and hardship in these children's lives which, in turn, exacerbates any mental illness. As a group, they are more vulnerable to stress and challenges they face on a daily basis. Much can be done by identifying and reducing stresses in their environment, especially ones that trigger problem behaviors. These stressors can vary and can range from too much commotion to excessive hostility in the home or school environment. In addition to reducing stress, one needs to find ways to increase social supports and resources in the child's life. This is where Service Coordinators play such a vital role. Also, one should not underestimate the importance of arranging for and facilitating friendships in the child's life. This is a good example of how to create a naturally occurring support system. Healthy peer relationships allow the child to improve on their social skills while it inoculates them against depression.

Verbal Therapies

Many children with developmental disabilities can benefit from verbal therapies. Motivating, educating and supporting the child are just some of the many tasks which are commonly done in the office setting. However, those children who are young or who have low intelligence sometimes lack the cognitive ability for retrospection and prospection needed for insight oriented therapies. Limited expressive or receptive language ability can also interfere with verbal therapies. Thus verbal therapies should only be one part of the clinical intervention.

Parental Consultation

Parents and guardians are a critical part of any treatment program since they are the ones who can have the greatest influence over a child's environment and who can alter many of the antecedents and consequences which control daily behavior. Because the demands of raising an MH/DD child are high, parents need to be clever and they need to have a range of skills and supports in place to assist them. Providing them with information about special education or community services is important. Some parents will seek guidance on what should be realistic expectations for their child, and the best ways to help their child toward short and long term goals.

Behavior Modification

Whether or not one considers themselves a "behaviorist", one can not deny the role that classical and operant conditioning plays in one's daily life. This psychologist would argue that most strategies used to raise or teach children, good and bad, can be explained by the Learning Theory or Behavioral model. Appropriate application of behavioral methods can have positive impact on the child, and these methods have been repeatedly touted as the intervention of choice in best practice and expert consensus literature. Likewise, the misapplication of behavioral principles can have inadvertent or deleterious consequences.

In some homes or classrooms there are methods in place which may have the trappings of a behavior modification plan but these methods are either ineffectual or counter therapeutic. Most of these plans or programs have one element in common: the over-reliance on punishment. For instance, a common strategy used in some special education classrooms includes the removal of points for misbehavior or inattention with the ultimate consequence being the loss of privileges. This is like a token economy or point system in reverse<sup>14</sup>. The problem is that punishment does not teach or shape appropriate behavior and may have the unintended consequence of raising the child's stress and anger level. This, in turn, creates additional problems for the teacher and the student. More emphasis should be placed on the prevention of problem behaviors by addressing the antecedents of the behavior. Likewise, the use of positive reinforcement is vital to the shaping and acquisition of new behaviors and skills which are alternatives to these dysfunctional Just because something resembles a behavior behaviors. modification plan does not ensure that it is a good one.

Organizational structures can be in place to prevent the misuse of For instance, the NYS Office of Mental treatment methods. Retardation and Developmental Disability has a Human Rights Committee at each Developmental Disability Services Office (DDSO). At the Broome DDSO there is a Human Rights Committee which, among other duties, will review behavioral treatment plans to ensure that positive reinforcement and non-The focus is on protecting the punitive methods are used. consumers' rights and to ensure that they receive the most effective, non-harmful treatment in the least environment.

# Psychopharmacology

Although medication can sometimes provide rapid, significant and positive results in children with mental health needs, medications are not without risk. The potential for iatrogenic disorders is always present and needs to be closely monitored. We know that the use of "off label" medications (medications not approved for children or for the purpose intended) are being used with greater frequency with children. Some of these medications, and even those approved for children, can have serious side effects and their influence on the developing child is not always clearly understood. Movement

<sup>&</sup>lt;sup>14</sup> Usually the token or points are awarded for appropriate behavior to be redeemed for tangible rewards at a later time.

disorders, weight gain, tics and disturbance in mood and behavior are just some of the side effects that can result. There is evidence that children with developmental disabilities may be at higher risk for side effects from their medication. Also, children with developmental disorders are more likely to have other medical or neurological conditions requiring medication. Being on more than one medication increases the chance of drug interactions with this population.

In response to recent warnings by the U.S. Food and Drug Administration (FDA) regarding the use of antidepressant medication (prozac, paxil, zoloft, etc.) with children and adolescents, the NYS Office of Mental Health is implementing new standard of care procedures including the use of informed consent, better information about side effects and much more frequent monitoring for side effects<sup>15</sup>. It seems likely that such procedures will become common when using other off label psychotropic medications with children and adolescents.

In addition to such procedures, best practice for placing children on medication should include the ongoing assessment of the target symptoms (preferably conducted by a "blind" rater). If the medication does not have the desired effect, ongoing assessment provides the physician with feedback to modify or stop the medication regimen. Regarding the dosing of medication, expert consensus agrees that the physician should start the child "low and go slow" when titrating up and use a lower than maximum level dose. Finally, literature suggests using dose reduction and/or extended periods of medication cessation to assess the continued effectiveness and need for the medication.

#### Conclusion

Whether it involves assessment or treatment, one cannot separate mental health difficulties from the developmental disability. Promoting maturation and independence in the developmentally disabled child will go a long way towards reducing vulnerability to mental illness. Various treatment options are available, some of which are more effective or suitable than others. Treatment approaches should be monitored for their effectiveness, and parents and providers need to be alert that no harm is done to the child as a result of treatment. Long term goals should focus on helping children maximize their fullest potential and assisting them to grow into

<sup>&</sup>lt;sup>15</sup> Initially weekly for the first month, bi-weekly the second month and then no less than once a month after this.

adulthood with the greatest level of autonomy and best quality of life possible.

# XIV. CONCLUSIONS, IMPLICATIONS AND RECOMMENDATIONS

CGR offers a series of suggestions and recommendations, based on the following summary conclusions and implications from the study:

#### Conclusions

- ❖ Based on national estimates, there may be between about 3,600 and as many as about 13,500 children and adolescents in Broome County with some level of mental disorders, and between about 1,400 and as many as about 10,400 with a developmental disability. More than 5,350 children have been classified as having special educational needs and/or disabilities within the county's 12 school districts.
- Services to MH and DD children in the county are provided by at least 58 separate programs operated by 26 different agencies, in addition to services provided by 12 separate school districts located in the county.
- During 2004, almost 3,000 children with mental health needs and almost 900 with developmental disabilities were reportedly served by the county's MH and MRDD community-based service providers.
- ❖ Of those children and adolescents, about 500 county children with co-occurring MH and DD conditions have reportedly been identified and are being served by the MH and MRDD service providers in the county.
- ❖ Of those, approximately 300 county children with co-occurring MH and DD conditions reportedly had service needs which could not be met by MH and MRDD providers during 2004 and early 2005. This includes:
- an estimated 122 children with developmental disabilities who required MH services that could not be provided;
- an estimated 151 children with mental health needs who required DD services that could not be provided; and
- an estimated 41 children with co-occurring conditions who were on waiting lists to access services (mostly within MH agencies).

- ❖ It is significant to note that despite different approaches to identification of needs, both community-based service providers and special education school officials are consistent is estimating that about 300 county children with co-occurring MH and DD conditions have unmet needs due to service gaps and difficulty accessing needed services. To the extent that different individuals were identified by the two approaches, the actual number of 300 with unmet needs could be somewhat higher, but CGR believes there is a high correlation between the two totals, and that the 300 figure is realistic for planning purposes.
- \* These approximately 300 children on one level represent a relatively small enough, manageable number for the service providers in the county to engage and ensure that their needs are met. On the other hand, this number is substantial in the context of the current and historical inability of the MH and MRDD service systems to be able to come together to develop service plans, practices and policies to meet the needs of these children with co-occurring conditions. As such, they represent a significant challenge for both service systems at both local and state levels.
- Consensus among major service provider groups in the county suggests the following major Highest Priority unmet service needs for children and adolescents with co-occurring MH and DD conditions:
- Child and adolescent psychiatric evaluations;
- Counseling for children and family members;
- ♦ Emergency and ongoing respite care;
- Crisis intervention; and
- Medication management.
- ❖ Most consistently cited as the major barriers to providing needed services for children with co-occurring conditions were:
- Poor coordination between agencies and particularly between the MH and MRDD service systems;
- Insufficient availability of psychiatric services;
- Problems with Medicaid and other insurance coverage; and

- Lack of sufficient providers and access to needed services. In an initial review of the draft of this report, providers added the need for better education of both parents and all service providers concerning better understanding of available services and the eligibility requirements of each.
- ❖ Too often, children with co-occurring MH/DD conditions do not receive the services they need, get bounced between systems or "fall through the cracks," and are placed in higher levels of care than is appropriate, with negative consequences both for them and for taxpayers. Often they cannot obtain needed services, or even evaluations, because of specific mental health or developmental disability conditions.
- \*Broome County is in one sense no different from counties throughout New York regarding difficulties in addressing the needs of children and adolescents with co-occurring MH and DD conditions. The main difference is that Broome has begun to address the issue by beginning to define the magnitude of the problem and the scope of the needs. There are actions which local officials and service providers can begin to take, and indeed seem willing to consider, as suggested in the recommendations which follow. Comprehensive, full-scale solutions, including adequate funding, will require actions by the State at the OMH and OMRDD levels, as well as local actions.

#### Recommendations

Based on the findings and conclusions of this study, CGR offers the following suggestions and recommendations for state and local consideration and action:

- ❖ This report should be forwarded to the Commissioners and other key state and regional officials in OHM and OMRDD, as well as to the NYS Conference of Local Mental Hygiene Directors. Broome County officials, service providers and advocates should follow-up with meetings with those officials to present suggestions and action plans to be developed locally in response to the report.
- An action planning process should be convened by the Broome County Mental Health Commissioner, including representatives from the County Children's Mental Health Task Force and high level officials from the county's MH and MRDD service providers and advocacy groups, to develop specific short-term

- and longer-term action and implementation plans in response to the report.
- Concentrated efforts should be undertaken to work with service providers to formally identify the roughly 300 children and adolescents estimated to have co-occurring MH and DD conditions and unmet needs in one or more service systems and begin to determine how to best address their short-term and longer-term needs. It should be possible to begin to have each agency identify names of those they serve who they consider to have co-occurring conditions, so that a master list can be developed. Parental approval may be needed to make such names available to create such a central register. There is currently no central register of these individuals, and no way of carefully defining their needs or even evaluating and diagnosing them on a consistent, professional basis. Once a formal process can be established for the identification of such individuals, beyond a one-shot survey process such as used in this study, it should become possible to begin to more carefully define their needs and processes for addressing them.
- A key step in defining this group of children and adolescents and their needs more precisely is to establish a consistent process based on access to licensed trained professionals (e.g., psychologists, MSWs, etc.) conducting comprehensive diagnoses and needs assessments of youth identified by service providers as likely to have co-occurring MH and DD conditions. Such assessments should be focused on determining diagnoses and establishing service and treatment needs.
- Consistent with the previous recommendation, emphasis should be placed in the community on expanding the capacity for conducting *psychological* assessments of troubled youth in the community as a realistic alternative to expanding the number of child psychiatrists. More focus is needed on obtaining sound psychological testing and assessments of children considered as likely to have co-occurring MH and DD conditions. Such testing is important for arriving at diagnoses; identifying individuals' strengths, weaknesses and treatment goals; and determining eligibility for various services. To supplement the efforts of psychologists and social workers, clinical trainees with Masters degrees at SUNY Binghamton could perhaps be used to help in the diagnostic process.

- \*Once such a diagnosis process is in place, individuals with cooccurring conditions should be able to access services through a single point of entry. This could either mean (a) making revisions in the existing county SPOA to incorporate children with co-occurring conditions, (b) creating a new but similar process to expedite the review and service access process for such persons, or (c) potentially building on the existing processes involved with the county's Coordinated Children's Services Initiative (CCSI). Particular consideration should be given to blending features of the SPOA within the context of the CCSI process.
- ❖ In the meantime, MRDD representatives should be explicitly invited to, and expected to become active participants in, the SPOA and/or CCSI processes in order to begin to ensure that broad cross-systems perspectives are represented in the discussion of individuals who have, or may have, co-occurring conditions. Eligibility for services across systems needs to be explicitly addressed.
- Ultimately an effective database and management system should be established to record the characteristics, diagnoses and service needs of children with co-occurring conditions; to track services they are receiving; and to monitor their progress and outcomes across service systems over time.
- \* Efforts should be initiated to "demystify" services for both parents of children with co-occurring conditions and youth and family service providers. Ways should be explored of better educating providers and parents concerning better understanding of what services are available, and the eligibility requirements of each. Available services and admission criteria should be publicized more effectively through a variety of approaches, including building on existing service guides, creative use of the Internet, etc.
- \* Task forces should be established to determine what can and should be done to respond to the following needs and service gaps identified in the study for children with co-occurring conditions: (a) child and adolescent psychiatric and psychological evaluations and testing, including the need in particular for more comprehensive professional psychological diagnoses and assessments prior to, and perhaps even avoiding in

many cases the need for, any involvement with a psychiatrist; (b) counseling services for children and parents; (c) emergency and ongoing respite care for children and families; (d) crisis intervention (including the potential for an MRDD expert at CPEP); and (e) medication management. Other needs and gaps should be added to this list as appropriate. Any expansion or modification of services should be done consistent with the "best practices" recommendations in the report.

- ❖ More efforts are needed to develop cross-training of service provider staff in both the MH and MRDD service systems. Increasingly, staff will be needed with cross-specialty skill sets who can assess needs and serve children with co-occurring conditions, and their families, in a holistic manner.
- ❖ More effective linkages should be explored between community-based service providers and school district special education programs. Such linkages should include representation on SPOA or related processes for accessing services, and should include discussions of the extent of need for cross-referrals between school, MH and MRDD systems to ensure that information is shared across systems where appropriate, and that service and treatment needs are met appropriately, efficiently and cost-effectively.
- ❖ Consideration should be given to exploring ways of putting together cross-agency, cross-systems recruiting packages to help share the costs of bringing needed specialists to Broome County who may not otherwise be attracted to the community without more financial resources than individual agencies could afford. Combined funding packages, and planned sharing of staff time across agencies, may create options for attracting high-caliber professionals not otherwise likely to consider coming to the area.
- ❖ The State should be approached for cross-systems funding to establish a pilot project in the county to develop implementation plans, strategies and staffing to address specific actions that are developed by the action planning team recommended above. Ideally State funding should be available to help with such a comprehensive pilot approach, including contributing to the afore-mentioned recruit-funding package. The State should be a willing contributor to Broome's efforts to break down funding

- and service system barriers, as those efforts could become a model for other areas across the state.
- \* The next step in the process, as suggested above, should include making arrangements as soon as possible for a strategic planning "visioning day" with key stakeholders to prioritize and expand on these recommendations, establish goals and action plans, and determine subsequent actions and timelines. Elected local officials should be briefed, key State officials should be informed, and plans should be developed for a pilot project, which should be proposed to State officials as soon as possible for their support.

# **APPENDIX A: SURVEYS USED IN STUDY**

# Broome County Mental Health Department



Barbara J. Fiala, Broome County Executive . Arthur R. Johnson, LMSW, Commissioner Katherine G. Cusano, MA, CASAC, Deputy Commissioner

One Hawley Street . Binghamton, New York 13901 (607) 778-6357 . Fax (607) 778-6189 . Website: www.gobroomecounty.com

To: Community Service Providers

From: Arthur R. Johnson, Broome County Commissioner of Social Services and Mental Health Maria Dibble, Executive Director, Southern Tier Independence Center

Date: April 22, 2005

Re: Attached Community Provider Survey

The Broome County Mental Health Department and Southern Tier Independence Center are working on an important collaborative project with the Broome County Children's Mental Health Task Force. The project is designed to obtain information about programs providing mental health and developmental disability services to children 0-21 living in Broome County. A critical component of the project is the attached survey which is designed, among other things, to help answer the following questions:

- How many children with developmental disabilities are unable to access mental health services that they require?
- How many children with mental health needs are unable to access developmental disability services that they require?

We are asking all providers of children's mental health and developmental disability services to complete a copy of the attached survey for each of their relevant programs that serve children living in Broome County. If we have not included enough surveys, please make additional copies as needed and complete one for each relevant program. Your careful responses will help us develop an overview of the current services and participants, identify gaps in services, and design an improved system of community-based services for children with co-occurring developmental disability/mental health conditions.

For assistance in completing the survey for each program, please refer to the attached "Information Sheet and Definitions," which clarifies terms used in the survey and also provides a suggestion if you need to consider using a sampling approach to estimate some of the numbers requested.

If you have any questions about the survey, please contact Vicki Brown at 585/327-7071 (email: <a href="mailto:vbrown@cgr.org">vbrown@cgr.org</a>) or Don Pryor at 585/327-7067 (email: <a href="mailto:dpryor@cgr.org">dpryor@cgr.org</a>). They are staff to this project from CGR (Center for Governmental Research), which has been hired by the County to conduct the research needed for this project.

We ask you to please return a completed survey for each program in the enclosed envelope to CGR, One South Washington Street, Suite 400, Rochester NY 14614 by no later than Monday, May 9. Thank you very much for your cooperation.

# Broome County Children's Mental Health Task Force Developmental Disability/Mental Health Survey April 2005 Provider Survey

This survey is designed to capture information about programs providing mental health and developmental disability services to children (ages 0 through 21) in Broome County, including a determination of the number of children with developmental disabilities needing but not able to access mental health services, and vice versa. Your responses will help the Broome County Mental Health Department and the Broome County Children's Mental Health Task Force develop an overview of services and participants, identify gaps in services throughout the community, and help design an improved system of community-based services for children with co-occurring developmental disabilities/mental health conditions. Your help is very important to this effort, and we appreciate your careful attention to this survey. If precise data are not available, please provide your best estimates. If you have any questions about the survey, please contact Vicki Brown at 585/327-7071 (email: <a href="wbrown@cgr.org">wbrown@cgr.org</a>) or Don Pryor at 585/327-7067 (<a href="mailto:dpryor@cgr.org">dpryor@cgr.org</a>). Please return the completed survey to CGR by May 9.

Name of Agency:	
Program Name:	
Person Completing Survey and Title:	
Phone Number:	
Email Address:	

#### **Directions**

Please complete all sections below. Please indicate any responses that are estimates rather than actual data.

Please use the attached "Information Sheet and Definitions" for clarification of terms used in this survey.

Note: This survey should only be completed if your program serves at least some children 0-21 who live in Broome County. Where questions ask for numbers of children served by your program, please indicate total numbers served, regardless of where they live, but indicate in question 1(d) what percentage of those children are estimated to live in Broome County.

# Section I: Program Description

1. (a) Please attach to the completed survey a description or brochure describing your program.
(b) Does your program offer 24/hour crisis services?
(c) Please specify the age ranges of children served by your program:
(d) What percentage of children in your program live in Broome County?%
2. Which of the following best describes your program services? (please check the most accurate description)
(a) provides primarily mental health services
(b) provides primarily developmental disability services
(c) provides both mental health and developmental disability services
(d) provides neither as a primary focus of the program

## Section II: Target Population and Numbers Served

3. Please circle Yes or No in response to each of the following questions:

(a) Do you provide mental health services to any children between the ages of 0 and 21?	Yes	No
(b) Do you provide services to any developmentally disabled children between the ages of 0 and 21?	Yes	No
(c) Do your admission criteria specifically exclude serving children with developmental disabilities?	Yes	No
(d) Do your admission criteria specifically exclude serving children who are mentally retarded?	Yes	No
(e) Do your admission criteria specifically exclude serving children with mental health needs?	Yes	No
(f) Do your admission criteria specifically exclude serving children with serious emotional disturbances (SED)?	Yes	No
(g) Do your admission criteria specifically exclude serving children of certain ages? (If so, please specify which ages are excluded:)	Yes	No

4. What is your program's current capacity for serving children, i.e., what is the number of children 0-21 your program can serve at one time?	maximum
5. Please indicate how many children 0-21 in each of the following categories your practively serving on April 15, 2005. A child may be counted in more than one category, depending combination of mental health/developmental disability circumstances. (Include only those actives in services. Do not include contacts or consultations that did not result in receipt of services.	ng on his/her ely enrolled
Categories of Children	# served of 4/15/05
# diagnosed or likely to have a mental health need of any type (MH)	
# diagnosed or likely to have a serious emotional disturbance (SED)	
# diagnosed or likely to have a developmental disability (DD) of any type	
# dually-diagnosed with both a mental health need and a developmental disability	
# with a mental health need diagnosis who are also likely to have DD	
# with a DD diagnosis who are also likely to have a mental health need	
# with a developmental disability diagnosis who are also likely to have SED	
# considered to be both MH and DD (but without an official diagnosis for either)	
6. (a) During 2004, how many children did your program serve who were officially with (or likely to have) a developmental disability?  (b) Of those in 6(a), how many also required mental health services that could not be	
7(a) During 2004, how many children did your program serve who were officially with (or likely to have) a mental health need?	diagnosed
(b) Of those in 7(a), how many also required developmental disability services that coprovided?	ould not be
8. Please indicate what typically occurs with any children with co-occurring dev disability/mental health conditions whom you were unable to serve in the	*
9. (a) As of April 15, how many children 0-21 were on your program's waiting list?	
	<del></del>

(b) How many of those in 9 (a) were likely to health conditions?	have co-occurring	developmental di	sability/mental
(c) What is the average time that children sp	end on your waitin	g list before acce	essing services?
III. Services Provided			
10. Based on the attached definitions, which children 0-21 who (A) have (or are considered type, (B) are (or are considered likely to be) sare considered likely to be) developmentally of you provide directly.  Note: If your agency/program offers the regardless of diagnosis or likely condition, provide, but only for the specified groups you	ed likely to have) meverely emotionally disabled (DD)? For same intervention but check marks (\square	ental health (MH disturbed (SED) each group, che s to <u>all</u> individu	needs of any , or (C) are (or ck any services als you serve,
<u>Services</u>	(A) Children w/MH Needs	(B) SED <u>Children</u>	(C) DD <u>Children</u>
(a) Psychological testing	w/ WITT Needs	Cimaren	Cimaren
(b) Child and adolescent psychiatric evaluations	_		
(c) Medication management			
(d) Developmental pediatrician/assessment		<u> </u>	
(e) Behavior management			
(f) Counseling services for children			
(g) Counseling services for family members			
(h) Neuropsychological evaluations			
(i) Residential treatment			
(j) Ongoing respite care			
(k) Emergency respite care			
(l) Case management			
(m) Day treatment			
(n) Parent support			
(o) Advocacy services			
(p) Crisis intervention			
(q) Other (specify)			

ould be of Moderate Priority. Ratings
Each service should be given one of
(k) Ongoing respite care
(l) Emergency respite care
(m) Case management
(n) Day treatment
(o) Parent support
(
(p) Advocacy services
(q) Crisis intervention
(r) Other (specify)
(1) Outer (specify)

11. As you consider available services and service gaps for children 0-21 with co-occurring developmental disability/mental health conditions in Broome County, please rate each of the following services on a scale of 1 to 3. Services receiving a rating of (1) should be those you consider to be among the highest unmet needs in the county for this population of children, and

12. Ple	ease I	1st wh	at you coi	nsider	to be the 5 ma	ajor barriers or u	nmet needs	ın Br	oome Co	ounty's
efforts	to	serve	children	with	co-occurring	developmental	disabilities	and	mental	health
condition	ons:									

Please use the back of the survey or add pages if you wish to make additional comments.

Please return the completed survey, along with a description or brochure describing your program, in the enclosed envelope to Vicki Brown, CGR, One South Washington St., Suite 400, Rochester NY 14614 by Monday May 9. Thank you very much.

# Information Sheet and Definitions: Broome County Children's Mental Health Task Force Developmental Disability/Mental Health Survey - April 2005

In completing the attached survey, please refer to the following definitions and descriptions: (NOTE: This Information Sheet was also used with Service Coordinator Survey that follows later in the Appendix. It is only included here, and is not repeated when referenced in the Service Coordinator Survey.)

**Children:** Children, adolescents, young adults from birth through age 21.

**Diagnosed:** An <u>official</u> diagnosis of a specific mental health need or developmental disability (as defined further below).

**Dually-Diagnosed:** A child age 0-21 who has been <u>officially diagnosed</u> with <u>both</u> a mental health need and a developmental disability.

Child Who Is <u>Likely</u> to Have a Mental Health Need and/or Developmental Disability: Your program/agency's best judgment is that a child has a mental health need and/or developmental disability, but there is no official diagnosis.

**Co-occurring Developmental Disability/Mental Health Conditions:** A child has some combination of either officially-diagnosed or program/agency judgment of <u>likely</u> developmental disability plus mental health needs.

**Mental Health (MH) Need:** A condition that qualifies (or if diagnosed would qualify) a child 0-21 for access to mental health services. Such conditions are often, but not necessarily, defined in the DSM-IV as Axis I or Axis II mental health disorders.

**SED** (Serious Emotional Disturbance): This is a subset within the overall Mental Health Need definition. To be considered SED, a child 0-21 must meet either # 1 or # 2 set of criteria below:

#### (1) Extended Impairment

\_\_ DSM IV Diagnosis or ICD9 Psychiatric Diagnosis (**not including:** alcohol or drug disorders, delirium, dementia, cognitive disorders or developmental disabilities);

#### AND

\_\_ Functional limitations due to emotional disturbances lasting 12 months or more in any of the following areas: self-care, family life, self-direction/self-control; social relationships; learning ability;

#### AND

\_\_ Children's Global Assessment Scale rating of 50 or less in last 12 months (see attached scale). This tool is a guideline for anyone completing the survey.

#### OR (2) Current Impairment

\_\_ Current Children's Global Assessment Scale rating of 50 or less;

#### AND

\_\_ In the last 30 days experienced any of the following: suicidal symptoms or self-destructive behaviors; significant psychotic symptoms; or behavior that could cause personal injury or property damage.

**Developmental Disability (DD):** A condition that qualifies (or if diagnosed would qualify) a child 0-21 for access to developmental disability services. More specifically, a disability that originates before age 22, has continued or is likely to continue indefinitely, and constitutes a substantial handicap to a person's ability to function normally in society. A developmental disability is attributable to:

- (a) mental retardation, cerebral palsy, epilepsy, neurological impairment or autism; or
- (b) any other condition closely related to mental retardation because such condition results in similar impairment of general intellectual functioning or adaptive behavior or requires treatment of services similar to those required for mentally retarded persons.

NOTE: If, in completing the attached survey, you have difficulty estimating the numbers in response to certain questions, and you have large numbers of children 0-21 in your program, you may choose to estimate the numbers based on a <u>sample</u> of your total program caseload. If you choose to do so, please contact Vicki Brown at 585/327-7071 (email: <u>vbrown@cgr.org</u>) or Don Pryor at 585/327-7067 (email: <u>dpryor@cgr.org</u>) to discuss the best strategy for developing your sampling approach.

When you have completed the attached survey, please return it in the enclosed envelope to Vicki Brown at CGR, One South Washington Street, Suite 400, Rochester NY 14614 by Monday, May 9. Thank you very much.

#### Childrens Global Assessment Scale (CGAS)

- 1. Enter a score from 1-100
- 2. Rate the child/adolescents most impaired level of general functioning during the period rated by selecting the lowest level which describes his/her functioning on a hypothetical continuum of health-illness
- 3. Use intermediary levels eg. 35, 94, 68
- 4. Rate actual functioning regardless of treatment or prognosis, using the descriptions below as a guide

100-91 Superior functioning 90-81 Good functioning 80-71 No more than a slight impairment in functioning 70-61 Some difficulty in a single area, but generally functioning pretty well 60-51 Variable functioning with sporadic difficulties 50-41 Moderate degree of interference in functioning Major impairment to functioning in several areas 40 - 3130-21 Unable to function in almost all areas Needs considerable supervision 20-11 10-1 Needs constant supervision

#### Principle reference

Schaffer D, Gould MS, Brasic J, et al. (1983) A children's global assessment scale (CGAS). *Archives of General Psychiatry*, 40, 1228-1231.

### <u>Description</u>

The Childrens Global Assessment Scale (CGAS) is a measure developed by Schaffer and colleagues at the Department of Psychiatry, Columbia University to provide a global measure of level of functioning in children and adolescents. The measure provides a single global rating only, on scale of 0-100. In making their rating, the clinician makes use of the glossary details to determine the meaning of the points on the scale.

## CGAS Glossary

Rate the patient's most impaired level of general functioning for the specified time period by selecting the *lowest* level which describes his/her functioning on a hypothetical continuum of health-illness. Use intermediary levels (eg 35, 58, 62).

Rate actual functioning regardless of treatment or prognosis. The examples of behaviour provided are only illustrative and are not required for a particular rating.

- 100-91 Superior functioning in all areas (at home, at school and with peers); involved in a wide range of activities and has many interests (eg., has hobbies or participates in extracurricular activities or belongs to an organised group such as Scouts, etc); likeable, confident; 'everyday' worries never get out of hand; doing well in school; no symptoms.
- Good functioning in all areas; secure in family, school, and with peers; there may be transient difficulties and 'everyday' worries that occasionally get out of hand (eg., mild anxiety associated with an important exam, occasional 'blowups' with siblings, parents or peers).
- No more than slight impairments in functioning at home, at school, or with peers; some disturbance of behaviour or emotional distress may be present in response to life stresses (eg., parental separations, deaths, birth of a sib), but these are brief and interference with functioning is transient; such children are only minimally disturbing to others and are not considered deviant by those who know them.
- Some difficulty in a single area but generally functioning pretty well (eg., sporadic or isolated antisocial acts, such as occasionally playing hooky or petty theft; consistent minor difficulties with school work; mood changes of brief duration; fears and anxieties which do not lead to gross avoidance behaviour; self-doubts); has some meaningful interpersonal relationships; most people who do not know the child well would not consider him/her deviant but those who do know him/her well might express concern.
- 60-51 Variable functioning with sporadic difficulties or symptoms in several but not all social areas; disturbance would be apparent to those who encounter the child in a dysfunctional setting or time but not to those who see the child in other settings.
- Moderate degree of interference in functioning in most social areas or severe impairment of functioning in one area, such as might result from, for example, suicidal preoccupations and ruminations, school refusal and other forms of anxiety, obsessive rituals, major conversion symptoms, frequent anxiety attacks, poor to inappropriate social skills, frequent episodes of aggressive or other antisocial behaviour with some preservation of meaningful social relationships.
- Major impairment of functioning in several areas and unable to function in one of these areas (ie., disturbed at home, at school, with peers, or in society at large, eg., persistent aggression without clear instigation; markedly withdrawn and isolated behaviour due to either mood or thought disturbance, suicidal attempts with clear lethal intent; such children are likely to require special schooling and/or hospitalisation or withdrawal from school (but this is not a sufficient criterion for inclusion in this category).
- 30-21 Unable to function in almost all areas eg., stays at home, in ward, or in bed all day

- without taking part in social activities *or* severe impairment in reality testing *or* serious impairment in communication (eg., sometimes incoherent or inappropriate).
- Needs considerable supervision to prevent hurting others or self (eg., frequently violent, repeated suicide attempts) or to maintain personal hygiene or gross impairment in all forms of communication, eg., severe abnormalities in verbal and gestural communication, marked social aloofness, stupor, etc.
- Needs constant supervision (24-hour care) due to severely aggressive or self-destructive behaviour or gross impairment in reality testing, communication, cognition, affect or personal hygiene.

[NOTE: This CGAS Information Sheet was also used with the Service Coordinator and School Surveys that appear later in this Appendix. It is only included here, and is not repeated each time it is referenced in the Appendix.]

# Broome County Mental Health Department



Barbara J. Fiala, Broome County Executive. Arthur R. Johnson, LMSW, Commissioner Katherine G. Cusano, MA, CASAC, Deputy Commissioner

One Hawley Street. Binghamton, New York 13901 (607) 778-6357. Fax (607) 778-6189. Website: www.gobroomecounty.com

To: Catholic Charities Service Coordinators (*Note: similar letters sent to other agencies by CGR*)

From: Arthur R. Johnson, Broome County Commissioner of Social Services and Mental Health

Maria Dibble, Executive Director, Southern Tier Independence Center

Date: April 27, 2005

Re: 1) Service Coordinator Survey w/attached Definitions/Information Sheet

2) Separate Parent Survey for Parents of Children w/Co-occurring Developmental Disability and Mental Health Conditions

The Broome County Mental Health Department and Southern Tier Independence Center are working on an important collaborative project with the Broome County Children's Mental Health Task Force. The project is designed to obtain information about programs providing mental health and developmental disability services to children 0-21 living in Broome County. A critical component of the project is the attached Service Coordinator Survey. A second essential component is the separate Parent Survey. Both surveys are designed, among other things, to help answer the following questions:

- How many children with developmental disabilities are unable to access mental health services that they require?
- How many children with mental health needs are unable to access developmental disability services that they require?

We are asking all Service Coordinators with Broome County children under age 22 on their caseloads to complete a copy of the Service Coordinator Survey. Your careful responses will help us develop an overview of the current services and participants, identify gaps in services, and design an improved system of community-based services for children with co-occurring developmental disability/mental health conditions. For assistance in completing the survey, please refer to the attached "Information Sheet and Definitions," which clarifies terms used in the survey.

We are also asking all Service Coordinators identified above to deliver Parent Surveys to parents, but only if the parent has a developmentally disabled child under age 22 who also has, or is believed to have, a mental health need. It is very important that Service Coordinators do not help parents complete their surveys, except in instances when a parent is unable to fill out the survey without assistance. In such cases, the Service Coordinator should make every effort to assist

at the most minimal level possible. (Note: Parent Surveys SHOULD NOT have an attached definitions sheet.) We ask that you:

- include an envelope with each parent survey, with your agency's return address (Attn: Jamie Kelley)
- give the parent/guardian the option of completing the parent survey immediately and handing it back to you in a sealed envelope OR completing the survey on his/her own time and mailing it to Catholic Charities.
- If a parent/guardian has more than one child with co-occurring developmental disability and mental health conditions, have the parent fill out a survey for each child.

(more)

If you have any questions about the survey, please contact Vicki Brown at 585/327-7071 (email: <a href="mailto:vbrown@cgr.org">vbrown@cgr.org</a>) or Don Pryor at 585/327-7067 (email: <a href="mailto:dpryor@cgr.org">dpryor@cgr.org</a>). They are staff to this project from CGR (Center for Governmental Research), which has been hired by the County to conduct the research needed for this project.

#### **PLEASE NOTE:**

Jamie Kelley will collect completed surveys (both Service Coordinator and Parent) for Catholic Charities.

- ❖ The <u>Service Coordinator Surveys</u> need to be returned to Jamie Kelley <u>by no later than Monday, May 16</u>. She will return them in one packet to CGR, One South Washington Street, Suite 400, Rochester, NY 14614.
- ❖ All <u>Parent Surveys</u> need to be returned to Jamie Kelley <u>by no later than Monday, May 30.</u> She will return the parent surveys in one packet to CGR.

THANK YOU VERY MUCH FOR YOUR ASSISTANCE WITH THIS IMPORTANT PROJECT!

## Broome County Children's Mental Health Task Force Developmental Disability/Mental Health Survey April 2005 Service Coordinators

This survey is part of a study designed to answer the following questions about Broome County children (defined as ages 0-21):

- How many children with developmental disabilities are unable to access the mental health services that they require?
- How many children with mental health needs are unable to access the developmental disability services that they require?

Your responses will assist the Broome County Mental Health Department and the Broome County Children's Mental Health Task Force in identifying gaps in services in the community, and help design an improved system of community-based services for children with co-occurring developmental disability/mental health conditions.

The information you can provide is very important to this effort, and we appreciate your careful attention to this survey. If you have questions about the survey, please contact Vicki Brown at 585/327-7071 (email: <a href="mailto:vbrown@cgr.org">vbrown@cgr.org</a>) or Don Pryor at 585/327-7067 (email: dpryor@cgr.org). Please return the completed survey to CGR, One South Washington St., Suite 400, Rochester NY 14614 by May 16, 2005.

Name of Agency/Program:
Service Coordinator Completing Survey:
Phone Number:
Email Address:
How Long Have You Been a Service Coordinator in this Agency:

Please complete all sections on the following pages. Use the attached "Information Sheet and Definitions" for clarification of terms used in this survey. Answer questions only for children in your caseload (ages 0-21). Do not include information for the adults for whom you provide service coordination. After providing your answers, please add any additional comments you wish to make in the space at the end of the survey.

## Section I: Children Served

1. How many individual children, ages 0-21, were on your caseload at any point in 2004?
2. How many children in (1), in your opinion, had mental health needs?
a. Of those in (2), for how many did you or someone else seek a mental health evaluation/diagnosis?
b. Of those in (2a), for how many were you or others unable to obtain a mental health evaluation/diagnosis?
c. For those children for whom an evaluation was obtained, how many were officially diagnosed as having a mental health need?
d. Of those children officially diagnosed with a mental health need (2c), how many were able subsequently to access mental health services?
3. Of those in (2), for how many was the following statement (or equivalent) made by a mental health provider? The child has a developmental disability and therefore we are unable to provide him/her with mental health services? (Note: definition of developmental disability includes mental retardation.)
4. How many of the children in (1) had an <u>official dual diagnosis</u> (mental health need and a developmental disability)?
5. How many children in (1), in your opinion, did you consider to be SED (a child with severe emotional disturbance)?
6. How many children in (1) were on psychotropic medications?
7. How many children in (1) had an individual education plan (IEP) in school?
8. How many children in (1) were on Medicaid?
9. On April 15, 2005, how many children 0-21 were you serving (active cases)?
Section II: Children Denied OMRDD Eligibility
10. In 2004, how many children did you refer to OMRDD to determine if they were eligible for services?
11.Of those in (10) how many were denied:
(a) Because their IQ score was too high?
(b) Because their physical disability was not considered serious enough?

(c) Because their adaptive skills	were too high?		
(d) You do not know the reason	n for the denial	?	
12.Please indicate what typically occurs	with the childs	en denied OM	RDD eligibility (#11a -d).
Section III: Services Children Receiv	ve		
13.Of the children you served in 2004 (services in 2004; B) how many wer needed the service but the service v	e on a waiting	list for the ser	•
	(A)	(B)	(C)
Services (a) Psychological testing in schools	# Received	# Wait listed	#Needed but unavailable ———
(b) Psychological testing in the community			
(c) Child and adolescent psychiatric evaluations			
(d) Medication management			
(e) Developmental pediatrician/assessn	nent		
(f) Behavior management			
(g) Counseling services – child			
(h) Counseling services – family member	ers		
(i) Neuropsychological evaluations			
(j) Residential treatment			
(k) Ongoing respite care			
(l) Emergency respite care			
(m) Case management			
(n) Day treatment			
(o) Parent support			
(p) Advocacy services			
(q) Crisis intervention			
(r) Other (specify)			

14. For the services in (13) with waiting lists, very typical length of time in days that a child is	which "waits" were the <u>longest</u> ? For each indicate the on the waiting list.
(a) Service:	Waiting time (in days)
(b) Service:	Waiting time (in days)
(c) Service:	Waiting time (in days)
(d) Service	Waiting time (in days)
(e) Service	Waiting time (in days)
following services on a scale of 1 to 3. So consider to be among the highest unmet and are of the <u>Highest Priority</u> to address Ratings of (3) should be of relatively <u>Low</u> one of these ratings.	enditions in Broome County, please rate each of the ervices receiving a rating of (1) should be those you needs in the county for this population of children, ess. Ratings of (2) should be of <u>Moderate Priority</u> . The Priority at this time. Each service should be given Moderate Priority 3= Low Priority
(a) Psychological testing in schools	(j) Residential treatment
(a) Psychological testing in (b) Psychological testing in	(k) Ongoing respite care
the community	(l) Emergency respite care
(c) Child /adolescent psychiatric evalu	nations (m) Case management
(d) Medication management	(n) Day treatment
(e) Developmental pediatrician/assess	sment (o) Parent support
(f) Behavior management	(p) Advocacy services
(g) Counseling services for children	(q) Crisis intervention
(h) Counseling services for family men (i) Neuropsychological evaluations	mbers (r) Other (specify)

Section IV: Misc.
16. What is the average length of time a child is on your caseload? (Note: give specific # of months but do not give a range.)
17.For the children you served in 2004 (see #1), list total numbers by school district attended (e.g., Susquehanna Valley: 2).
18.Are services particularly difficult to obtain for any of the following age groups? If so, add a comment explaining why.
(a) 0-5
(b) 6-10
(c) 11-18
(d) 19-21
19. Please list what you consider to be the 5 major barriers or unmet needs in Broome County's efforts to serve children with co-occurring developmental disabilities and mental health conditions.
(a)
(b)
(c)
(d)

Please list what you consider to be the most significant unmet needs (up to 3) for <u>families</u> with ldren with co-occurring conditions.
(a)
(b)
(c)
is space is for additional comments (add extra sheets, if desired):
ease return the completed survey to Vicki Brown, CGR, One South Washington St., Suit 0, Rochester NY 14614 by Monday, May 16, 2005. Thank you very much.

Email message to CSE Chairs from CGR [NOTE: A similar message was sent to the CPSE Chair in each school district as well.]

#### District CSE Chair:

Re: attached survey on co-occurring developmental disability and mental health needs in your district's school-age population.

If you attended the CSE Chairpersons meeting on April 29 and/or received minutes of that meeting, you are aware that the Broome County Mental Health Department, under the leadership of Commissioner Arthur R. Johnson, is conducting an important study designed to document and assess the unmet service needs of Broome County children (ages 0-21) with co-occurring developmental disability and mental health conditions.

As a result, you are probably aware that CGR, located in Rochester, which is providing staff to the project, has developed, with the direct input of a number of CSE chairs, the attached survey to help provide critical data and information for the study.

The information that you provide in the survey (attached with related definitions) is essential to the overall success of this project. The county's goal is to design an improved system of community-based services for this population, and it is very important that we receive a completed survey from every school district in Broome County in order to have complete and accurate data.

We are asking, at the recommendation of CSE Chairs who helped design the attached survey, that the survey be returned to CGR (at the address below) on or before June 15. We assure you we have worked carefully to make it as targeted and to the point as possible.

We look forward to receiving your completed survey, and are available to answer any questions you may have.

Please confirm that you received this email message and attachments (survey and definitions). Thank you in advance for your attention to this very important project!

## Broome County Children's Mental Health Task Force Developmental Disability/Mental Health Survey June 2005 CSE Chairpersons

This survey about school-age children (ages 5-21) is part of a larger study that is designed to determine the number of Broome County children who have both developmental disabilities and mental health needs and are unable to access all of the services they require.

Your responses will assist the Broome County Mental Health Department and the Broome County Children's Mental Health Task Force in identifying gaps in services in the community, and help design an improved system of community-based services for children with co-occurring developmental disability/mental health conditions.

The information you can provide is very important to this effort, and we appreciate your careful attention to this survey.

If you have questions about the survey, please contact Vicki Brown at 585/327-7071 (email: <a href="mailto:vbrown@cgr.org">vbrown@cgr.org</a>) or Don Pryor at 585/327-7067 (email: <a href="mailto:dpryor@cgr.org">dpryor@cgr.org</a>). Please return the completed survey to CGR, One South Washington St., Suite 400, Rochester NY 14614 by <a href="mailto:lune 15">June 15</a>, 2005.

Name of School District:
CSE Chairperson Completing Survey:
Phone Number:
Email Address:

## **DIRECTIONS:**

If your district is in Broome County, please complete all sections on the following pages. You will need to use the attached "Information Sheet and Definitions" for clarification of terms used in this survey. <u>Please consult additional district staff (e.g., school psychologists, social workers) as needed</u> to complete the survey.

Answer questions for <u>all district school-age children</u> (ages 5-21 within the district and in out-of-district placement, including those in BOCES programs). After providing your answers, add any additional comments you wish to make in the space at the end of the survey.

#### Section I: Children with Developmental Disabilities

In answering the questions in this section, refer to the chart below of 2004-05 students in your district with a disability [as defined by section 4401 (1) of Education Law] who were classified under Part 200 of the Regulations of the Commissioner of Education as <u>autistic</u>, <u>emotionally disturbed</u>, <u>mentally retarded</u>, <u>other health impaired</u>, <u>multiply handicapped</u>, or <u>traumatic brain injured</u>.

Source for Data in Chart: Broome-Tioga BOCES Summary Report of Pupils with Disabilities (PD-1/4), December 2004

[District Disability Categories] - Note: CGR customized information in chart for each district

Autistic	Emotionally Disturbed	Mentally Retarded		Multiply Handicapped	Traumatic Brain
			Impaired	11	Injured

Total All Six Classifications
1. How many of those in "Total All Six Classifications" meet the survey definition for Developmental Disability (see Information Sheet and Definitions)?
2. How many children in (1), in your opinion, also had mental health needs?
3. What is your best estimate of the number of <u>additional</u> district children who have co-occurring developmental disability and mental health needs? (Note: these are children whose classifications fall outside the six listed in the chart.)
4. What is the total number of children in (2) + (3)?
5. How many children in (4), in your opinion, had <u>unmet</u> needs due to service gaps in community settings?
Use the following space to elaborate on your answer to (5)

6. How many children in (4), in your opinion, are in need of educational programs that can bette meet their emotional/educational needs?
Use the following space to elaborate on your answer to (6)
7. How many children in (4), in your opinion, are seriously emotionally disturbed (see Information Sheet and Definitions)?
8. Are services for children with co-occurring developmental disability and mental health condition particularly difficult to obtain for any of the following age groups? (Check all that apply)
(a) Kindergarten
(b) age 6-10
(c) age 11-18
(d) age 19-21
Use the following space to elaborate on your answer to (8)

#### Section II: Services and Service Gaps

9. As you consider available services and service gaps for Broome County school children (ages 5-21) with co-occurring developmental disability/mental health conditions, rate each of the following services on a scale of 1 to 3. Services receiving a rating of (1) should be those you consider to be among the highest unmet needs in the county for this population of children, and are of the <u>Highest Priority</u> to address. Ratings of (2) should be of <u>Moderate Priority</u>. Ratings of (3) should be of relatively <u>Low Priority</u> at this time. Each service should be rated.

I = Highest Priority	2 = Moderate Priority		3= Low Priority
(a) Psychological testing in sch	nools .	(	(k) Ongoing respite care
(b) Psychological testing in		(	(1) Emergency respite care
the community		(	(m) Case management
(c) Child /adolescent psychiatr	ric	(	(n) Day treatment
evaluations(d) Medication management		(	(o) Parent support
(e) Developmental		(	(p) Advocacy services
pediatrician/assessment		(	(q) Crisis intervention
(f) Behavior management			
(g) Counseling services for chi	ldren	(	(r) Educational services (specify)
(h) Counseling services for fan members	nily	(	(s) Other (specify)
(i) Neuropsychological evaluat	ions		
(j) Residential treatment			

Use this space for additional comments	
10.Please indicate what typically occurs with any children with co-occurring	developmental
disability/mental health conditions who could not access needed services in (9).	
11. Please list what you consider to be the 5 major barriers or unmet needs in Broefforts to serve children with co-occurring developmental disabilities and conditions.	=
(a)	-
(b)	_
(c)	-
(d)	_
(e)	-
This space is for additional comments:	

Please return the completed survey to Vicki Brown, CGR, One South Washington St., Suite 400, Rochester NY 14614 by <u>Wednesday</u>, <u>June 15</u>, 2005. Thank you very much.

#### Broome County Children's Mental Health Task Force Developmental Disability/Mental Health Survey June 2005 CPSE Chairpersons

This survey about preschool-age children is part of a larger study that is designed to determine the number of Broome County children and adolescents who have both developmental disabilities and mental health needs and are unable to access all of the services they require.

Your responses will assist the Broome County Mental Health Department and the Broome County Children's Mental Health Task Force in identifying gaps in services in the community, and help design an improved system of community-based services for children with co-occurring developmental disability/mental health conditions.

The information you can provide is very important to this effort, and we appreciate your careful attention to this survey.

If you have questions about the survey, please contact Vicki Brown at 585/327-7071 (email: <a href="mailto:vbrown@cgr.org">vbrown@cgr.org</a>) or Don Pryor at 585/327-7067 (email: <a href="mailto:dpryor@cgr.org">dpryor@cgr.org</a>). Please return the completed survey to CGR, One South Washington St., Suite 400, Rochester NY 14614 by June 15, 2005.

Name of School District:
CPSE Chairperson Completing Survey:
Phone Number:
Email Address:

#### **DIRECTIONS:**

If your district is in Broome County, please complete all sections on the following pages. You will need to use the attached "Information Sheet and Definitions" for clarification of terms used in this survey. <u>Please consult additional district staff (e.g., school psychologists, social workers) as needed</u> to complete the survey.

Answer questions for <u>all district preschool-age children</u> (within the district and in out-of-district placement, including those in BOCES programs). After providing your answers, add any additional comments you wish to make in the space at the end of the survey.

#### Section I: Children with Developmental Disabilities

In answering the questions in this section, refer to the chart below, which has been compiled from 2003-2004 PD-7 reports provided by Broome County school districts. If the chart does not include data for your district, please refer to your PD-7 for 2003-2004, and also attach the report when mailing the completed survey. (Note: CGR updated the chart below after receiving all information.)

#### District Totals: Ages 2-5 Receiving Preschool Special Education Programs & Services

Bing-	Chenango	Chenango	Deposit	Har-	Johnson	Maine-	Susque-	Union	Vestal	Whit-	Wind-
hamton	Forks	Valley		pursville	City	Endwell	hanna	Endi-		ney	sor
							Valley	cott		Point	
101	23	27	16	22	36	50	58	110	56	29	35
101										_,	

1. How many of your district's preschool children in the chart above meet the survey definition for Developmental Disability (see "Information Sheet and Definitions")?
2. How many children in (1), in your opinion, also had mental health needs?
3. How many children in (2), in your opinion, had <u>unmet</u> needs due to service gaps in communit settings?
Use the following space to elaborate on your answer to (3)
4. How many children in (2), in your opinion, are in need of educational programs that can bette meet their emotional/educational needs?
Use the following space to elaborate on your answer to (4)

5. How many children in (2), in your opinion, Sheet and Definitions")?	, are seriously emotionally disturbed (see "Information
	developmental disability and mental health conditions 2-5? (If you answer yes, add a comment explaining why)
Section II: Services and Service Gaps	
co-occurring developmental disability/moservices on a scale of 1 to 3. Services receivamong the highest unmet needs in the co	vice gaps for Broome County preschool children with ental health conditions, rate each of the following ving a rating of (1) should be those you consider to be ounty for this population of children, and are of the should be of Moderate Priority. Ratings of (3) should Each service should be rated.
1 = Highest Priority 2 =	Moderate Priority 3= Low Priority
(a) Psychological testing in schools	(k) Ongoing respite care
(b) Psychological testing in the community	(l) Emergency respite care(m) Case management
(c) Child /adolescent psychiatric evaluations	(n) Day treatment (o) Parent support
(d) Medication management	(p) Advocacy services
(e) Developmental pediatrician/assessment	(q) Crisis intervention
(f) Behavior management	(r) Educational services
(g) Counseling services for children	(specify) (s) Other (specify)
(h) Counseling services for family members	(3) Other (specify)
(i) Neuropsychological evaluations	
(j) Residential treatment	

8. Please indicate what typically occurs with any preschool developmental disability/mental health conditions who could not a		
		_
		_
Please list what you consider to be the 5 major barriers or unmet need to serve preschool children with co-occurring developmental disconditions.	•	
to serve preschool children with co-occurring developmental de	lisabilities and mental	
to serve preschool children with co-occurring developmental diconditions.	lisabilities and mental	
to serve preschool children with co-occurring developmental diconditions.  (a)	lisabilities and mental	
to serve preschool children with co-occurring developmental diconditions.  (a)	lisabilities and mental	

Please return the completed survey to Vicki Brown, CGR, One South Washington St., Suite 400, Rochester NY 14614 by Wednesday, June 15, 2005. Thank you very much.

# Information Sheet and Definitions for CSE and CPSE Chairs Broome County Children's Mental Health Task Force Developmental Disability/Mental Health School Survey June 2005

In completing the attached survey, please refer to the following definitions and descriptions:

**School-Age Children:** Children of school age (5 through 21).

**Preschool-Age Children:** Children ages 2-5 included on your district PD-7 report for 2003-2004.

**Developmental Disability:** A condition that qualifies (or if diagnosed would qualify) a child for access to developmental disability services. More specifically, a disability that originates before age 22, has continued or is likely to continue indefinitely, <u>and constitutes a substantial handicap to a person's ability to function normally in society.</u> A developmental disability is attributable to:

- (a) mental retardation, cerebral palsy, epilepsy, neurological impairment or autism; or
- (b) any other condition closely related to mental retardation because such condition results in similar impairment of general intellectual functioning or adaptive behavior or requires treatment of services similar to those required for mentally retarded persons.

Autistic, Emotionally Disturbed, Mentally Retarded, Other Health Impaired, Multiply Handicapped, Traumatic Brain Injured: as used in school classifications as defined in Part 200 (Students with Disabilities) of the Regulations of the Commissioner of Education.

**Mental Health Need:** A condition that qualifies (or if diagnosed would qualify) a child for access to mental health services. Such conditions are often, but not necessarily, defined in the DSM-IV as Axis I or Axis II mental health disorders.

Co-occurring Developmental Disability/Mental Health Conditions: A child has some combination of developmental disability plus either an officially-diagnosed or likely mental health need.

Child Who Is <u>Likely</u> to Have a Mental Health Need: Your best professional judgment is that a child has a mental health need, but there is no known official diagnosis.

**Serious Emotional Disturbance (SED):** This is a subset within the overall Mental Health Need definition. To be considered SED, a child 0-21 must meet <u>either</u> # 1 or # 2 set of criteria below:

#### (1) Extended Impairment

\_\_ DSM IV Diagnosis or ICD9 Psychiatric Diagnosis (**not including:** alcohol or drug disorders, delirium, dementia, cognitive disorders or developmental disabilities);

#### AND

\_\_ Functional limitations due to emotional disturbances lasting 12 months or more in any of the following areas: self-care, family life, self-direction/self-control; social relationships; learning ability;

#### AND

\_\_ Children's Global Assessment Scale rating of 50 or less in last 12 months (see attached scale). This tool can be used as a general guideline for anyone completing the survey.

#### OR (2) Current Impairment

\_\_ Current Children's Global Assessment Scale rating of 50 or less;

#### AND

\_\_ In the last 30 days experienced any of the following: suicidal symptoms or self-destructive behaviors; significant psychotic symptoms; or behavior that could cause personal injury or property damage.

When you have completed the attached survey, please return it <u>by Wednesday</u>, <u>June 15</u> in the enclosed envelope to Vicki Brown at CGR, One South Washington Street, Suite 400, Rochester NY 14614. Thank you very much.

#### Broome County Children's Mental Health Task Force Developmental Disability/Mental Health Survey April 2005 Parent Survey

This survey is part of a study designed to answer the following questions about Broome County children, ages 0-21:

- How many children with mental health needs are unable to access the developmental disability services that they require?
- How many children with developmental disabilities are unable to access the mental health services that they require?

Your responses will assist the Broome County Mental Health Department and the Broome County Children's Mental Health Task Force in identifying gaps in services in the community, and help design an improved system of community-based services for children with both developmental disabilities and mental health needs.

The information you can provide is very important to this effort, and we appreciate your careful attention to this survey. If you have questions about the survey, please contact Vicki Brown at 585/327-7071 (email: <a href="mailto:vbrown@cgr.org">vbrown@cgr.org</a>) or Don Pryor at 585/327-7067 (email: dpryor@cgr.org).. Please return the completed survey (in the pre-addressed envelope) to CGR, One South Washington Street, Suite 400, Rochester, NY 14614 by <a href="May 30">May 30</a>, 2005.

#### Services in 2004

1. In 2004, what services did your child with developmental disabilities receive?						

2.	Where did your child receive these services?	-
3.	What services have you wanted to receive that were not available?	
4.	For which services was your child on a waiting list – and for how long?	
5.	What other services does your child need?	
6.	What other services does your <u>family</u> need as a result of your child's disability and/or mealth condition?	nenta
_		

Please return the completed survey (in the attached envelope) to CGR, One South Washington Street, Suite 400, Rochester, NY 14614 by Monday, May 30, 2005. Thank you very much.

## APPENDIX B: MENTAL HEALTH AND MRDD PROGRAMS AND AGENCIES WITH COMPLETED SURVEYS

Completed service provider surveys were received from the following agencies, and specific programs/service providers within each (mental health or MRDD classification based on information supplied by the service providers):

#### Mental Health Providers

The following 11 agencies identified 41 separate programs which completed surveys:

#### **Broome County Mental Health Department**

Child and Adolescent Clinic Families First

#### **Broome County Reunification Project**

Youth Advocate Program

#### **Catholic Charities**

Boys of Courage Community Residence Children's Flex Team

Coordinated Children's Services Initiative (CCSI)

Functional Family Therapy

Gateway Center for Youth

Girls Group Home

Intensive Case Management

MICA (Mentally Ill/Chemically Addicted)

Re-Entry

Respite Program

SPOA (Single Point of Accountability)

Supportive Case Management

Teen Transitional Living Program

#### Children's Home of Wyoming Conference

Ardsley Road Group Home

Boys' Group Home

Close to Home Foster Care

Close to Home Therapeutic Foster Care

Day Treatment

Diagnostic Center Emergency Shelter Haskin's Detention Residential Treatment Center Therapeutic After-School Program

#### Family and Children's Society

School-Based Initiative Sexual Abuse Program

#### Greater Binghamton Health Center

Adolescent Day Treatment
Adolescent Situational Crisis Residence
Adult Education
Child and Adolescent Behavioral Health Center
Children and Youth Mobile Mental Health Team

#### Our Lady of Lourdes Hospital

Corner for Youth and Family Services Mental Health Juvenile Justice Program Student Assistance Program

#### Mental Health Association (MHA) of the Southern Tier

CCSI Focus Rural BEAR

#### MHA of Ulster County

Harbour Program

#### Samaritan Counseling Center

Youth Counseling Project

#### Unity Health System – Binghamton General Hospital

Child and Youth Crisis - CPEP

#### **MRDD Providers**

The following 15 agencies identified 17 separate programs which completed surveys:

#### Autism Society of America, Broome-Tioga Chapter

Unnamed summer program

#### Brain Injury Association of New York State

Family Advocacy, Counseling and Training Services

#### Broome County Department of Social Services<sup>16</sup>

#### **Broome Developmental Center**

Various services

#### Broome Developmental Disabilities Service Office (DDSO)

High Risk Births Clinic

#### **Broome-Tioga ARC**

Family Support Services

#### Broome Urban League

Family Support Services

#### **Catholic Charities**

Residential Services

#### **Community Options**

Employment Services Residential Habilitation

#### **Epilepsy Foundation**

General education and support services

#### **G & E Therapies**

Various rehabilitation services for children

#### Handicapped Children's Association of Southern NY

Diagnostic/Treatment Center Residential Services

#### Institute for Child Development - SUNY Binghamton

Children's Unit for Treatment and Evaluation

<sup>&</sup>lt;sup>16</sup> DSS is listed even though it does not provide a specific program for children and adolescents with developmental disabilities, because it completed a survey indicating a number of DD children who also receive regular DSS services.

#### Learning Disabilities Association

General education and support services

#### Legal Services of Central New York

Legal services to children with disabilities

## APPENDIX C: ADDITIONAL DESCRIPTION OF MH AND MRDD Service Providers

This Appendix provides additional information about the providers of mental health and developmental disability services to children and adolescents living in Broome County. The information in the Appendix supplements data summarized in Chapter II of the report.

#### Mental Health Providers

As noted in the text, the survey identified 41 separate programs which defined themselves as mental health providers serving Broome County children and adolescents.

Services Provided and Groups Excluded In addition to providing services to children and adolescents with mental health needs, 29 of the 41 MH programs (71%) indicated that they also provide services to DD children. Only four MH service providers indicated that their programs specifically exclude serving children with developmental disabilities, although 17 (41%) indicated that their programs do specifically exclude serving children who are mentally retarded. None exclude serving children who are seriously emotionally disturbed. About 90% of the MH providers (37 of 41) indicated that they exclude at least some ages between 0 and 21 years old.

The table below depicts the number of MH providers that exclude anyone from the age groups listed below. A program that excludes <u>any</u> of the ages from a certain age group is counted as excluding children from that age group. For instance, a program that does not serve children ages 0-3 is counted as excluding at least some children in the age group 0-5, even if it serves children ages 4-5.

Number of MH organizations excluding ANYONE from each age group								
	Providers excluding any within each							
Age Group	age group	Percent of Total $(N = 41)$						
Age 0 to 5	29	70.7%						
Age 6 to 10	16	39.0%						
Age 11 to 18	15	36.6%						
Age 19 to 21	23	56.1%						

Over 70% of MH service providers do not provide service to at least some children between the ages of 0-5. In addition, 56% of MH providers exclude some children between the ages of 19-21, while less than 40% of MH providers exclude any school-age children between 6-10 and 11-18.

At the direction of the project steering committee, specific age breakdowns were not requested in the survey, to reduce the burden on survey respondents. But the survey was able to ascertain that nine of the 41 programs serve children from the time of birth, while one program serves children only above the age of 18. The average minimum age served by all the MH programs is 6.0 years, and the average maximum age is 18.6 years. Four of the MH service providers serve children from birth all the way through age 21.

All 41 programs provide services to at least some children between 11 and 18 years old. It should be noted that a program does not have to serve <u>all</u> ages within an age group to be counted as serving someone in that age group. For instance, a program that serves children ages 11-16 is counted as serving the age group 11-18 even if it does not serve children ages 17-18.

The next most frequently-served age group is 6-10, served by 78% of MH service providers, and 61% serve at least some children 0-5. Only 15 MH providers (37%) serve children between the ages of 19-21. (It should be noted that the 2002 Visioning project indicated that 44.5% of the children served at that time were between the ages of 13 and 17, with another 23% between the ages of 7 and 10, and only 3.5% 18 and older.)<sup>17</sup>

#### **MRDD Providers**

All MH programs

serve at least some

children between the

ages of 11 and 18; only 15 serve adolescents

older than 18.

As noted in the text, the survey identified 16 separate programs which identified themselves as developmental disability providers serving Broome County children and adolescents.

Services Provided and Groups Excluded

In contrast to MH service providers, 71% of whom provide services to DD children, fewer than half (7) of MRDD providers indicated that they provide mental health services to children between the ages of 0 and 21.

<sup>&</sup>lt;sup>17</sup> Broome County Visioning Project, p.13.

Although no MRDD providers specifically exclude serving children with MH needs, only about 40% actually provide MH services to children.

MRDD providers typically serve at least some children and adolescents in all age ranges. On the other hand, none of the MRDD providers specifically exclude children who have mental health needs, although one provider did report specifically excluding children with serious emotional disturbances from receiving their services.

Most MRDD providers (12) indicated that they do not serve all ages between 0 and 21 years old. As with MH providers, the age group that is most frequently excluded from receiving services is the group aged 0-5. However, only 53% of MRDD providers exclude children from this group, compared with over 70% of MH providers. Only about a third of the MRDD providers exclude children in each of the age groups 6 and older.

Seven of the programs serve children from the time of birth, and one program only serves children above the age of 16. The average minimum age served is 4.4 years, and the average maximum age is 18.9. Eleven of the programs serve children through the age of 21. One program serves children only through age 8. As with MH providers, four MRDD programs serve children from birth all the way through age 21.

As with MH providers, the age group 11-18 is the most commonly served by MRDD providers, with 94% of the 17 providers serving at least some children in that age range. The next most commonly served age group is 6-10 (82% of the MRDD providers). The age groups 0-5 and 19-21 were both served by 71% of MRDD providers. Note, however, that in terms of actual numbers of children served, according to DDSO data, the following proportions were true among those served in mid-2005:

- **♦** 0-5: 25%;
- **4** 6-10: 30.3%;
- **4** 11-14: 18.7%;
- **4** 15-17: 14.5%;
- **4** 18-21: 11.4%.

#### **APPENDIX D: DATA TABLES**

Table D-1.

Numbers of children with various characteristics being served by MH providers as of April 15, 2005

N=38 programs providing data)

(N=38 programs providing data)							
			35 41	Total # of	Estimated number living in Broome		
MH Providers	Minimum	Maximum	Median	children	County		
# diagnosed or likely to							
have a mental health need							
of any type	0 (1)	280	17	1514	1390		
# diagnosed or likely to							
have a serious emotional							
disturbance	0 (4)	224	11	1051	956		
# diagnosed or likely to							
have a developmental							
disability	0 (10)	90	1.5	244	225		
# dually-diagnosed with							
both a MH and DD	0 (16)	75	1	177	162		
# with a mental health	` '						
need who are likely to have							
DD	0 (21)	15	0	48	45		
# with a DD who are likely							
to have a mental health							
need	0 (36)	2	0	2	2		
# with a DD who are likely							
to have SED	0 (19)	80	0	151	137		
# with both MH and DD	` /						
needs but w/o official							
diagnosis for either	0 (33)	10	0	15	15		

<sup>\*</sup> Number in parentheses equals the number of providers at the minimum levels for each category.

Table D-2.

Numbers of children with various characteristics being served by MRDD providers as of April 15, 2005 (N=16 programs providing data)

2005 (IN=10 programs providi	iig uata)	1		1	
MRDD Providers	Minimum	Maximum	Median	Total # of children	Estimated number living in Broome County
	Maninini	Maxilliulli	Micuiali	Ciliuicii	County
# diagnosed or likely to have					
a mental health need of any					
type	0 (3)	57	9	298	225
# diagnosed or likely to have					
a serious emotional					
disturbance	0 (6)	42	2	90	63
# diagnosed or likely to have					
a developmental disability	0 (1)	230	32	741	567
a developmental disability	0 (1)	230	32	/41	307
# dually-diagnosed with					
both a MH and DD	0 (5)	39	3.5	140	108
# with a mental health need	( )				
diagnosis who are likely to					
have DD	0 (14)	23	0	39	39
# with a DD diagnosis who	, ,				
are likely to have a mental					
health need	0 (8)	50	1	173	132
# with a DD who are likely					
to have SED	0 (6)	25	1.5	56	43
	0 (6)	23	1.3	30	43
# with both MH and DD					
needs but w/o official					
diagnosis for either	0 (12)	8	0	13	13

<sup>\*</sup> Number in parentheses equals the number of providers at the minimum levels for each category.

Table D-3.

Numbers of children with various characteristics served by MH providers in 2004 and on waiting lists as of April 15, 2005 (N=35 programs providing data as of 2004 and 37 for waiting list data)

1000 00 011101110, 2000 (11					Estimated number
				Total # of	living in Broome
MH Providers	Minimum	Maximum	Median	children	County
# with DD served in 2004	0 (9)	59	4	306	278
# from 6a with unmet MH					
needs	0 (28)	10	0	27	26
# with MH needs served					
in 2004	5	<b>45</b> 0	39	3074	2744
# from 7a with unmet DD					
needs	0 (17)	50	0	147	136
As of April 15, children 0- 21 on waiting list?	0 (18)	145	1	303	286
Of those, # with both DD & MH conditions?	0 (28)	17	0	35	34
Average time on waiting					
list (days)	7	274	55	1832	N/A

<sup>\*</sup> Number in parentheses equals the number of providers at the minimum levels for each category.

Table D-4.

Numbers of children with various characteristics served by MRDD providers in 2004 and on waiting

lists as of April 15, 2005 (N=16 programs providing data)

	<u> </u>	ĺ			Estimated number
				Total # of	living in Broome
MRDD Providers	Minimum	Maximum	Median	children	County
WINDD Floviders	WHIIIIIII	Maxilliulli	Median	Cimaren	County
# with DD served in					
2004	5	230	30.5	822	607
# from 6a with unmet					
MH needs	0 (8)	50	0	103	96
# with MH needs					
served in 2004	0 (2)	50	9	249	218
# from 7a with unmet					
DD needs	0 (9)	12	0	15	15
As of April 15, children					
0-21 on waiting list?	0 (11)	18	0	44	41
Of those, # with both					
DD & MH conditions?	0 (12)	4	0	7	7
Average time on waiting					
list (days)	11	365	144.5	1091	N/A

<sup>\*</sup> Number in parentheses equals the number of providers at the minimum levels for each category.

Table D-5.

Numbers of children in each category of disability in 12 Broome County school districts: Classifications during 2004-05 school year					
	Total	Avg. per District	Minimum	Maximum	
Autistic	174	14.5	4 (2 districts)	40	
Emotionally Disturbed	344	28.67	9 (3 districts)	130	
Mentally Retarded	163	13.58	1	62	
Other Health Impaired	698	58.17	7	130	
Multiply Handicapped	496	41.33	10 (2 districts)	116	
Traumatic Brain Injured	25	2.08	0 (5 districts)	8	
Total All Six Categories	1900	158.33	41	475	

Table D-6.

Numbers of children in need of services for Developmental Disabilities and Mental						
Health needs in Broome County school districts – CSE Chairpersons: 2004-05 school						
	Total	Avg. per District	Minimum	Maximum		
Total All Six Categories of						
Disabilities	1900	158.33	41	475		
How many of total meet						
definition for DD?	972		16	230		
How many in also have						
MH needs?	408	34	2	82		
Estimate of # of additional						
children with both DD and						
MH needs	335	27.92	0	100		
What is the total # with						
both DD & MH						
conditions?	743	61.92	6	130		
How many had unmet						
needs due to service gaps?	295	24.58	0 (2 districts)	125		
How many are in need of						
education programs that						
better meet	400	0.00		2.5		
emotional/educ. needs?	109	9.08	0 (2 districts)	35		
How many are SED?	131	11.91	0	65		

Table D-7.

Numbers of children served by Service Coordinators in 2004 who had Mental Health diagnoses, needs and services (N=31 Service Coordinators providing data)

		,		Total # of
Service Coordinators	Minimum	Maximum	Median	Children
How many children ages 0-21 were on your				
caseload in 2004?	2	23	9.0	311
Of those on your caseload, how many had				
MH needs?	0 (3)	10	3.0	107
Of those in Q2, for how many did you or someone else seek an MH diagnosis?	0 (6)	6	2.0	71
	, (°)	-		, <u>-</u>
How many were unable to obtain MH				
evaluations or diagnosis?	0 (16)	5	0.0	25
For those evaluated, how many were				
diagnosed with an MH need?	0 (7)	6	1.0	47
Of those in Q2c, how many were able to				
access MH service?	0 (10)	4	1.0	41
Of those in Q2, how many were told they				
could not access MH services due to their				
DD?	0 (13)	4	0.5	21
Of those on caseload, how many had an				
official dual diagnosis?	0 (6)	6	2.0	58

<sup>\*</sup> Number in parentheses equals the number of providers at the minimum levels for each category

Table D-8.

Ratings of priority for service areas with unmet needs for children with co-occurring MH and DD conditions – MH providers (Based on 41 respondents)

,	Highest	Moderate		No	
Service	Priority	Priority	Low Priority	Response	Average
Child/adolescent psychiatric	30	5	3	3	2.5
evaluations					
Medication management	19	12	5	5	2.1
Ongoing respite care	17	17	3	4	2.1
Neuropsychological	17	16	5	3	2.1
Counseling services for family members	18	11	7	5	2
Emergency respite care	16	15	5	5	2
Parent support	16	14	7	4	2
Counseling services for	15	16	5	5	2
children	15	15	8	3	2
Psychological testing in the community	13	15	0	3	2
Residential treatment	15	15	7	4	2
Crisis intervention	13	19	4	5	2
Behavior management	11	16	8	6	1.8
Day treatment	7	23	7	4	1.8
Case management	7	22	8	4	1.8
Developmental	11	13	12	5	1.7
Advocacy services	8	20	7	6	1.7
Psychological testing in	6	17	13	5	1.6
schools					

<sup>\*</sup> Average is based on the sum of ratings for each service (with 3 points for each Highest Priority rating, 2 points for Moderate, 1 point for Low) divided by Total Respondents.

Table D-9.

Ratings of priority for service areas with unmet needs for children with co-occurring MH and DD conditions – MRDD providers (Based on 17 responses)

From (Care	Highest	Moderate		No	
Service	Priority	Priority	Low Priority	Response	Average
Child/adolescent psychiatric	11	1	2	3	2.2
evaluations					
Emergency respite care	10	4	0	3	2.2
Parent support	7	7	0	3	2.1
Ongoing respite care	9	3	1	4	2
Developmental	8	3	4	2	2
pediatrician/assessment					
Advocacy services	7	6	1	3	2
Psychological testing in the	6	8	0	3	2
Counseling services for	6	8	0	3	2
Neuropsychological	8	2	5	2	1.9
Crisis intervention	7	5	1	4	1.9
Medication management	7	4	3	3	1.9
Behavior management	6	6	3	2	1.9
Case management	5	5	5	2	1.8
Counseling services for family	2	12	0	3	1.8
Residential treatment	6	3	4	4	1.6
Day treatment	4	4	5	4	1.5
Psychological testing in schools	3	5	6	3	1.5

<sup>\*</sup> Average is based on the sum of ratings for each service (with 3 points for each Highest Priority rating, 2 points for Moderate, 1 point for Low) divided by Total Respondents.

Table D-10.

Ratings of priority for service areas with unmet needs for children with co-occurring MH and DD

conditions – Service Coordinators (Based on 31 respondents)

	TT' 1 .	34 1		N.T.	
	Highest	Moderate		No	
Service	Priority	Priority	Low Priority	Response	Average
Child/adolescent psychiatric	26	4	1	0	2.8
evaluations					
Counseling services for	25	5	1	0	2.8
children					
Ongoing respite care	22	7	2	0	2.6
Emergency respite care	21	8	1	1	2.6
Behavior management	21	7	3	0	2.6
Psychological testing in the	20	9	2	0	2.6
community					
Crisis intervention	20	8	3	0	2.5
Developmental	18	10	3	0	2.5
pediatrician/assessment					
Medication management	18	10	2	1	2.5
Counseling services for family	17	11	3	0	2.4
members					
Neuropsychological	10	18	3	0	2.2
Residential treatment	11	9	11	0	2
Parent support	8	12	11	0	1.9
Psychological testing in	5	13	13	0	1.7
schools					
Case management	5	5	21	0	1.5
Advocacy services	3	10	17	1	1.5
Day treatment	1	12	17	1	1.4

<sup>\*</sup> Average is based on the sum of ratings for each service (with 3 points for each Highest Priority rating, 2 points for Moderate, 1 point for Low) divided by Total Respondents.

Table D-11.

Ratings of priority for service areas with unmet needs for children with co-occurring MH and DD

conditions – CPSE Chairpersons (Based on 12 responses)

The second secon	Highest	Moderate		No	
Service	Priority	Priority	Low Priority	Response	Average
Child/adolescent psychiatric	9	1	1	1	2.5
evaluations					
Counseling services for family	6	4	1	1	2.25
members					
Developmental	5	4	2	1	2.1
Pediatrician/assessment					
Crisis intervention	6	2	2	2	2
Counseling services for	5	4	1	2	2
children					
Emergency respite care	5	4	0	3	1.9
Medication management	5	3	2	2	1.9
Behavior management	4	5	1	2	1.9
Parent support	3	6	2	1	1.9
Ongoing respite care	3	6	0	3	1.75
Neuropsychological	3	4	3	2	1.7
evaluations					
Case management	2	6	2	2	1.7
Day treatment	3	3	4	2	1.6
Residential treatment	3	3	2	4	1.4
Advocacy services	0	5	6	1	1.3
Psychological testing in the	1	1	8	2	1.1
community					
Educational services	2	0	2	8	0.7

<sup>\*</sup> Average is based on the sum of ratings for each service (with 3 points for each Highest Priority rating, 2 points for Moderate, 1 point for Low) divided by Total Respondents

Table D-12.

Ratings of priority for service areas with unmet needs for children with co-occurring MH and DD conditions – CSE Chairpersons (Based on 12 responses)

•	Highest	Moderate		No	
Service	Priority	Priority	Low Priority	Response	Average
Crisis intervention	10	2	0	0	2.8
Day treatment	9	2	1	0	2.7
Child/adolescent psychiatric evaluations	9	1	2	0	2.6
Medication management	7	5	0	0	2.6
Counseling services for family members	8	2	2	0	2.5
Counseling services for children	8	1	3	0	2.4
Behavior management	5	7	0	0	2.4
Emergency respite care	5	7	0	0	2.4
Ongoing respite care	4	8	0	0	2.3
Residential treatment	5	5	2	0	2.25
Parent support	5	5	2	0	2.25
Neuropsychological evaluations	4	4	4	0	2
Developmental pediatrician/assessment	4	4	3	1	1.9
Advocacy services	4	3	5	0	1.9
Case management	3	4	5	0	1.8
Psychological testing in the community	1	3	8	0	1.4
Educational services	3	1	5	3	1.2

<sup>\*</sup> Average is based on the sum of ratings for each service (with 3 points for each Highest Priority rating, 2 points for Moderate, 1 point for Low) divided by Total Respondents

## APPENDIX E: MENTAL HEALTH/DEVELOPMENTAL DISABILITIES PREVALENCE RATES

By Oliver Fassler, MA, SUNY Binghamton

#### Mental Illness Prevalence

It is difficult to determine the prevalence of behavioral and emotional problems among children because researchers utilize differing, nonstandardized criteria to identify the presence of a mental illness, and the labels and definitions of problem behaviors also vary (Schroeder and Gordon, 2002). The difficulties are further complicated by developmental variability from infancy to adolescence (Schroeder and Gordon, 2002). For example, fear of separation from caretakers is normal for children under three years of age, but can be considered a disorder in older children.

Bird (1996) reviewed epidemiological studies conducted in various countries after 1980, and found wide variability in the percentages of children with a diagnosable disorder, between 12.4% and 51.3% of children 6-18 years of age. Estimates decrease to between 5.9% and 19.4% when only clinically significant or severe disorders are included. Nottelmann and Jensen (1995) also reviewed prevalence of mental illness in children and adolescents. The authors found prevalence rates of child and adolescent mental disorders based on DSM-III criteria ranged from 5% to 26% (Offord et al., 1987; Costello, 1990; Brandenburg, Friedman, and Silver, 1990; and Fleming, Offord, and Boyle, 1989). Again, this wide range is consistent with the difficulties mentioned above in gathering reliable and valid data. This range narrows, however, when one selects the studies that are more methodologically rigorous. These would include studies that had large, representative samples, reliable and valid procedures for determining diagnosis that included more than one informant. The Ontario Child Health Study (1987; Offord et al., 1998) looked at six-month prevalence rate for 5-16 year-olds, and the authors found the prevalence of mental illness was 18.1%. Bird et al. (1988) found the six-month prevalence rate children and adolescents aged 6 to 16 was 17.9%. Cohen and colleagues (1989) conducted a longitudinal study of 776 children and adolescents and found prevalence rates for 9-18 year-olds was 17.7%.

A widely-cited work by Friedman, Katz-Leavy, Manderscheid et al (1996) suggests that 20% of youth between the ages of 9 and 17 have a diagnosable disorder in a given year (see also Shaffer,

Fisher, Dulcan et al, 1996; Healthy People 2010, Chapter 18; Substance Abuse and Mental Health Services Administration, Surgeon General report, Chapter 2, 1999).

Important in estimates of prevalence is determining how one defines need as well as the severity level. Largely because of the rise of managed care, it is no longer feasible to equate need with a diagnosis of mental illness. As a result "epidemiologists have begun to focus more carefully on the level of psychopathological impairment associated with these disorders" (Regier et al, 2000, pp. 47). In addition, it is also recognized that in most epidemiological studies the prevalence of these syndromes far surpasses the perceived need for, demand for, and availability of professional services. This suggests that an important consideration in epidemiological studies is the level of severity. The Methodology for Epidemiology of Mental Disorders in Children and Adolescents (MECA; Shaffer et al., 1996) study was a four site study of 1,285 randomly selected children, aged 9 through 17. One great advantage of this study is that it included measures of global impairment. The results suggested that the 6month prevalence of mental illness plus mild functional impairment was approximately 20.9%. When the diagnostic criteria used to estimate the prevalence required the presence of moderate functional impairment, estimates dropped to 11.5 percent. Finally, when severe functional impairment is the criterion, the estimates dropped to 5.4 percent.

It is even more difficult to determine prevalence rates for preschool children. Prevalence rates for infants, toddlers, and preschool children have only recently received attention from the research community, most likely because few reliable and valid methods for assessment are available for this age group (Schroeder and Gordon, 2002). In general, prevalence rates for DSM diagnoses of preschool children tend to be similar with those for older children, although the types of disorders evidenced may vary. Arend et al. (1996) reported that 21.4% of preschool children from pediatric primary care settings had "probable" DSM-III-R diagnoses while 9.1% had "severe" DSM disorders. It is unclear what is meant by "probable" and "severe." The most common disorder was Oppositional Defiant Disorder. A recent survey of a representative sample of healthy births indicated that about 11.8% of parents of 2 year olds reported clinical or subclinical levels of problems as measured by the CBCL/2-3 (Briggs-Gowan, Carter, Skuban, & Horitz, 2001). Approximately 6% of parents of 1 to 2

year olds reported clinically significant problems on the Parenting Stress Index Difficult Child scale.

In sum, when methodologically rigorous studies are selected, the range of prevalence estimates for children and adolescents narrows to between 18 and 21 percent. The criteria utilized in these studies were whether the children met diagnostic criteria. Important in estimates of prevalence is determining how one defines need as well as the severity level. As a result, the MECA study's assessment of global functional impairment offers distinct advantages. Perhaps the more practical and reasonable estimate of prevalence rate is one that requires the child meet diagnostic criteria, as well as experience a moderate level of functional impairment. As mentioned above, the MECA study found a prevalence rate of 11.5% for children and adolescents when a moderate level of functional impairment is also required. Estimating the prevalence of mental illness in preschool children presents even greater challenges to the epidemiologist, but the numbers appear to be comparable to the prevalence rates found in the MECA study for children and adolescents with moderate functional impairment.

### Serious Emotional Disturbance (SED)

In the 1980s the U.S Department of Education estimated the prevalence of SED among school-aged children to be 1.2-2%. Conservative estimates report that children with SED represent approximately 5% of youth diagnosed with mental disorders (Oswald & Coutinho, 1995). Among disabled children who received special education related services under IDEA, approximately 9% were SED (Friedman & Kutash, 1986). Most recent reports suggest annual SED prevalence rates ranging between 9% and 13% (Friedman, Katz-Leavy, Manderscheid, et al, 1996; Surgeon General report, 1999, citing 9% to 13% SED "with substantial functional impairment" and 5% to 9% "with extreme functional impairment"; National Mental Health Association, citing one in ten children with SED).

### Developmental Disabilities

As mentioned above, determining prevalence rates for mental illnesses is difficult for a number of reasons. The problem becomes even more complex when one tries to determine the prevalence of developmental disabilities. The first and probably the most problematic issue is defining developmental disabilities. The definitions and the criteria used to determine if a child has a developmental disability vary widely. As was the case with mental illness, severity is an important concern in determining who is

identified as having a "developmental disability." The definition from the OMRDD web site is as follows:

Developmental disabilities are a variety of conditions that become apparent during childhood and cause mental or physical limitation. These conditions include autism, cerebral palsy, epilepsy, mental retardation, and other neurological impairments.

This is a narrow definition because of its inclusion of disorders that are more severe. The definition appears unambiguous until one tries to determine what is meant by "other neurological impairments." Given the narrowness of this definition, one is likely to find low prevalence rates when this definition is used.

The Developmental Disabilities Assistance and Bill of Rights Act of 2000 defines "developmental disability" as a "severe, chronic disability of an individual that

- 1. is attributable to mental or physical impairment or combination of mental and physical impairments;
- 2. is manifested before the individual attains the age of 22;
- 3. is likely to continue indefinitely;
- 4. results in substantial functional limitations in 3 or more of the following areas of major life activity: self-care, receptive and expressive living, and economic selfsufficiency; and;
- 5. reflects the individual's need for a combination and sequence of special, interdisciplinary, or generic services, individualized support, or other forms of assistance that are of lifelong or extended duration and are individually planned and coordinated."

Other definitions are broader. A study by Boyle and Yeargin-Allsopp (1994) labeled children as developmentally disabled if they had deafness or trouble hearing, blindness, epilepsy or seizures, stammering and stuttering, other speech defects, cerebral palsy, delay in growth or development, learning disabilities, and emotional or behavioral problems. The authors found that 17% of children were reported to have ever had a developmental disability. The prevalence of the individual disabilities ranged from .2% (cerebral palsy) to 6.5% for learning disabilities. This definition is much more inclusive. A difficulty with the broader definition is that it makes it harder to tease apart the groups of children with mental illness and developmental disabilities. There can be some overlap between disorders included in developmental disabilities and mental illness. For instance, mental retardation and pervasive developmental disabilities are DSM-IV

disorders. The high numbers are for children who meet criteria for a DSM disorder.

According to the Association for Retarded Citizens (ARC) between one and three percent of Americans have mental retardation. The estimates for rates of co-occurrence of mental illness within the developmentally disabled population range from 30-70% in adults (Ddhealthinfo.org).

Mental Illness	Prevalence	Source
Clinically significant disorders (6-18	5.9-19.4%	Bird (1996)
years old)		
DSM-III disorder (6-18)	17.6-22%	Nottelmann & Jensen
Preschool children with "severe"	9.1%	Arend et al. (1996)
disorder		, ,
1 to 2 year olds with "clinically	6%	Briggs-Gowan et al. (2001)
significant problems"		
Youth 9 – 17 with a diagnosable	20%	Friedman, Katz-Leavy,
disorder within a year		Manderscheid et al (1996)
Serious Emotional Disturbance		
School-aged children	1.2-2%	U.S. Department of
		Education
Of children diagnosed with mental	5%	(Oswald & Couthino, 1995)
disorder		
Of children 9 – 17: SED with	9-13%	Friedman, Katz-Leavy,
substantial functional impairment		Manderscheid et al (1996)
Developmental Disabilities		
Developmental disability as defined by	17%	Boyle and Yeargin-Allsopp
Boyle		(1994)
Learning Disability (school-aged)	4% - 6.5%	Boyle and Yeargin-Allsopp
		(1994); U.S. Department of
		Education
Cerebral Palsy	.2%	Boyle and Yeargin-Allsopp
		(1994)
Mental Retardation	1-3%	Association for Retarded
		Citizens
Autistic disorder	.02 to .05%	APA, 1994
Co-occurrence of mental illness and	30-70% of	Ddhealthinfo.org
developmental disability	developmentally	
	disabled population	
	(adults)	

#### References

- Arend, R., Lavigne, J. V., Rosenbaum, D., Binns, H. J., & Christoffell, K. K. (1996). Relation between taxonomy and qualitative diagnostic systems in preschool children: Emphasis on disruptive disorders. *Journal of Clinical Child Psychology*, 25, 288-307.
- Bird, H. R. (1996). Epidemiology of childhood disorders in a cross-cultural context. *Journal of Child Psychology and Psychiatry, 37*, 35-49.
- Bird, H. R., Canino, G., Ruio-Stipec, M., Gould, M. S., Ribera, J., Sesman, M., Woodbury, M., Huertas-Goldman, S., Pagan, A., Sanchez-Lacay, A., & Moscoso, M. (1988). Estimates of the prevalence of childhood maladjustment in a community survey in Puerto Rico. *Archives of General Psychiatry*, 45, 1120-1126.
- Boyle, C. A. & Yeargin-Allsopp, M. (1994). Prevalence and health impact of developmental disabilities in US children. *Pediatrics*, *3*, 399-403.
- Brandenburg, N. A., Frideman, R. M., & Silver, S. E. (1990). The epidemiology of childhood psychiatric disorders: Prevalence findings from recent studies. *Journal of the American Academy of Child and Adolescent Psychiatry*, 29, 76-83.
- Briggs-Gowan, M. J., Carter, A. S., Skuban, E. M., & Horwitz, S. M. (2001). Prevalence of social-emotional and behavioral problems in a community sample of 1- and 2-year-old children. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40, 811-819.
- Cohen, P, Cohen, J., Kasen, S., Velez, C. N., Hartmark, C., Johnson, J., Rojas, M., Brook, J., & Steuning, E. L. (1993). An epidemiological study of disorders in late childhood and adolescence: I. Age and gender-specific prevalence. Journal of Child Psychology and Psychiatry, 34, 851-867.
- Costello, E. J.(1990). Child psychiatric epidemiology: Implications for clinical research and practice. In B. B. Lahey & A. E. Kazdin (Eds.), *Advances in clinical child psychology* (Vol. 13, pp. 53-90). New York: Plenum Press.
- Fleming, J. E., Offord, D. R., & Boyle, M. H. (1989). Prevalence of childhood and adolescent depression in the community. *British Journal of Psychiatry*, 155, 647-654.
- Friedman, R. M. & Kutash, K. (1986). *Mad, bad, sad, can't add.* Florida Adolescent and Child Treatment Study. Tampa: Florida Mental Health Institute.
- Friedman, R. M., Katz-Leavy, J.W, Manderscheid, R.W., et al Prevalence of Serious Emotional Disturbance: An update. *Mental Health, United States, 1996.* Rockville, MD: Center for Mental Health Services, SAMHSA, 1996.

- Healthy People, 2010. Chapter 18, Mental Health and Mental Disorders.
- Lavigne, J. V., Gibbons, R. D., Christoffel, K. K., Arend, R., Rosenbaum, D., & Binns, H. (1996). Prevalence rates and correlates of psychiatric disorders among preschool children. *Journal of the American Academy of Child and Adolescent Psychiatry*, 35, 204-214.
- National Mental Health Association, Department of Health and Human Services, cited at <a href="http://www.nmha.org/children/prevent/stats.cfm">http://www.nmha.org/children/prevent/stats.cfm</a>.
- Nottelmann, E. D. & Jensen, P. S. (1995). Comorbidity of disorders in children and adolescents: Developmental perspectives. In T. H. Ollendick & R. J. Prinz (Eds.), *Advances in clinical child psychology* (Vol. 17, pp. 109-151). New York: Plenum Press.
- Offord, D. R., Boyle, M. H., Szatmari, P., Rai-Grant, N. L., Links, P. S., Cadman, D. T., Byles, J. A., Crawford, J. W., Blum, H. M., Byrne, C., Thomas, H., & Woodward, C. (1987). Ontario Child Health Study: II. Six-month prevalence of disorder and rates of service utilization. *Archives of General Psychiatry*, 44, 832-836.
- Oswald, D. P., & Coutinho, M. J. (1995). Identification and placement of students with serious emotional disturbance. Part I: Correlates of state child-count data. *Journal of Emotional and Behavior Disorders*, 3, 224-229.
- Regier, D.A., Narrow, W. E., Rupp, A., Rae, D. S., & Kaelber, C. T. (2000). The epidemiology of mental disorder treatment need: Community estimates of 'medical necessity.' In G. Andrews & S. Henderson (Eds.) *Unmet Need in Psychiatry*. New York: Cambridge University Press
- Shaffer, D, Fisher, P, Dulcan, M.K. et al. The NIMH Diagnostic Interview Schedule for Children, Version 2.3 (DSIC 2.3): Description, acceptability, prevalence rates and performance in the Methods for the Epidemiology of Children and Adolescent Mental Disorders Study. *Journal of the American Academy of Child and Adolescent Psychiatry* 35: 865-877, 1996.
- Schroeder, C. S. & Gordon, B. N. (2002). Assessment & treatment of childhood problems: A clinician's guide. New York, NY: The Guilford Press.
- U.S. Department of Education (1994). National agenda for achieving better results for children and youth with serious emotional disturbance. Washington, DC: Author.
- U. S. Department of Health and Human Services. *Mental Health: A Report of the Surgeon General* SAMHSA Center for Mental Health Services, 1999.

## APPENDIX F: THE PROBLEM OF DEFINING SPECIFIC "BEST PRACTICES" IN MH/DD

Zach Collins, MA, SUNY Binghamton

Robert Russell, Ed.D., Broome County Mental Health Department

The notion of a list of best practices is an intuitively appealing one, but it can be very difficult in a field as complex as this one. population of children with co-occurring mental health and developmental disability conditions (MH/DD) is extremely diverse. Children with developmental disabilities include those with mental retardation, cerebral palsy, epilepsy, neurological impairment, or autism/pervasive developmental disorder. Those with mental health needs include all who have one of a long list of psychiatric diagnoses. Any combination of developmental disability and mental health need will qualify a child, but not guarantee that they are similar to other children who also qualify as MH/DD. To further complicate matters, these children must be treated in various settings (e.g., school, home, community) which entail different treatment goals and approaches. Similarly, a wide range of helping professionals are involved in the care of MH/DD children, including, but not limited to, nurses, occupational physicians, therapists, physical therapists, psychiatrists, psychologists, social workers, speech therapists, and teachers. Thus, the variability across diagnosis, setting, and treatment provider complicates the adoption of integrated treatment policies and practices.

There is not a universally agreed upon "best practice" for treating dually diagnosed children. There is not a large amount of research on what actually works in treating children with co-occurring conditions. The following resources do not constitute an exhaustive list of pertinent resources. Rather, it is a sample of some of the best examples of practice guidelines and expert opinion about the treatment of co-morbid mental health and developmental disorders. The psychological and psychiatric literature provided the bulk of the material contained in this review, although research in other areas may contain valuable

information as well. None of these resources replaces the sound judgment of the clinician, based on careful consideration of all factors specific to each individual. These resources simply provide information about what approaches have been shown to be most helpful generally.

#### Helpful Resources for Providers and Families

Expert Consensus Guidelines Update: Treatment of Psychiatric and Behavioral Problems in Individuals with Mental Retardation (MR).

There are many practical questions about how to treat psychiatric and behavioral disorders in MR populations that cannot be answered by the existing research literature. To address these concerns the Expert Consensus Guidelines were developed. In 2000 the American Journal of Mental Retardation devoted an issue to compile the opinions of experts in psychosocial treatment and Their recommendations about the in psychopharmacology. appropriateness of many different aspects of assessment and treatment for a MH/MR population were listed for both general and specific issues. Data were analyzed to establish what experts considered first-line, second-line and third-line options. report was summarized and updated in 2004 to provide a resource for members of all disciplines involved in the treatment of this population including physicians, psychologists, social workers, nurses, teachers, rehabilitation and speech therapists, as well as family members and caregivers. This report provides a resource that can be used in conjunction with information specific to each individual being treated.

#### Ordering information

To request a copy of the 2004 publication, send your name and mailing address to <a href="mailto:eks@ls.net">eks@ls.net</a>. There is no charge.

Or contact

Jobson Education 367 Inverness Parkway, Suite 225 Englewood, CO 80112 Phone: (720) 895-5300 Fax: (303) 858-8842

http://www.psychguides.com/index.php

#### Clinical Practice Guidelines for Autism and Pervasive Developmental Disorders: Assessment and Intervention for Children (age 0-3 years)

In 1999, The New York State Department of Health Early Intervention Program created a list of "best practices" for children with Autism and PDD. This report reviews the evidence for many common treatments for autism and makes recommendations.

#### **Ordering Information**

Single copies of the guideline publications are available free of charge to residents of New York State. Multiple copies are available free of charge to New York State Early Intervention providers and municipal officials for use with parents and staff.

To order, contact:

**Publications** 

New York State Department of Health P.O. Box2000 Albany, New York 12220 or visit

### Practice Parameters for Children, Adolescents, & Adults with Mental Retardation and Co-morbid Mental Disorders.

http://www.health.state.ny.us/nysdoh/eip/index.htm

The American Academy of Child and Adolescent Psychiatry published these general practice parameters that focus on treatment of co-morbid MH and MR in children aged 0-21. The report states that while mental disorders appear more frequently among persons with MR, there is no essential difference in the expression of the disorders. However the clinical presentation may be modified by language difficulties, so a greater emphasis on behavioral symptoms is often appropriate. The AACAP recommends a comprehensive assessment and treatment process

that synthesizes a bio-psycho-social approach with multiple intervention techniques.

The Parameters were published in the AACAP journal volume 38 supplement in December, 1999.

#### **Ordering Information**

AACAP Communications Dept. 3615 Wisconsin Avenue, N.W. Washington, D.C. 20016

#### **New York State Guidelines**

In January 2005 the New York State Assembly Committee on Mental Health, Mental Retardation, and Developmental Disabilities published a report by their Mental Hygiene Task force; An Evaluation of the Delivery of Mental Hygiene Services in New York State. This report outlines the mental health delivery system and focuses on four issues.

- Planning and interagency cooperation
- Continuum of services
- Underserved populations
- Resources

The Report also makes several recommendations for improved delivery of mental health services in NYS.

#### Other State Guidelines

Several states have published dual diagnosis treatment guidelines including Tennessee, Ohio, and Mississippi. These guidelines generally emphasize informed consent, comprehensive assessment, and treatment based on the principals of normalization and community based care. The state guidelines are available online:

#### Tennessee:

http://www.state.tn.us/mental/BestPractice/bpg.pdf pages 38-44

Ohio: <a href="http://www.nasddds.org/pdf/Ohio-MIMR-Report.pdf">http://www.nasddds.org/pdf/Ohio-MIMR-Report.pdf</a>

Mississippi: <a href="http://www.dmh.state.ms.us/resources.htm">http://www.dmh.state.ms.us/resources.htm</a>

A great deal of useful information is located on the website for The National Association of State Directors of Developmental Disabilities Services (NASDDDS), including Technical Resources: State Strategies for Supporting Individuals with Co-Existing Conditions: <a href="http://www.nasddds.org/NASDDDS">http://www.nasddds.org/NASDDDS</a> Technical Resources. <a href="https://www.nasddds.org/NASDDDS">http://www.nasddds.org/NASDDDS</a> Technical Resources. <a href="https://www.nasddds.org/NASDDDS">https://www.nasddds.org/NASDDDS</a> Technical Resources. <a href="https://www.nasddds.org/NASDDDS">https://www.nasddds.org/NASDDDS</a> Technical Resources.